

StarTech

Product Code	Product Description	MSRP	AV Discount	AV Contract Price
IM12D1500P	Replace your 12V DC (1.5 Amp) power cable, with a reliable connection - Fiber Converter - Ethernet Media Converter - Fibre Converter - 10/100 Media Converter - UTP to Fiber	\$44.06	13%	\$38.33
3114GCN-WALL-CHARGER	USB-C 140W Wall Charger - 3x USB-C, 1X-USB-A - Power Delivery (PD) 3.1 - Runs cool at full-load - Foldable Plug - Portable GaN charging - Ideal for MacBook Pro/Max/Dell XPS/Precision/Inspiron/iPad Pro/Samsung Smartphones/iPad Pro/Smart Watches	\$102.49	13%	\$89.17
16NM8-RACK-MOUNT-PDU	1U rack mount metered PDU w/16x NEMA 5-15R outlets; 125V max; 8ft power cord - Backlit LCD for real-time electrical monitoring (V/A/W/PF) - Self-tripped MOV surge protector; Resettable 15A breaker - Rackmount power distribution strip for server; TAA	\$166.04	13%	\$144.45
12NM8-RACK-MOUNT-PDU	This 1U Rack Mount Metered PDU features a built-in 8ft (2.4m) NEMA 5-15P power cord and 12x NEMA 5-15R outlets, while the surge protection helps ensure the safe and stable operation of critical equipment. A large backlit LCD provides live readings of electrical parameters for connected devices.	\$148.61	13%	\$129.29
HB20A4AME	Industrial 4 port USB 2.0 hub w/ USB Type-A ports (status LEDs) 480Mbps - Rugged metal USB hub/15kV Air/8kV Contact ESD - 350W surge protection - Ear/DIN mountable (bracket incl) - Operating temp -40F to 185F/RH 5% 95% - 7 to 48VDC power terminal	\$177.31	13%	\$154.26
8NM8-RACK-MOUNT-PDU	This 1U Rack Mount Metered PDU features a built-in 8ft (2.4m) NEMA 5-15P power cord and 8x NEMA 5-15R outlets, while the surge protection helps ensure the safe and stable operation of critical equipment. A large backlit LCD provides live readings of electrical parameters for connected devices.	\$130.16	13%	\$113.24
HB20A7AME	Industrial 7 port USB 2.0 hub w/USB Type-A screw lock ports 480Mbps - Rugged metal USB hub with 15kV Air/8kV Contact ESD - 350W surge protection - Ear/DIN mountable (bracket incl) - Operating temp -40F to 185F RH 5%-95% - 7 to 48V DC power terminal	\$223.44	13%	\$194.39
QWCHSTAND	15W Qi certified wireless charging stand - Adjust to fit your device or remove it to lay Qi pad flat - Wireless charger; UL/FCC Listed power adapter - Adjusts to optimal output: 5/7.5/10/15W - iPhone (15, 12, 11, Pro, Max), Galaxy S20/Note/Pixel 5	\$45.09	13%	\$39.23

CTK55PCEDRIVE	This cord-less screwdriver is the ideal tool to dismantle and reassemble electronic devices during repairs. The battery powered driver set includes a precision electric screwdriver (2 x AAA batteries included), 55 micro bits, a magnetizer/demagnetizer and a magnetic work pad, housed in a durable hard case.	\$77.89	13%	\$67.76
CTK20PCEDRIVE	Electric precision screwdriver kit/set - Mini cordless bit driver incl. case/2xAAA Batteries - 20 bits: Philips x4/Slot x3/Torx x1/Torx Security x2/Hexagonal x2/Pentalobe x3/Spanner x1/TriWing x2/Triangle x1/Robertson x1 - iPhone/iPad/MacBook/devices	\$72.76	13%	\$63.30
10G2A1C25EPD-USB-HUB	3 Port USB-C hub w/2x USB-A/1x USB-C - USB 3.2 Gen 2 10Gbps - 2.5 GbE (WoL) - 100W PD 3.0 pass-through (15W reserved for hub) - 1ft USB-C host cable (TPE jacket) - Connectivity Tools software (USB Event Monitoring/MAC Address Cloner/WIFI Auto Switch)	\$71.74	13%	\$62.41
HDVGADP2HD	Switch between DisplayPort, VGA or two HDMI source devices on one display, with automatic and priority switching - 4K resolution support - Automatic switching - DisplayPort to HDMI switch - VGA to HDMI switch - Multi-input to HDMI Converter Switch	\$203.99	13%	\$177.47
ST12MHDLANU	ST12MHDLANU HDMI and USB over IP Distribution Kit - 1080p - TAA - Deploy content for digital signage through a scalable distribution system with intuitive control and USB extension that's ideal for point-to-point or video wall applications	\$340.99	13%	\$296.66
HB31CM4CPD3	4 Port USB-C 10Gbps (USB 3.1/3.2 Gen 1) portable expansion hub/splitter for laptops - USB bus powered or with 100W USB PD Pass-Through (USB Type-C Power Adapter not incl) - OS independent - Built-in 9.8 long cable with wrap around cable management	\$74.81	13%	\$65.08
160W-POWER-ADAPTER	Universal International Power Adapter - 4x regional 4ft AC cables (NA/UK/EU/ANZ) - 24V/6.6A (158.4W) DC output w/attached 4ft DC cord - Auto-switch 100-240V AC input - External power supply brick includes 2-conductor and 3-conductor terminal blocks	\$107.61	13%	\$93.62
5G4AIBS-USB-HUB-NA	4 port USB 3.2/3.1 Gen 1/3.0 5Gbps hub w/individual port switches - 4x USB Type-A ports - BC 1.2 1.5A (7.5W) of power and On/off switches/LEDs on each port - 3.3ft USB-A/USB-C host cables - Self Powered USB hub with AC adapter/supply - OS independent	\$60.99	13%	\$53.06
5G7AIBS-USB-HUB-NA	7 port USB 3.2/3.1 Gen 1/3.0 5Gbps hub w/individual port switches - 7x USB Type-A ports - BC 1.2 1.5A (7.5W) of power and on/off switches/LEDs on each port - 3.3ft USB-A/USB-C host cables - Self powered USB hub with AC adapter/supply - OS independent	\$84.99	13%	\$73.94
MDP2VGDVHD	Connect a Mini DisplayPort-equipped PC or Mac to an HDMI, VGA, or DVI Display -Mini DisplayPort to VGA -Mini DisplayPort to DVI -Mini DisplayPort to HDMI Adapter -mDP Adapter -Mini DP Converter -Mini Display Port to VGA DVI or HDMI -1920x1200	\$16.39	13%	\$14.26

SATPCIEX8ADP	Convert two 15-pin SATA power supply connectors to an 8-pin PCI Express video card power connector - sata to pci express power - sata to pcie power - sata to 8 pin pci express - pci express power adapter - pci express power cable	\$10.24	13%	\$8.91
SATPCIEXADAP	Convert two 15-pin SATA power supply connectors to a 6-pin PCI Express video card power connector - sata to pci express power - sata to pcie power - sata to 6 pin pci express - pci express power adapter - pci express power cable	\$10.24	13%	\$8.91
MDP2HDW	Passive Mini DisplayPort to HDMI adapter dongle - 1920x1200/1080p 60Hz/7.1 Audio/HDCP 1.4/DPCP - White Mini DP 1.2 to HDMI 1.4 video converter for monitor/projector - Display adapter supports mDP++ source incl Thunderbolt 1/2 MacBook - Driverless	\$18.44	13%	\$16.04
RKPW161915	This 16-outlet (120V 15A)(12A UL) Rack PDU delivers a cost-effective power distribution solution for your server rack/cabinet. The 1U PDU can be mounted horizontally in any server rack 4in in depth or greater, to provide sixteen 120V 15A power ports/outlets, and features a rugged steel casing to ensure maximum durability.	\$88.14	13%	\$76.68
MDP2VGAW	Active Mini DisplayPort to VGA adapter dongle supports 1080p 60Hz video; mDP 1.2 HBR2; EDID/DDC - mDP to VGA monitor/display/projector - For mDP/mDP++ source - Mini DP to VGA adapter converter works with Thunderbolt 1/2 - OS independent - White	\$9.21	13%	\$8.01
RTPAC1016	360 degree rotating flat plug extension cord - Use 3ft power extension cord w/ wall outlet/power bar without blocking other outlets - Flat power plug - Short electrical cable w/durable connectors (NEMA 5-15P to 5-15R) - UL Certified, 16AWG, 125V 15A	\$12.99	13%	\$11.30
RTPAC1013	360 degree rotating flat plug extension cord - Use 3ft power extension cord w/ wall outlet/power bar without blocking other outlets - Flat power plug - Short electrical cable w/durable connectors (NEMA 5-15P to 5-15R) - 16AWG, 125V 15A	\$16.39	13%	\$14.26
PAC1023	3ft piggyback extension cord - 1 to 2 outlet saver power cord reduces wear/tear - Attach bulky adapters to power bars without blocking outlets - Electrical power cable w/ durable PVC connectors - UL Certified, 16AWG, NEMA 5-15P to 2x 5-15R	\$9.99	13%	\$8.69
DP2DVIS	Active DisplayPort 1.2 to DVI-D single-link adapter supports 1920x1200/1080p @ 60Hz; HBR2; EDID/DDC - DisplayPort to DVI adapter/video converter for DP/DP++ source supports Apple Cinema Display HD monitors - Latching DP connector	\$42.01	13%	\$36.55
USB32DP24K60	Connect two additional 4K 60Hz displays to your Mac or PC through a single USB 3.0 port - USB Dual Monitor Adapter - Dual DisplayPort Adapter - Dual Monitor DisplayPort Adapter - Multi Monitor Adapter - External Video Adapter - DP Adapter	\$135.29	13%	\$117.70
HB30C5A2CSC	7 port USB-C laptop or desktop hub - USB Type-C to 5x USB-A/2x USB-C - SuperSpeed 5Gbps (USB 3.0/USB 3.1/3.2 Gen 1) - Incl 3.3ft host cable - Self-Powered w/ universal power adapter - Dedicated BC 1.2 fast charging port - OS Independent -Works w/ TB3	\$92.24	13%	\$80.25

RTPAC10110	360 degree rotating flat plug extension cord - Use 3ft power extension cord w/ wall outlet/power bar without blocking other outlets - Flat power plug - Electrical cable w/durable connectors (NEMA 5-15P to 5-15R) - UL Certified, 16AWG, 125V 15A	\$19.46	13%	\$16.93
MSTCDP122HD	USB Type-C dual-monitor adapter can drive 2x 4K 30Hz or 2x 1080p 60Hz HDMI monitors - DP 1.2/HBR2/MST Hub - Thunderbolt 3 compatible - 1ft cable - 2-port video splitter works w/ Dell/Lenovo/Surface/HP monitors - Driverless setup Windows	\$67.64	13%	\$58.85
PDU08C13H	1U 8 Port Rack Mount PDU C13 Socket 16A, Input Connector(s)- 1 - IEC C20 (16A, 3 conductor) Power, Output Connectors- 8 - IEC C13 (10A, 3 conductor) Power Receptacle, Surge Protection: 3600 Joules, Phase Power: Single phase power adapter, Input Voltage- 110V-240V AC, Output Voltage- 20V DC	\$103.51	13%	\$90.05
SATAPOWEXT12	Extend a SATA Power Connection by up to 12in - sata power extension cable - sata power extension cord - sata power extender -sata power male to female	\$12.29	13%	\$10.69
PCIEPOWEXT	8in 6 pin PCI Express Power Extension Cable - Reduces strain and eliminates stress on the PCIe graphics card power supply connection - Thin and flexible, yet durable cable design	\$6.99	13%	\$6.08
PACF10118IN	AC power extension cord 18in/0.45m 18AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 10A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SVT; Jacket material PVC	\$9.21	13%	\$8.01
10G5A2CS-USB-C-HUB	7-Port USB 3.2 Gen 2 (10Gbps) Type-C expansion hub for laptop/desktops (5x USB-A/2x USB-C) - Self-powered with 65W Power Supply - 2x USB BC 1.2 charging ports - USB-IF certified screwlocking 3ft host cable - OS independent - Mountable	\$128.11	13%	\$111.46
ICUSB2322I	Add 2 DIN Rail-mountable RS232 Serial ports to any system through USB - USB to Serial - USB to RS232 - USB to DB9 - USB to serial Adapter - USB to serial port - Baud Rate up to 921.6 Kbps	\$74.81	13%	\$65.08
PXT101143	3ft (1m) Universal power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.3in	\$13.31	13%	\$11.58
USB2TYPEM	3ft (91cm); USB-A; Type M coaxial power (Barrel Power Connector OD:5.50, ID: 2.10); Jacket: PVC; Outer Diam (OD): 4.5mm; 5V at up to 0.9A supplied by a USB port; Aluminum-mylar foil with braided shielding, Lifetime Warranty	\$10.24	13%	\$8.91
MDP2DVIS	Mini DP to DVI-D single-link converter supports 1920x1200 or 1080p 60Hz video; mDP 1.2 - mDP/mDP++ source to DVI monitor/display adapter - Active Mini DisplayPort to DVI adapter dongle works w/ Thunderbolt 1/2 incl. MacBook Pro/Air - OS independent	\$39.96	13%	\$34.77

DP2DVID2	Active DisplayPort 1.2 to DVI-D dual-link adapter; 2560x1600 60Hz; HBR2; HDCP; EDID - DisplayPort to DVI adapter/video converter for DP/DP++ source supports ultrawide monitor/Apple Cinema Display - Nickel-plated latching DP connector - OS independent	\$83.01	13%	\$72.22
ST4300PBU3	Add four external USB 3.0 ports to your notebook or Ultrabook with a slim, portable hub -Four Port External USB 3 Hub with Built-in Cable -4Port Mini USB Hub -4 Port USB 3.0 Hub -Microsoft Surface Pro 4 / Surface Pro 3 / Surface Book USB hub	\$35.86	13%	\$31.20
USB32HD4K	USB 3.0 to HDMI adapter supports up to 4K 30Hz/5ch audio/1080p - USB to HDMI adapter connects your USB-A computer to a HDMI monitor/projector - Windows/macOS/Chrome/Ubuntu - External video/graphics card has auto-driver install w/ Windows and Chrome	\$94.29	13%	\$82.03
PXT100143	3ft (0.9m) Heavy duty extension cord w/ IEC 60320 C14 to C13 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$13.31	13%	\$11.58
PEXUSB3S42	Add four USB 3.0 ports-three external and one internal port - to your computer - 4 Port PCIe USB 3.0 Card - Cost-effective USB 3.0 Adapter Card - Easy to install with native OS support in Windows 8.1 8 and 7 - Standard and low-profile USB card	\$47.14	13%	\$41.01
HDACFM	Mini HDMI to HDMI Adapter; 4K 30Hz/Full HD 1080p/10.2 Gbps bandwidth/8Ch Audio/HDMI 1.4; Compact (1.1/28mm long) - Ultra HD High Speed HDMI Adapter w/ Gold-plated connectors - Connect Mini HDMI (Type-C) device/laptop/camera to TV/monitor/projector	\$13.31	13%	\$11.58
MDP2HD4KS	Active Mini DisplayPort to HDMI adapter dongle - 4K 30Hz/1080p/7.1ch Audio/HDCP 1.4/DPCP - Mini DP 1.2 to HDMI 1.4 video converter to connect HDMI monitor/display - Supports mDP/mDP++ source incl Thunderbolt 1 and 2/MacBook/Surface - OS Independent	\$33.81	13%	\$29.41
ST121SHD50	Extend HDMI up to 165ft (50m) over Cat5e/6 cabling w/ Power over Cable to Receiver - HDMI over Cat5e - HDMI Cat5e Extender - HDMI over Cat6 - HDMI extender over Cat5e - HDMI Ethernet Extender - HDMI over Dual Cat5e/6 Video/Audio Extender - 1920x1080p	\$130.16	13%	\$113.24
ST43004UA	Bus-powered USB 3.2 Gen 1 (5Gbps) expansion hub - USB to 4x USB-A ports - Supports Windows, macOS, Linux, ChromeOS, Android - Add 4x USB-A ports for keyboard/mouse, USB SSDs & thumb drives - Ideal for desktops / laptop computers w/ limited USB ports	\$40.99	13%	\$35.66
LP4POWEXT12	Extend your LP4 power connections by up to 12 inches - 4 pin Power Connector - 12in LP4 Power Cable - Hard Drive 4 pin Power Extension - Internal 4 pin Power Extension Cable - LP4 Extender Cable - 12in LP4 Power Extension Cable - M/F	\$9.21	13%	\$8.01

PXT515C158	8ft (2.4m) Universal power cord w/ NEMA 5-15P and IEC 60320 C15 connectors; 125V 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$27.66	13%	\$24.06
ST1030USBM	Add ten USB 3.0 (5Gbps) ports with this DIN rail or surface-mountable metal hub - 15kV ESD 350W Surge Protection - DIN Rail / Wall-Mountable USB Hub - Rugged Housing - 10 port SuperSpeed USB3 Hub w/ terminal block power wide operating temperature	\$184.49	13%	\$160.51
PXT515C154	4ft (1.2m) Universal power cord w/ NEMA 5-15P and IEC 60320 C15 connectors; 125V 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.36in	\$25.61	13%	\$22.28
ICUSBAUDIO2D	Add an SPDIF digital audio output and standard 3.5mm audio/microphone connections to your system through USB - 96KHz / 24-bit Hi-Fi USB Audio. S/PDIF digital output with AC3 (Dolby Digital) and DTS pass-through support. 5.1 Surround Sound supported (Windows only). 4 position TRRS headset with Mic supported	\$47.14	13%	\$41.01
BOX4HDECP2	Conference Table Connectivity Box installs in table - Conference table pop up box shares HDMI VGA or DP laptop to your HDMI display - Conference table pop up box with USB charging - Conference room cable organizer - LAN direct connect architecture	\$144.99	13%	\$126.14
ST3300G3UA	Bus-powered USB 3.2 Gen 1 (5Gbps) expansion hub - USB-A to 3-port USB-A hub - NIC adapter for wired Ethernet to a laptop / desktop - Supports WoL, Jumbo Frames and V-LAN Tagging - Supports SSD/thumb drives, data storage, keyboards/mice, and others	\$57.39	13%	\$49.93
USB2PACBK	Charge your tablet and your phone simultaneously - Dual Port USB Charger - Travel Charger - 2 Port USB Charger - 2 Port USB AC Charger for Apple and Android Devices - High Power 17 Watt / 3.4 Amp (1A 2.4A) - Travel Charger (International) 110V/220V	\$25.99	13%	\$22.61
DP2HD4KS	The DP2HD4KS DisplayPort to HDMI adapter enables you to connect a DisplayPort-equipped desktop or laptop computer, such as the HP EliteBook 8570p / 8470p, to an HDMI display.	\$37.91	13%	\$32.98
PAC101R1	Power Cable - NEMA 5-15P - Male Left Gender - Power NEMA 5-15R - Female Right Gender - 1feet Length - Black - This 1ft (0.3m) Right-Angle 16AWG AC power extension cord with NEMA 5-15R and NEMA 5-15P connectors is suitable for workstations/home office Indoor use Rated to carry 125V at 13A	\$9.21	13%	\$8.01
ST73007UA	Bus-powered USB 3.2 Gen 1 (5Gbps) expansion hub - USB to 7x USB-A ports - Supports Windows, macOS, Linux, ChromeOS, Android - Add 7x USB-A ports for keyboard/mouse, USB SSDs & thumb drives - Ideal for desktops / laptop computers w/ limited USB ports	\$76.86	13%	\$66.87

USBMBADAPT2	This USB A to USB Motherboard 4-Pin Header plugs directly into a motherboard USB header, providing two standard USB A female ports. Backed by Lifetime Warranty.	\$16.39	13%	\$14.26
USB32HDES	USB 3.0 to HDMI adapter 1920x1200/1080p/2ch audio - For connecting USB Type-A computer/laptop to HDMI monitor/display/projector - Ultra-slim USB-A to HDMI adapter works w/ Windows only - Bus-powered external video/graphics card - Auto-driver install	\$38.94	13%	\$33.88
PXT101NB-STRA-10F	10ft (3m) Laptop Charger Cord with NEMA 1-15P to Right Angle IEC 60320 C7 connector; 125V at 7A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 18AWG; Jacket Rating: NISPT-2; Temp Range: -4 to 221F; Cable O.D: 0.29in; TAA Compliant	\$13.31	13%	\$11.58
PAC101R3	AC power extension cord 3ft (0.9m) 16AWG power supply extension cable NEMA 5-15R to Right-Angle NEMA 5-15P; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$10.24	13%	\$8.91
PXT101NB-STRA-3F	3ft (0.9m) Laptop Charger Cord with NEMA 1-15P to Right Angle IEC 60320 C7 connector; 125V at 7A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 18AWG; Jacket Rating: NISPT-2; Temp Range: -4 to 221F; Cable O.D: 0.29in; TAA Compliant	\$9.21	13%	\$8.01
PXT101NB-STRA-6F	6ft (1.8m) Laptop Charger Cord with NEMA 1-15P to Right Angle IEC 60320 C7 connector; 125V at 7A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 18AWG; Jacket Rating: NISPT-2; Temp Range: -4 to 221F; Cable O.D: 0.29in; TAA Compliant	\$11.26	13%	\$9.80
BEZELWRKIT	Replacement Power Reset LED Wire Kit for ATX Case Front Bezel - This Power/Reset LED wire kit is suitable for replacing burnt out LEDs and switches on a PC (ATX) Case Front panel.	\$7.16	13%	\$6.23
USB2PCARBKS	Charge two tablets simultaneously, in your car - 2 port USB Car Charger - Tablet Car Charger - Dual Port Car Charger - USB Car Charger - Phone Charger for Car - Dual-Port USB Car Charger - Charge two tablets at once - High Power 24W / 4.8A - Black	\$21.51	13%	\$18.71
USBC-PWRTESTER	Compact Bi-Directional USB-C Power Tester measures Voltage/Current/Wattage; Ideal for traveling IT Pros; Digital OLED display; 240W PD 3.1 EPR; 4.5V-50V/50mA-6.5A range; USB 10Gbps pass-thru w/DP Alt Mode; Test USB-C docking stations/cableschargers	\$32.79	13%	\$28.53
MCM-CHASSIS-PSU	130W AC redundant power module ensures continuous operation for the MCM15-MEDIA-CHASSIS - Installs easily into the chassis' redundant slot - Supports 100-240V AC with plug-and-play tool-free slot-in design powering up to 15 media converter slots	\$166.04	13%	\$144.45
6FT-LC10A-POWERCORD	6ft universal power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 10A; Wire: 100% Copper; 18AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D.: 0.36in; ETL Listed; TAA Compliant	\$15.36	13%	\$13.36
3FT-LC10A-POWERCORD	3ft universal power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 10A; Wire: 100% Copper; 18AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D.: 0.36in; ETL Listed; TAA Compliant	\$11.26	13%	\$9.80

ST3300GU3B	Add 3 external USB 3.0 ports w/ UASP and a Gb Ethernet port to your laptop through one USB 3.0 port - 3 Port Portable USB 3.0 Hub w/ Gb Ethernet Adapter NIC - Works w/ Microsoft Surface Pro 4, Surface Pro 3, Surface Book, Dell XPS 13 other devices	\$60.46	13%	\$52.60
15FT-LC10A-POWERCORD	15ft universal power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 10A; Wire: 100% Copper; 18AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D.: 0.36in; ETL Listed; TAA Compliant	\$19.46	13%	\$16.93
10FT-LC10A-POWERCORD	10ft universal power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 10A; Wire: 100% Copper; 18AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D.: 0.36in; ETL Listed; TAA Compliant	\$19.46	13%	\$16.93
VS421HD4KA	Switch between four HDMI sources on a single HDMI display w/ 4K video resolution fast switching for minimal disruption - 4-port HDMI automatic video switch - 4K 4x1 HDMI switch - 4K UltraHD HDMI switch - RS-232 serial control interface	\$153.74	13%	\$133.75
3114GCU-WALL-CHARGER	USB-C 140W Wall Charger - 3x USB-C, 1X-USB-A - Power Delivery (PD) 3.1 - Runs cool at full-load - Foldable Plug - Portable GaN charging - Ideal for MacBook Pro/Max/Dell XPS/Precision/Inspiron/iPad Pro/Samsung Smartphones/iPad Pro/Smart Watches	\$104.54	13%	\$90.95
ICUSB23208FD	Convert a USB port into 8 RS232 serial ports in an industrial rack-mountable chassis, and daisy chain multiple hubs for a scalable solution - 8-Port USB-to-Serial Adapter Hub - USB to RS232 port adapter with FTDI chipset and COM port retention	\$311.59	13%	\$271.08
VS221HD4KA	Switch between two HDMI sources on a single HDMI display w/ 4K video resolution fast switching for minimal disruption - 2-Port HDMI automatic video switch - 4K 2x1 HDMI switch - 4K UltraHD HDMI switch - RS-232 serial control interface	\$122.99	13%	\$107.00
VS222HD4K	Automatically switch between two video sources on two displays with fast switching for minimal video disruption - 4K 2x2 HDMI Matrix Switch - UltraHD 4K with fast switching, auto-sensing serial control - 4K HDMI matrix switch - Backward compatible	\$183.46	13%	\$159.61
ST7200USBM	ST7200USBM - 7-Port USB 2.0 Hub - Metal Industrial USB-A Hub with ESD Protection & 350W Surge Protection - Din Rail, Wall or Desk Mountable - TAA Compliant USB Expander Hub	\$112.74	13%	\$98.08
ATX24POWEXT	This 24-pin ATX 2.01 Power Extension Cable offers a male 24-pin ATX connector and a female 24-pin connector, letting you extend the length of an ATX power supply connection by 8in.	\$10.24	13%	\$8.91
HB30CM3A1CB	Bus Powered 4 Port USB-C hub - USB Type-C laptop to 3xUSB-A & 1xUSB-C - SuperSpeed 5Gbps USB 3.2/3.1 Gen 1 - 11in long host cable w/hideaway cable management - Up to 15W shared power - OS independent - Thunderbolt 3 compatible - USB 3.0/2.0 support	\$47.14	13%	\$41.01

HB30CM4AB	Bus Powered 4 port USB-C hub - USB Type-C laptop to 4xUSB-A adapter hub - SuperSpeed 5Gbps USB 3.2/3.1 Gen 1 - 11in long host cable w/hideaway cable management - Up to 15W shared power - OS independent - Thunderbolt 3 compatible - USB 3.0/2.0 support	\$42.01	13%	\$36.55
HB31C3A1CPD3	Portable 4 Port USB-C hub (USB 3.1/3.2 Gen 2 SuperSpeed 10Gbps) - USB-C adapter hub to 3 USB-A/1 USB-C - 100W Power Delivery 3.0 pass through charging w/your USB Type-C Power Adapter; 15W reserved for hub - OS Independent - Works w/ TB3 - 9.8in cable	\$71.74	13%	\$62.41
SVA20N2NEUA	Universal DC power adapter supports devices that require 20 V and 2 A or less like DK30A2DH and DK30ADD laptop docking stations - Use as replacement 20V DC power supply for lost adapters - Keep devices running with an extra 2A 20V DC power adapter	\$39.96	13%	\$34.77
C14LC13L14G15ABK6FT	6ft Heavy Duty Power Extension Cord w/Locking IEC 60320 C14 and Locking C13 connectors helps minimize accidental disconnections; 250V at 15A; 100% Copper Wire; 14AWG; Fire Rating: VW-1; Jacket Rating: SJTW; UL Listed; TAA Compliant	\$30.99	13%	\$26.96
RCACOAXMF	RCA to F Type Coaxial Adapter M/F, Convert an RG6 Coax cable into a RCA cable	\$8.19	13%	\$7.13
USB32HDDVII	Connect an HDMI and DVI-I-equipped display through a USB 3.0 port, for a 1080p HD external multi-monitor solution - USB 3.0 to HDMI and DVI - usb video adapter - External USB Video Card - usb video card - Dual Monitor Video Adapter	\$63.99	13%	\$55.67
HB31CM1A3CB	4 Port USB-C 10Gbps (USB 3.2 Gen 1) expansion hub/splitter for laptops - USB Type-C to multiple USB ports (3x USB-C/1x USB-A) - USB bus powered (up to 15W total shared) - OS independent - Built-in 12.6in long cable with wrap around cable management	\$63.54	13%	\$55.28
HD2VGAA2	The HD2VGAA2 HDMI to VGA Adapter Cable enables you to connect an HDMI output device, such as a laptop video output or digital media extender to a VGA display device (monitor, projector) by converting the HDMI video signal from the output device into a VGA output and separate 2-channel analog audio.	\$30.74	13%	\$26.74
BOX4MODULE	Dual-Module Conference Table Connectivity Box - Customizable - Add two connectivity modules of your choice (sold separately) to the architectural connectivity box - Features lid that closes flush with the tables surface and built-in cable organizer	\$192.99	13%	\$167.90
MOD4DOCKACPD	Laptop docking module for the conference table connectivity box lets you access boardroom devices-Set up conference calls using applications such as Skype for Business- Boardroom docking station with USB-C or USB-A laptop docking - USB-C PD 2.0 - 2 Years Warranty	\$174.99	13%	\$152.24
PAC101	AC power extension cord 1ft/0.3m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$10.24	13%	\$8.91

MOD4POWERNA	Power Outlet Module for Conference Table Connectivity Box - Add convenient power charging capability to a boardroom or huddle space - Desktop outlet features AC outlets and 2.4 amp USB ports - ETL certification - Table-mounting bracket included	\$44.99	13%	\$39.14
HB31C3A1CS	USB C hub adds 1x USB-C + 3x USB-A ports (incl. one fast-charge BC 1.2) to your USB-C laptop or tablet - Universal power adapter incl. - USB 3.1 Gen 2 hub data transfer rates up to 10Gbps - Mountable - 1 meter host cable - Plug-and-play installation	\$78.91	13%	\$68.65
MCHD2VGAA2	Convert a Micro HDMI video signal to VGA, with discrete audio output - micro hdmi to vga adapter - micro hdmi to vga converter - micro hdmi male to vga female -micro hdmi to vga and audio converter	\$43.04	13%	\$37.44
MCHD2VGAE2	Connect a Micro HDMI equipped Smartphone or Tablet PC to your VGA Display or Projector - Micro HDMI to VGA adapter - Comparable to AA-AH2NMHB/US - Micro HDMI to VGA converter - Micro HDMI to VGA adapter - mHDMI to VGA converter	\$44.06	13%	\$38.33
158-DOCKPOWERADAPTER	Replaces the power adapter included with models of StarTech.com docking stations DK30C2DPEP/DK30C2DPPD/DK31C3HDPD laptop docking stations - 150W 19.5V/7.7A - NEMA 1-15P - N-Barrel Connector 3 year Warranty with lifetime 24/5 technical assistance	\$78.91	13%	\$68.65
RKPW247015	Organize and add additional power outlets to your rack solution - rack mount power strip - rackmount power strip - 24 outlet power strip	\$117.86	13%	\$102.54
1415R-3F-POWER-CORD	3ft (1m) 18AWG AC power extension cable; Power supply extension cable IEC 60320 C14 to NEMA 5-15R; 125V at 10A; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SVT; Jacket material PV	\$7.99	13%	\$6.95
USB210AIND-USB-A-HUB	10-port industrial USB 2.0 Hub is built with a cold-rolled steel housing for temps up to 32-140F (0-60C) - Lockable USB-A ports, USB 2.0/1.1/1.0, Driverless - Multi port USB Hub features 15kV air/8kV contact ESD level 4 protection - DIN rail moun	\$56.99	13%	\$49.58
IESC1G80UP	8 Port Gigabit PoE switch 30W PSE power per port to devices w/GbE on Cat5e/6 - Power over Ethernet Network IEEE 802.3af/at /10/100/1000 Mbps /Unmanaged /Alarm Relay /DIN/Wall Mount /Redundant Power Input IP-30 /Industrial Hardened -40C to 75C temp	\$467.39	13%	\$406.63
IESC1G50UP	5 Port Gigabit PoE switch 30W PSE power per port to devices w/GbE on Cat5e/6 - Power over Ethernet Network IEEE 802.3af/at /10/100/1000 Mbps /Unmanaged /Alarm Relay /DIN/Wall Mount /Redundant Power Input IP-30 /Industrial Hardened -40C to 75C temp	\$265.46	13%	\$230.95
USB DUP15	1 to 5 Standalone USB Flash Drive Duplicator and Eraser; Supports USB 3.0/2.0 Flash Drives; Up to 1.5 GB/min System-and-File and Sector-by-Sector Copy; Single and 3-Pass Erase (DoD / NIST SP 800-88 Rev 1 clear); LCD Menu Display; TAA Compliant	\$479.99	13%	\$417.59

IES1G52UPDIN	Industrial 5 Port Gigabit Ethernet Switch - Up to 30W per 4 PoE ports - 75C to -40 C hardened 5 RJ-45 ports (4 PoE) + 2 SFP slots MSA IP-30 housing MTBF 500k + hrs Vibration/shock/free fall rated Unmanaged DIN mountable/DIN connector included 2yr warr	\$272.64	13%	\$237.20
1315B8H-RACK-PDU	1U rackmount PDU unit for 19in racks w/ 13x NEMA 5-15 electrical outlets - 1x Front and 12x rear - 125V 15A max; 8ft power cord - 4-way mounting brackets for various server/AV setups - Power distribution/supply unit is TAA-compliant	\$127.09	13%	\$110.57
HB31C2A2CME	Industrial metal 4-Port USB-C hub SuperSpeed 10Gbps USB 3.1 Gen 2 - 2x USB-A, 2x USB-C - Mountable USB Type-C hub - ESD Surge protection 15kV Air/8kV Contact - Self-Powered up to 30W shared/7-24V terminal - Screw-lock USB-C and USB-A host cables incl	\$145.54	13%	\$126.62
PAC520PLR3	3 ft. Power Adapter Cord features NEMA-L5-20R to NEMA-5-20P connectors providing a reliable connection - Fully molded strain relief connectors - Built with a 12 AWG wire - Locking NEMA-L5-20 receptacle ensures your equipment is securely connected	\$26.64	13%	\$23.18
BOX4HDECP	Install an HDMI, VGA, mDP Composite Audio/Video access panel into the surface of a table, and output to an HDMI display or projector, with a discreet hideaway design - Conference Table Connection - Interconnect box - Tabletop Box - Conference Table	\$256.24	13%	\$222.93
MDP2DVI3	Passive Mini DP to DVI-I (digital only DVI-D) single-link converter supports 1080p 60Hz video; mDP 1.2; EDID/DDC - mDP++ source to DVI monitor/display adapter - Compact Mini DisplayPort to DVI adapter dongle works w/ Thunderbolt 1/2 - OS independent	\$19.46	13%	\$16.93
AF211C-POE-INJECTOR	1-Port multi-speed PoE+ injector - Unmanaged inline injector supports PoE/PoE+ (802.3af/802.3at) up to 30 Watts - Multiple speed PoE plus injector (10/100Mbps and 1Gbps) - Extend data/power up to 100m w/Ethernet Cat5/5e/6/6a cables - Wall Mountable	\$45.09	13%	\$39.23
EPS8EXT	This EPS 8 Pin Power Extension Cable lets you extend the reach of your EPS power supply cable by 8in, giving you enough cable slack to connect the power supply to the EPS port without having to stretch or strain the cable.	\$9.21	13%	\$8.01
SATAPOWADAP	Power a Serial ATA hard drive from a conventional LP4 power supply connection-molex to sata adapter-molex to sata power-4 pin to sata power-6in molex to sata cable-lp4 to sata	\$9.21	13%	\$8.01
PAC10010PK	AC power extension cord 1ft (0.3m) 18AWG power supply extension cable IEC 60320 C14 to NEMA 5-15R; 125V at 10A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SVT; Jacket material PVC	\$56.36	13%	\$49.03
HB30A7AME	Industrial USB 3.0 hub w/ rugged metal housing. 15kV/8kV ESD protection and 350W surge protection. Mountable to desk, wall or DIN rail. Powered +7-48 volt range, 35W max (shared). 7 USB 3.0 (3.1 Gen 1) 5Gbps ports. USB cable and AC adapter included.	\$151.69	13%	\$131.97

PXTC13C141415FNA	15ft universal power cord with C14 to C13 connectors; Rated for 250V at 15A (max); UL Listed for North American compliance; 100% Copper Wire; Fire Rating: VW-1; Cord Type: SJT; Temp Range: 3 to 60 C; 14AWG; Cable O.D.: 9.25mm	\$27.66	13%	\$24.06
ITB20D3250	Universal terminal block DC power adapter - Designed for StarTech.com industrial products - Includes attachments for NA/JP, EU, UK ANZ - Includes attached two-pin terminal block - Includes additional three-pin terminal block	\$95.31	13%	\$82.92
ST4300USBM	ST4300USBM - 4-Port USB 3.0 Hub - 5Gbps - Metal Industrial USB-A Hub - Wall or Desk Mountable USB Data Hub - TAA Compliant USB Expander Hub - Protects your connected devices with 8kV Air and 4kV Contact ESD protection	\$128.11	13%	\$111.46
SV211HDUA4K	2 Port HDMI KVM Switch w/ built-in cables - Dual UHD Desktop KVM with Audio - Bus-Powered control of 2 USB or HDMI computers from 1 workstation console - Remote/Hotkey/Software (PC/Mac) Switching - Compact - 4K 60Hz - OS Independent - 2 year warranty	\$132.21	13%	\$115.02
HB30A10AME	Industrial USB 3.0 hub w/ rugged metal housing. 15kV/8kV ESD protection and 350W surge protection. Mountable to desk, wall or DIN rail. Powered +7-24 volt range, 50W max (shared). 10 USB 3.0 (3.1 Gen 1) 5Gbps ports. USB cable and AC adapter included.	\$200.89	13%	\$174.77
HD202A	4K HDMI audio extractor separates audio from HDMI signal for output to digital or analog audio devices - Supports HDMI 2.0 and HDR video pass-through - Connect to dual-RCA audio devices - EDID management capabilities with passthrough settings	\$86.09	13%	\$74.90
LP4PCIEXADAP	This LP4 to 6 Pin PCI Express Video Card Power Adapter converts a standard LP4 power supply connector to a 6 pin PCI Express video card power connector, letting you install a PCIe graphics card without having to upgrade the computer power supply.	\$9.21	13%	\$8.01
HB31C2A2CB	Portable 4 Port USB C hub - USB Type-C/Thunderbolt 3 to 2x USB-C and 2x USB-A adapter hub - USB Bus-powered SuperSpeed 10Gbps USB 3.1/3.2 Gen 2 hub - 9.8 in long cable for laptops/2-in-1/laptops on risers - Compatible w/ USB 3.0/2.0 devices and all OS	\$65.59	13%	\$57.06
LP4P4ADAP	This 6in LP4 to P4 Auxiliary Power Cable Adapter turns a female LP4 connector into the male P4 connector needed for connecting to a Pentium 4 motherboard - This cable adapter is constructed of top quality materials and designed for durable performance	\$9.21	13%	\$8.01
PEXUSB311AC3	USB-A USB-C PCI Express card w/Multiple INs maintains max speed w/mixed speed devices - 2-Port 10Gbps Expansion Host Controller Card 1xUSB-C and 1xUSB-A - PCIe 3.0 x4 Add-on Card Adapter w/ UASP - Windows/Linux/macOS - Incl. full/low-profile bracket	\$61.49	13%	\$53.50
ICUSB2328I	Add 8 DIN Rail-mountable RS232 Serial ports to any system through USB - 8 port usb to rs232 - 8 port usb to serial - industrial usb to serial converter - usb serial hub - usb to db9 serial adapter	\$204.99	13%	\$178.34

6FT-LC15A-POWERCORD	6.6ft heavy duty power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 15A; Wire: 100% Copper; 14AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.36in; UL Listed; TAA Compliant	\$16.99	13%	\$14.78
MUYHSMFF	Turns a 3.5mm audio output port into two distinct ports -one 3.5mm headphone jack and one 3.5mm microphone port -Headset adapter for headsets with separate headphone / microphone plugs - 3.5mm 4 position to 2x 3 position 3.5 mm M/F	\$5.99	13%	\$5.21
3FT-LC15A-POWERCORD	3ft heavy duty power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 15A; Wire: 100% Copper; 14AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.36in; UL Listed; TAA Compliant	\$16.99	13%	\$14.78
15FT-LC15A-POWERCORD	15ft heavy duty power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 15A; Wire: 100% Copper; 14AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.36in; UL Listed; TAA Compliant	\$34.99	13%	\$30.44
10FT-LC15A-POWERCORD	10ft heavy duty power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 15A; Wire: 100% Copper; 14AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.36in; UL Listed; TAA Compliant	\$24.99	13%	\$21.74
C14LC1318G10ABK6FT	6ft Power Extension Cord w/Locking IEC 60320 C14 and C13 connectors helps minimize accidental disconnections; 250V at 10A; 100% Copper Wire; 18AWG; Fire Rating: VW-1; Jacket Rating: SJTW; UL Listed; TAA Compliant	\$24.99	13%	\$21.74
C14LC1318G10ABK10FT	10ft Power Extension Cord w/Locking IEC 60320 C14 and C13 connectors helps minimize accidental disconnections; 250V at 10A; 100% Copper Wire; 18AWG; Fire Rating: VW-1; Jacket Rating: SJTW; UL Listed; TAA Compliant	\$29.99	13%	\$26.09
MST14DP122DP	DisplayPort to Dual-DP MST Hub for 2x 4K 60Hz displays; Discrete GPUs/11th gen and up Intel Processors w/ DP 1.4 required for 2x 4K 60Hz monitors; Works with DP 1.2 hosts at lower resolutions; 1ft cable; USB Powered; Driverless; Windows Only	\$47.99	13%	\$41.75
SATAPOWEXT8	Extend SATA Power Connections by up to 8in - 8 sata power extension cable - 8 sata power extension cord - 8 inch sata power male female - sata power extender - sata power extension cable	\$10.24	13%	\$8.91
PXTC19201410	10ft (3m) Heavy duty extension cord w/ IEC 60320 C19 to C20 connectors; 250V at 15A (Max); UL listed (UL62 & UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$24.59	13%	\$21.39
USB2TYPEH	StarTech comp USB2TYPEH - Power Cable - 1-USB 2.0 Type-A (4 pin, 480Mbps) - Male Left Gender - 1-Barrel Power Connector (Size H, OD: 3.40, ID: 1.30) Connector - Male Right Gender - 3feet Length - Black - Lifetime Warranty	\$10.24	13%	\$8.91
C14LC13L14G15ABK10FT	10ft Heavy Duty Power Extension Cord w/Locking IEC 60320 C14 and Locking C13 connectors helps minimize accidental disconnections; 250V at 15A; 100% Copper Wire; 14AWG; Fire Rating: VW-1; Jacket Rating: SJTW; UL Listed; TAA Compliant	\$42.99	13%	\$37.40

HB31C2A1CGS	3-Port USB 3.1 Gen 2 Hub with 2x USB-A/1x USB-C (10Gbps) and BC 1.2 Charging - Gigabit Ethernet (Gbe) supports WoL/V-LAN tagging/9K jumbo frames - Windows/macOS/Linux/iPadOS w/auto driver install - Mountable/powerd USB-C Hub w/ 3ft USB Type-C cable	\$84.04	13%	\$73.11
PXTC13C20143	3ft (1m) Heavy duty extension cord w/ IEC 60320 C13 to C20 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$11.99	13%	\$10.43
C14LC1314G15ABK6FT	6ft Heavy Duty Power Extension Cord w/Locking IEC 60320 C14 and C13 connectors helps minimize accidental disconnections; 250V at 15A; 100% Copper Wire; 14AWG; Fire Rating: VW-1; Jacket Rating: SJTW; UL Listed; TAA Compliant	\$29.99	13%	\$26.09
C14LC1314G15ABK10FT	10ft Heavy Duty Power Extension Cord w/Locking IEC 60320 C14 and C13 connectors helps minimize accidental disconnections; 250V at 15A; 100% Copper Wire; 14AWG; Fire Rating: VW-1; Jacket Rating: SJTW; UL Listed; TAA Compliant	\$40.99	13%	\$35.66
PAC1011410	10ft (3m) Heavy duty extension cord w/ NEMA 5-15R and NEMA 5-15P connectors; 125V 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$17.41	13%	\$15.15
MSTD123HD	3-port DisplayPort to HDMI multi-monitor adapter drives 3x 1080p 60Hz or 2x 4K 30Hz HDMI displays to extend desktop - DP 1.2/HBR2/MST (multi stream transport) - Built-in DP cable - MST Hub/video splitter w/latching DP connector - No Drivers - Windows	\$117.86	13%	\$102.54
PXT101UK	6ft/1.8m 18AWG (0.75mm ²) UK computer/monitor power cable AC power cord w/ BS 1363 and IEC 60320 C13 connectors; 250V 10A; CE certified; Kettle Lead w/ fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$14.34	13%	\$12.48
MSTM123HD	3-port Mini DisplayPort to HDMI multi-monitor adapter drives triple 1080p 60Hz or dual 4K 30Hz HDMI displays to extend your desktop - DP 1.2/HBR2/MST (multi stream transport) - Mini DP MST Hub/video splitter w/built-in mDP cable; No Drivers - Windows	\$99.99	13%	\$86.99
PAC10125	AC power extension cord 3ft/1m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$25.61	13%	\$22.28
PAC10115	AC power extension cord 15ft/4.5m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$20.49	13%	\$17.83
FAN4SPLIT12	Connect two 4-pin (PWM) Fans to a Single Connector on the Power Supply - 1ft case fan y cable - 1ft case fan splitter cable - 1ft 4-pin fan splitter cable - 1ft 4-pin fan y cable - 1ft pwm y cable	\$10.24	13%	\$8.91

FAN4EXT12	Extend the connection distance of a 4-pin cooling fan by 12 inches - 1ft case fan extension cable - 1ft 4-pin fan cable - 1ft PWM extension cable -pwm male to female	\$10.24	13%	\$8.91
PAC1016	AC power extension cord 6ft/2m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$10.99	13%	\$9.56
IES51000	Network up to 5 Ethernet devices through a rugged, industrial Gigabit Ethernet switch - 5 Port Unmanaged Industrial Gigabit Ethernet Switch - DIN Rail / Wall-Mountable Network Switch - Rugged IP30-Rated Gigabit Switch - Industrial Ethernet Switch	\$209.09	13%	\$181.91
MSTMDP122DP	2-port Mini DisplayPort to DisplayPort multi-monitor adapter drives dual DP displays at up to 4K 30Hz to extend your desktop - DP 1.2/HBR2/MST (multi stream transport) - Built-in cables - Bus-powered mDP MST Hub/video splitter - No Drivers - Windows	\$39.99	13%	\$34.79
SVA9M2NEUA	Replace your lost or failed power adapter - Works with a range of devices that require 9 volt and 2 amps (or less) of power and an M-type barrel connector - AC adapter - Power adapter - 9V power supply - 9 volt power - 9V 2A power supply - M barrel	\$31.76	13%	\$27.63
PAC10120	AC power extension cord 20ft/6m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$20.49	13%	\$17.83
USB2VGAE3	Windows only; No support for macOS, ChromeOS or Linux - Works w/ Windows X86/X64/ARM platforms (Intel, AMD, Snapdragon X Copilot+ PC) - Connect your computer to a VGA monitor - Display resolution up to 1920x1200 - USB powered; 19in(50cm) cable length	\$24.59	13%	\$21.39
HX-15F-POWER-CORD	15ft (4.5m) Heavy duty extension cord w NEMA 5 15P to NEMA 5 15R connectors; 125V 15A (Max); UL listed components; AC Power Cord w molded connectors; Fire Rating VW 1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; OD 0.36in	\$25.61	13%	\$22.28
PYO2LP4SATA	Power two SATA drives from a single LP4 power supply connector. - sata power splitter - molex to 2x sata - 12in sata power y cable - molex to dual sata - 12in sata power cable	\$8.19	13%	\$7.13
PYO2L	Connect two LP4 peripheral devices (CD/DVD-ROM drives etc.) to a single LP4 connector - molex splitter - lp4 splitter - molex y splitter - 4 pin molex adapter - molex power cable	\$9.21	13%	\$8.01
IES1G52UP12V	Industrial 5 Port Gigabit Ethernet Switch - Up to 30W per 4 PoE ports - 75C to -40 C hardened 10/100/1000 Mbps - 2 open SFP slots MSA - IP-30 steel housing MTBF 500k + hrs @ 25C Vibration/shock/free fall rated - Unmanaged DIN rail/wall mount 2yr warr	\$395.64	13%	\$344.21

PXT101Y	6ft (2m) 18AWG flexible computer power cord w/ NEMA 5-15P and 2x IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SJT; Jacket Material: PVC	\$18.44	13%	\$16.04
PXT101NB	6ft Laptop Power Cord NEMA 1-15P to IEC C7 AC Power Cord for Most Notebooks Power Brick - UL Listed Molded Connectors - SPECS: NEMA 1-15P to IEC 60320 C7 18AWG 125V 7A 2 Conductor SPT-2 Rating PVC Jacket	\$10.24	13%	\$8.91
USB2TYPEN1M	3.3ft (1m); USB-A; Type N coaxial power (Barrel Power Connector OD:5.50, ID: 2.50); Jacket: PVC; 5V at up to 0.9A supplied by a USB port; Aluminum-mylar foil with braided shielding, Lifetime Warranty	\$10.24	13%	\$8.91
PXT100	AC power cord 6ft (1.8m) 18AWG power supply extension cable IEC 320 C14 to IEC 320 C13 connectors; 125V at 10A; UL listed (UL62/UL817); Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating: SVT; Jacket material PVC	\$11.26	13%	\$9.80
HB31C3A1CDPPD3	4-Port USB-C Expansion Hub (USB 3.2 Gen 2 10Gbps) - 3x USB-A/1x USB-C (DP 1.4 video + 10Gbps data) - USB-C video output supports video output to portable USB-C monitors up to 4K 60Hz - Bus powered or 100W PD charging - 1ft USB-C cable w/TPE jacket	\$85.06	13%	\$74.00
PCIEX68ADAP	This PCI Express 6 pin to 8 pin power adapter cable lets you connect a standard 6-pin PCI Express power connection provided by the computer power supply to newer ATI and NVidia video cards that require an 8 pin power connection.	\$14.34	13%	\$12.48
ST93007U2C	Add seven USB 3.0 (5Gbps) ports to your computer plus fast-charge two mobile devices - 7-Port USB 3.0 Hub plus two Dedicated Charging Ports - USB hub w/ 2 x 2.4A Fast-Charging Ports for smartphones tablets incl. Apple iPhone, iPad Samsung Galaxy	\$85.06	13%	\$74.00
PXT10110PK	5-15 to C13 Power Cord - 6 ft Computer Power Cord - AC Power Cord - NEMA Power Cord - C13 Power Cable - 10 Pack	\$69.69	13%	\$60.63
HB30C4ABW	4-Port USB-C hub - USB Type-C host laptop to 4x USB-A - SuperSpeed 5Gbps (USB 3.1/3.2 Gen 1) - Portable bus powered USB C to USB A adapter hub (shared up to 15W) - OS independent - USB 3.0 hub with compact white housing - Supports USB 2.0/1.1 devices	\$45.09	13%	\$39.23
ST103008U2C	Add ten USB 3.0 (5Gbps) ports including two charging downstream ports to your computer - 10-Port USB 3.0 hub w/ 2 x 1.5A charge sync ports - Desktop USB hub charging station - Fast-charges mobile devices incl. Apple iPhone iPad Samsung Galaxy	\$96.34	13%	\$83.82
ST53004U1C	Add four USB 3.0 ports and a fast-charge port to your computer - 4-Port USB 3.0 hub plus Dedicated Charging Port - USB hub and charging station with 2.4A port - Fast-charge smartphones tablets incl. Apple iPhone, iPad Samsung Galaxy	\$75.84	13%	\$65.98
ST7320USBC	ST7320USBC - 6 Port USB 3.0 / USB 2.0 Combo Hub with 2A Charging Port 2x USB 3.0 & 4x USB 2.0 - Add 2x USB 3.2 Gen 1 and 4x USB 2.0 ports to a computer, externally through a single USB 3.2 Gen 1 connection	\$68.66	13%	\$59.73

HB30C4AFPD	USB 3.0 hub - USB Type-C host to 4x USB-A - 4-Port USB C Hub with Power Delivery 2.0 (up to 60W) pass-through when used w/ USB-C laptop power adapter (7.4W reserved for usb hub) - SuperSpeed 5Gbps (USB 3.1/3.2 Gen 1) - OS independent - 2 yr warranty	\$57.39	13%	\$49.93
PXT101NB3S	6ft Laptop Power Cord NEMA 5-15P to IEC C5 AC Power Cord for Most Notebooks Power Brick - UL Listed Molded Connectors - SPECS: NEMA 5-15P to IEC 60320 C5 18AWG 125V 10A 3 conductor SJT Rating PVC Jacket	\$11.26	13%	\$9.80
RKPW101920	This 10-outlet (125V 16A) Rack PDU delivers a power distribution solution for your server rack/cabinet. The business-grade 1U power distribution unit can be mounted horizontally in any 19 inch server rack 4IN in depth or greater, to provide ten 125V (16A) power outlets. You can access ten plugs on the front of the horizontal-mount network rack PDU.	\$132.21	13%	\$115.02
TB33A1C	3 dedicated controllers: One for each USB 3.0 5Gbps port/2x 10Gbps ports share controller - 2x USB-A (USB 3.1/3.2 Gen 1), 1xA & 1xC (Gen 2) - Flexible TB3 port w/DP Alt Mode/USB-C port/TB3 daisy chain - Fast Charge - 1.6ft cable - Win/MacOS - 65W PSU	\$169.99	13%	\$147.89
ST4300MINI	Portable 4 Port USB 3.0 hub (5Gbps SuperSpeed) with USB Type-A ports; USB Bus/self-powered - Laptop/Desktop USB 3.1 Gen 1 Hub w/ BC 1.2 fast charge up to 1.5A (7.5W) on 1 port; max 15W total shared (w/ incl power adapter) - Driverless OS independent	\$47.14	13%	\$41.01
USB3004EXT2	4-Port USB 3.0 Type-A 5Gbps and Gigabit Ethernet port extender - 330ft/100m over CAT6a/CAT7 cable (RJ45) - Industrial Metal USB 3.0 extender hub (USB 3.2 /3.1 Gen 1); 8kV/15kV Contact/Air ESD protection - 5V, 900mA/port - Incl 2 locking power adapters	\$1,604.99	13%	\$1,396.34
HB30AM4AB	Portable Bus Powered 4-Port USB 3.0 hub - USB Type-A laptop/desktop to 4x USB-A - SuperSpeed 5Gbps USB 3.2/3.1 Gen 1 - 11in long cable w/cable management - Up to 4.5W of shared power depending on power from host - OS independent - USB 2.0 support	\$39.96	13%	\$34.77
PXTC14C19146	6ft (1.8m) Heavy Duty Power Cord with IEC 60320 C14 to IEC 60320 C19 connectors; 250V at 15A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D: 0.36in; TAA Compliant	\$25.61	13%	\$22.28
H1415-10F-POWER-CORD	10ft (3m) Heavy duty extension cord w/ IEC 60320 C14 to C15 connectors; 125V at 15A (Max); Made with UL-listed components (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC	\$25.61	13%	\$22.28
PXT515C158RA	8ft (2.4m) Heavy Duty Power Cord with NEMA 5-15P to Right Angle IEC 60320 C15 connector; 125V at 15A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D: 0.36in; TAA Compliant	\$25.61	13%	\$22.28

5G16AINDS-USB-A-HUB	16 USB-A 3.2 Gen 1 (5Gbps shared) Downstream Facing Ports (DFP) w/dual-host switch/hub - Steel enclosure - Locking ports - Level-4 ESD protection 15kV air/8kV contact - Rack/Surface/DIN rail mountable - BC 1.2 charging w/power source (not incl.)	\$360.79	13%	\$313.89
DPBOOST	Amplify the strength of your DisplayPort signal to extend your video source up to 65 ft. (20m) over standard DP cable - DisplayPort amplifier - DP booster - 4K at 60 Hz - DisplayPort equalizer - DP cable extender - DP repeater - DisplayPort extender	\$115.81	13%	\$100.75
PLATE25F16LP	Add a 25-pin parallel port to the back of your low profile/small form factor computer from your motherboard - db25 to idc26 - db25 header - parallel port bracket - parallel port header cable - low profile slot plate	\$8.19	13%	\$7.13
UVCHDCAP	HDMI video capture device records to USB-C/TB3/USB-A computer - HD 1080p 60fps/2ch audio/H.264 (MPEG-4) - Auto install (UVC) - Windows/Mac/Linux; Recorder works w/DirectShow/QuickTime - Use w/incl or 3rd party software (OBS) - Works w/ Teams & Zoom	\$116.99	13%	\$101.78
ST7300U3M	Connect 7 high-performance devices to your computer or Mac with this compact and rugged hub - 7-Port USB 3 Hub for desktop or travel - Compact durable metal housing - Ideal for MacBook Ultrabook - Transfer large files at up to 5 Gbps - Upright ports	\$92.24	13%	\$80.25
C9PSM	Assembled DB9 Male Solder D-SUB Connector with Plastic Backshell - C9PSM - Lifetime Warranty - Material: Plastic - Color: Gray - Connector Type(s): 1 - DB-9 (9 pin, D-Sub)	\$7.99	13%	\$6.95
HBS304A24A	Share up to four USB 3.0 devices between four different computers - 4X4 USB 3.0 Peripheral Sharing Switch for Mac/Windows/Linux - Save by sharing USB devices such as a printer, mouse, keyboard with four computers - USB switch w/ remote port selector	\$133.24	13%	\$115.92
PXT101_3	3ft (1m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$9.21	13%	\$8.01
PXT101Y10	10ft (3m) 18AWG flexible computer power Y cable w/ NEMA 5-15P and 2x IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$22.54	13%	\$19.61
424D3N-USB-C-CHARGER	USB-C desk charger with 4x USBC (1x 140W EPR PD 3.1); Charge four laptops simultaneously with 240W total power; Runs cool under extended full-load use; Compatible with 16" MacBook M3/M4 Pro/Max; Ideal for meeting rooms; 2x 10ft USB-C cables included	\$200.89	13%	\$174.77
USB2PCARWHS	Charge two tablets simultaneously, in your car - 2 port USB Car Charger - Tablet Car Charger - Dual Port Car Charger - USB Car Charger - Phone Charger for Car - Dual-Port USB Car Charger - Charge two tablets at once - High Power 24W / 4.8A - White	\$17.41	13%	\$15.15

HB31C3ASDMB	Bus powered USB 3.1/3.2 Gen 2 Type-C SuperSpeed 10Gbps hub - USB C Hub with SD Card Reader (UHS-II, SD 4.0) and 3x USB-A - Supports SD/SDHC/SDXC/MMC - USB C laptop hub w/ aluminum housing - 9.8in cable - OS independent - USB C to USB-A adapter hub	\$72.76	13%	\$63.30
PXT515191410	10ft (3m) Universal power cord w/ NEMA 5-15P and IEC 60320 C19 connectors; 125V 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.36in	\$28.69	13%	\$24.96
PXT515C19143	3ft (1m) Universal power cord w/ NEMA 5-15P and IEC 60320 C19 connectors; 125V 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.36in	\$18.44	13%	\$16.04
HB31C2A1CGB	Portable 3 port USB-C hub w/ Gigabit Ethernet RJ45 - USB Type-C host laptop to 1x USB-C & 2x USB-A - USB 3.2/3.1 Gen 2 SuperSpeed 10Gbps - Bus Powered adapter hub - Aluminum - 9.8in attached cable - OS independent - Works w/TB3 host - USB 3.0 support	\$69.69	13%	\$60.63
PXT515C19146	6ft (1.8m) Universal power cord w/ NEMA 5-15P and IEC 60320 C19 connectors; 125V 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.36in	\$27.66	13%	\$24.06
PAC1013	AC power extension cord 3ft/1m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$13.31	13%	\$11.58
HB31C3A1CB	Portable 4 port USB-C hub - USB Type-C host laptop to 1x USB-C & 3x USB-A - USB 3.2/3.1 Gen 2 SuperSpeed 10Gbps - USB Bus Powered adapter hub - 9.8in host cable - Aluminum - OS independent - Works with Thunderbolt 3 host - USB 3.0/2.0 device support	\$52.26	13%	\$45.47
PXTC13C20146	6ft (1.8m) Heavy duty extension cord w/ IEC 60320 C13 to C20 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$22.54	13%	\$19.61
PAC101146	6ft (1.8m) Heavy duty extension cord NEMA 5-15R and NEMA 5-15P connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$15.36	13%	\$13.36
USB32DPES2	Windows only; No support for macOS, ChromeOS or Linux - Works w/ Windows X86/X64/ARM (Intel, AMD, Snapdragon X Copilot+ PC) - Connect your computer to a DisplayPort monitor - Up to 4K @30Hz; 2ch audio (via DP) - USB powered; 7.9 in(20cm) cable length	\$79.94	13%	\$69.55

PXTC19C20146	6ft (1.8m) Heavy duty extension cord w/ IEC 60320 C19 to C20 connectors; 125V at 15A (Max); UL listed (UL62 & UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$19.46	13%	\$16.93
USB2PACWH	Charge a tablet and a phone simultaneously, almost anywhere around the world - Dual Port USB Charger - White 2 Port USB Charger - 2 Port USB AC Charger Apple Android Devices - High Power 17W/3.4A (1A 2.4A) - International Travel Charger 110V/220V	\$29.71	13%	\$25.85
ST7300USBME	Add seven USB 3.0 ports with this DIN rail or surface-mountable metal hub - 15kV ESD Protection - DIN Rail and Wall-mountable USB Hub with Rugged Housing - Seven Port SuperSpeed USB 3 Hub - Terminal Block Power Wide Operating Temperature	\$135.29	13%	\$117.70
VID2HDCON2	Use the converter to convert S-Video or analog composite to HDMI - Supporting resolutions up to 720p, this AV to HDMI converter delivers HD picture quality - For an easy setup, the upscaler offers a pure hardware design, with no software installation	\$104.54	13%	\$90.95
AF41XC-POE-INJECTOR	Unmanaged 1-Port 10Gbps Inline PoE++ Injector supports up to 90W/PoE/PoE+/PoE++ (802.3af/at/bt) - Multiple speed PoE plus injector (2.5/5/10G/10/100/1000Mbps) - Extend data/power up to 100m w/Ethernet Cat5/5e/6/6a cables - Wall Mountable	\$132.21	13%	\$115.02
VS424HDPIP	Share and switch four distinct HDMI audio/video sources between four HDMI displays, with optional Picture-and-Picture - HDMI Switch - HDMI Matrix Switch - HDMI Switcher - 4 way HDMI Splitter - HDMI Matrix with Picture and Picture - HDMI Matrix	\$761.99	13%	\$662.93
HDMIPLATE	Add an In-wall HDMI Connection Port, for Neat, Professional Quality Video Installations. - HDMI wall plate - video wall plate - video wall plate extender - in wall hdmi - multimedia wall plate	\$15.36	13%	\$13.36
PEXUSB312C3	USB C PCI Express card w/ Multiple INs maintains max speed w/mixed speed devices - 2-Port USB-C 10Gbps Expansion Host Controller Card - USB Type-C Add-On Card Adapter w/UASP - 15W per port (5V/3A) - Full/low-profile PCIe 3.0 x4 - Windows/Linux/macOS	\$67.64	13%	\$58.85
ATXP4EXT	This 4 Pin P4 CPU Power Extension Cable extends the reach of your ATX12V power supply CPU power connector by 8in, making it easier to make the necessary power connection without having to inchstretchinch the CPU power connector from the power supply.	\$9.21	13%	\$8.01
DP2HDVGA	Connect your DisplayPort equipped computer system to an HDMI or VGA display - Displayport to HDMI - DisplayPort to VGA - DP to HDMI - DP to VGA - Ultrabook to projector - laptop video output - DisplayPort to VGA and HDMI	\$29.71	13%	\$25.85

USB32HDPRO	USB 3.0 to HDMI adapter supports 1080p/5ch audio - USB to HDMI adapter to connect your USB Type-A computer/laptop to an HDMI monitor/projector - USB external video/graphics card has auto-driver install w/ Windows/Chrome - Windows/macOS/Chrome/Ubuntu	\$87.11	13%	\$75.79
ST124HDVW	2x2 HDMI video wall controller/processor to split and scale 4K 60Hz HDMI signal to 4x 1080p displays for large video wall - 7.1ch audio/HDCP 2.2 - HDMI video wall splitter w/ EDID emulation - RS232/Ethernet control/Telnet/UDP - Mounting brackets	\$912.24	13%	\$793.65
GC99MFRA1	This Right Angle DB9 to DB9 Serial Cable Adapter features a right angled DB9 Male serial connector and a standard DB9 female serial connector, making it easy to connect serial devices even if space near the port is limited.	\$13.31	13%	\$11.58
PXT10112	12ft (3.6m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$13.31	13%	\$11.58
USB4PACWH	Charge 2 tablets and 2 phones simultaneously, from almost anywhere in the world - 4 Port USB Wall Charger - International USB Charger - Universal USB Wall Charger - Travel Charger - White 4 Port USB Charger - Smart IC Technology - High Power 34W/6.8A	\$46.11	13%	\$40.12
PXTC14C153	3ft (1m) Heavy duty extension cord w/ IEC 60320 C14 to C15 connectors; 250V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$16.39	13%	\$14.26
PXTC14C156	6ft (1.8m) Heavy duty extension cord w/ IEC 60320 C14 to C15 connectors; 250V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$23.56	13%	\$20.50
PXT101L10	10ft (3m) 18AWG flexible computer power cord w/ NEMA 5-15P and Right-Angle IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$11.26	13%	\$9.80
DP2HD4KADAP	Passive DisplayPort to HDMI adapter supports 4K 30Hz/1080p/7.1ch Audio/HDCP 1.4 - DP 1.2 to HDMI 1.4 video converter connects a HDMI monitor/display - Requires DP++ source - Compact design - No attached cable - Latching DP connector - OS Independent	\$22.54	13%	\$19.61
SV211USB	Control two VGA, USB-equipped PCs with a single monitor, keyboard, and mouse peripheral set - 2 Port USB VGA Cable KVM Switch - USB Powered with Remote Switch - KVM with VGA - Dual Port VGA KVM Switch - Two Port VGA USB KVM Switch	\$70.71	13%	\$61.52

AF212C-POE-INJECTOR	1-Port 2.5GbE PoE+ injector - Unmanaged inline midspan injector supports PoE/PoE+ (802.3af/802.3at) up to 30 Watts - Multi-gigabit PoE plus injector (10M/100M/1G/2.5G) - Extend data/power up to 100m w/Ethernet Cat5/5e/6/6a cables - Wall Mountable	\$64.56	13%	\$56.17
PAC10110	AC power extension cord 10ft/3m 16AWG power supply extension cable NEMA 5-15R to NEMA 5-15P connectors; 125V at 13A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$9.99	13%	\$8.69
DP2HDMI2	The adapter supports display resolutions of up to 1920x1200, allowing you to take full advantage of HDMI video capability. DP2HDMI2 is a passive adapter cable that requires a DP++ port (DisplayPort++), meaning that DVI and HDMI signals can also be passed through the port.	\$19.46	13%	\$16.93
USB31CAADGCP	Connect a USB-A device to a USB-C laptop; Slim design prevents the obstruction of adjacent ports; Durable Aluminum alloy housing; USB 5Gbps (USB 3.2); Up to 5V/3A output from a USB-A charger; NOTE: USB-C video and Power Delivery are not supported	\$9.21	13%	\$8.01
DS52000	Support for 2.5GBASE-T - 5 port network switch supports 10/1000/1000/2500 Mbps over Ethernet Cat5e/Cat6/Cat6a - Unmanaged switch requires no setup All-metal; Wall mount kit; K-slot 0-50C temp 9K Jumbo Auto-MDIX Diagnostic LEDs Fanless	\$70.99	13%	\$61.76
USB31CAADGCPRA	Connect a USB-A device to a USB-C laptop; Slim design prevents the obstruction of adjacent ports; Durable Aluminum alloy housing; USB 5Gbps (USB 3.2); Up to 5V/3A output from a USB-A charger; NOTE: USB-C video and Power Delivery are not supported	\$9.21	13%	\$8.01
RKPW081915	RACKMOUNT PDU WITH 8 OUTLETS WITH SURGE PROTECTION - 1U - PROTECT YOUR EQUIPMENT WHILE ADDING EIGHT POWER OUTLETS TO YOUR SERVER RACK, WITH THIS 19IN, THE IT PROs CHOICE: Designed and built for IT Professionals, this rack PDU is backed for 2-Years, including free lifetime 24/5 multi-lingual technical assistance	\$70.71	13%	\$61.52
HB30C3A1GE	Turn a laptops USB Type-C port into three USB Type-A ports (5Gbps) & one Gigabit Ethernet port - USB 3.0 Hub - Includes Power Adapter - USB-C to USB Adapter - Powered USB Hub - USB Type C Hub - Port Expander - USB C to Ethernet - USB Multitport	\$78.91	13%	\$68.65
SVA12DN4NEUA	Replace your lost or failed power adapter - Works with a range of devices that require 12 volt and 6.5 amps or less of power and an 4-pin DIN barrel connector - AC power adapter - 12V power supply - 12 volt power - 12V 6.5A power supply - DIN barrel	\$39.99	13%	\$34.79
SVA12M2NEUA	Replace your lost or failed power adapter - Works with a range of devices that require 12 volt and 2 amps or less of power and an M barrel connector - AC adapter - Power adapter - 12V power supply - 12 volt power - 12V 2A power supply - M barrel	\$24.59	13%	\$21.39

HB30A3A1CST	4-Port USB 3.0 hub - USB Type-A laptop/desktop to 3x USB-A (1x BC 1.2) and 1x USB-C - SuperSpeed 5Gbps USB 3.1/3.2 Gen 1 - Incl 24W power adapter/USB-A host cable - Mountable self-powered USB hub - Rugged metal housing - Power switch - OS independent	\$70.71	13%	\$61.52
HB30C4AFS	4-Port USB-C hub - USB Type-C host to 4x USB-A ports - USB 3.0 Hub SuperSpeed 5Gbps (USB 3.1/3.2 Gen 1) - USB Bus or Self Powered portable/desktop USB hub - Charge up to 2.4A (12W) on any port 20W max. with incl. 5V 4A power adapter - OS Independent	\$57.39	13%	\$49.93
DCH1C3A	60W USB-C PD3.0 Universal Laptop Power Adapter Charging Hub - 3x USB-A ports (Total 12W) - Detachable Power Cord - ETL/FCC/ICES Safety Certified - USB-IF Certified Multiport Wall Charger Station - Macbook Air/Pro 13 XPS 13 Surface Pro 7 iPhone 12 Pro	\$71.74	13%	\$62.41
SVA5M4NEUA	Replace your lost or failed power adapter - Works with a range of devices that require 5 volt and 3 amps (or less) of power and a C barrel connector - AC adapter - Power adapter - 5V power supply - 5 volt power - 5V 4A power supply - C barrel	\$25.61	13%	\$22.28
SVA5N3NEUA	Replace your lost or failed power adapter - Works with a range of devices that require 5 volt and 3 amps or less of power and an N barrel connector - AC adapter - Power adapter - 5V power supply - 5 volt power - 5V 3A power supply - N barrel	\$34.84	13%	\$30.31
1014GCN-WALL-CHARGER	USB-C 140W EPR Wall Charger - USB-IF Certified - Power Delivery (PD) 3.1 - Runs cool at full-load - Foldable Plug - Portable GaN charging - 6ft/1.8m USB-C cable - Ideal for MacBook M3 Pro/Max/Dell XPS/Precision/Inspiron/iPad Pro/Samsung Smartphones	\$89.16	13%	\$77.57
SVA12M5NA	Replace your lost or failed power adapter - Works with a range of devices that require 12 volt and 5 amps or less of power and an M barrel connector - AC adapter - Power adapter - 12V power supply - 12 volt power - 12V 5A power supply - M barrel	\$90.19	13%	\$78.47
SVA5H2NEUA	Replace your lost or failed power adapter - Works with a range of devices that require 5 volt and 2 amps or less of power and an H type barrel connector - AC power adapter - 5V power supply - 5 volt power - 5V 2A power supply - H barrel jack	\$20.49	13%	\$17.83
6N515S8-POWER-STRIP	UL Listed 6-Outlet Industrial Grade Power Strip - NEMA 5-15P/R - EMI/RFI noise isolated filter banks (2-outlets per bank) - Surge protector - 15A resettable circuit breaker - Mounting ears w/template and screws for a temporarily mountable PDU - Metal	\$99.41	13%	\$86.49
TBT3TBTADAP	Thunderbolt 3 to Thunderbolt 2 adapter lets you use TB2/TB1 peripherals/displays w/ a TB3 laptop - Bus-powered TB3 to TB2/TB1 converter - Provides up to 12W of power for peripherals - 7.9IN cable - Win/macOS - Only works w/ TB3 laptops - TB3 Certified	\$35.99	13%	\$31.31

4N515S8-POWER-STRIP	UL Listed 4-Outlet Industrial Grade Power Strip - NEMA 5-15P/R - EMI/RFI noise isolated filter banks (2-outlets per bank) - Surge protector - 15A resettable circuit breaker - Mounting ears w/template and screws for a temporarily mountable PDU - Metal	\$90.19	13%	\$78.47
HB30C3A1GEA	Turn a USB C port on your laptop into 3x USB A ports (5Gbps) and 1x GbE port - USB-C to USB Adapter - White - USB Hub w/ Gigabit Ethernet - USB 3 Hub - USB Port Hub - USB Type C Hub - USB C Multiport Adapter - Port Expander - USB Type-C to Ethernet	\$58.41	13%	\$50.82
8N515S12-POWER-STRIP	UL Listed 8-Outlet Industrial Grade Power Strip - NEMA 5-15P/R - EMI/RFI noise isolated filter banks (2-outlets per bank) - Surge protector - 15A resettable circuit breaker - Mounting ears w/template and screws for a temporarily mountable PDU - Metal	\$111.71	13%	\$97.19
PXT1011010PK	10 ft computer power cord 10-pack are suitable replacement cords for worn-out or missing PC power cables - Monitor power cords built with 18 AWG wire - NEMA5 15P to C13 power cords rated to carry 125V at 10A - Fully molded strain relief connectors	\$83.01	13%	\$72.22
8714-6600-POWER-CORD	6ft universal power cord with IEC 60320 C14 to C13 connectors; Rated to carry 250V at 13A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 16AWG; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.33in; TAA Compliant	\$12.29	13%	\$10.69
TX3SPLITTER	StarTech comp TX3SPLITTER - 6in TX3 Fan Power Splitter Cable - 2-Fan (3 pin, TX3) connector - Male Left Gender - 1-Fan (3 pin, TX3) connector - Female Right Gender - 1feet Length - White - Lifetime Warranty	\$9.21	13%	\$8.01
231B-660H-POWER-CORD	6ft Hospital-Grade Power Extension Cord w/NEMA 5-15P to 5-15R connectors; 125V at 13A; UL listed w/Green Dot indicator; 100% Copper Wire; Fire Rating: VW-1; 16AWG; Jacket Rating: SJT; Temp Range -4 to 221F; Cable O.D.: 0.33in; TAA Compliant	\$14.34	13%	\$12.48
VS221HD2VGA	Share a VGA monitor/projector between a VGA and HDMI audio/video source, with priority switching - HDMI to VGA - VGA Switch - HDMI to VGA Switch Box - VGA Converter Switch box with HDMI - HDMI to VGA Selector - HDMI to VGA Converter Switch	\$162.96	13%	\$141.78
ACFANKIT12	Increase airflow in your server rack or cabinet to extend equipment life - rack fan - rack cooling fan - server rack fan -server cooling fan - Solid metal frame and sturdy design - Removable 115V plug for use with direct current	\$71.99	13%	\$62.63
BA16-2200-POWER-CORD	2ft heavy duty power cord with IEC 60320 C19 to C20 connectors; 250V at 20A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 12AWG; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.44in; TAA Compliant	\$18.44	13%	\$16.04
SVUSBPOWER	This 5V DC power adapter is suitable for use as a replacement/spare for StarTechs SV231USB and SV431USB StarView KVM switches	\$22.54	13%	\$19.61

8713-8200-POWER-CORD	2ft universal power cord with IEC 60320 C14 to C13 connectors; Rated to carry 250V at 10A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 18AWG; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.3in; TAA Compliant	\$8.19	13%	\$7.13
W31C-4100-POWER-CORD	1ft heavy duty power cord with NEMA L5-15P to NEMA 5-15R connectors; 125V at 15A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range: -4 to 221°F; Cable O.D.: 0.44in; TAA Compliant	\$18.44	13%	\$16.04
8723-8600-POWER-CORD	6ft universal power cord Y splitter with IEC 60320 C14 to 2x C13 connectors; Rated to carry 250V at 10A; UL listed; 100% Copper Wire; Fire Rating: VW-1; 18AWG; Jacket Rating: SJT; Temp Range -4 to 221 F; Cable O.D.: 0.33in; TAA Compliant	\$15.36	13%	\$13.36
USBPNLAFHD3	Connect a panel mount USB-A port to your motherboard header - USB Header to USB A - USB A to Motherboard Header - Panel Mount USB Cable - Panel Mount USB Port - USB Panel Mount Adapter - 3 ft Panel Mount USB Cable F/F - USB-A Female Port - 3ft, 91cm	\$13.31	13%	\$11.58
ZA16-2600-POWER-CORD	6ft Heavy Duty Power Cord with NEMA L6-20P to IEC C19 connectors; 250V at 20A; UL Listed components; Color: Black; 100% Copper Wire; Fire Rating: VW-1; 12AWG; Jacket Rating: SJT; Temp Range -4 to 221 F; Cable O.D.: 0.44in; TAA Compliant	\$17.41	13%	\$15.15
8745-4600-POWER-CORD	6ft heavy duty power cord with right angle IEC 60320 C14 to straight C13 connectors; 250V at 15A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range: -4 to 221F; Cable O.D: 0.36in; TAA Compliant	\$20.49	13%	\$17.83
PXT1001	AC power cord 1ft (0.3m) 18AWG power supply extension cable IEC 60320 C14 to IEC 60320 C13 connectors; 125V at 10A; UL listed (UL62/UL817); Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SVT; Jacket material PVC	\$9.21	13%	\$8.01
PXT10010	AC power cord 10ft (3m) 18AWG power supply extension cable IEC 60320 C14 to IEC 60320 C13 connectors;125V at 10A; UL listed (UL62/UL817); Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating: SVT; Jacket material PVC	\$14.34	13%	\$12.48
87L3-8A00-POWER-CORD	10ft universal power cord with IEC 60320 C14 to locking C13 connectors; 250V at 10A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 18AWG; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.3in; TAA Compliant	\$20.49	13%	\$17.83
27LC-4B00-POWER-CORD	12ft universal power cord w/NEMA 5-15P and Locking IEC 60320 C13 connectors; 125V at 15A; UL Listed components; Wire: 100% Copper; 14AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.36in; TAA Compliant	\$21.51	13%	\$18.71
271B-6800-POWER-CORD	6ft heavy duty power cord with NEMA 5-15P to IEC 60320 C13 connectors; 125V at 13A; UL Listed components; 100% Copper Wire; Fire Rating: VW-1; 16AWG; Jacket Rating: SJT; Temp Range -4 to 221 F; Cable O.D: 0.33in; TAA Compliant	\$11.26	13%	\$9.80

87L3-8400-POWER-CORD	4ft universal power cord with IEC 60320 C14 to locking C13 connectors; 250V at 15A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.3in; TAA Compliant	\$15.36	13%	\$13.36
8713-8100-POWER-CORD	1ft universal power cord w/IEC 60320 C14 to C13 connectors; Rated to carry 250V at 10A; UL Listed components; Wire: 100% Copper; Fire Rating: VW-1; 18AWG; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.3in; TAA Compliant	\$8.19	13%	\$7.13
231A-8A00-POWER-CORD	10ft Universal Power Extension Cord w/NEMA 5-15P and NEMA 5-15R connectors; 125V at 10A; UL Listed components; Wire: 100% Copper; 18AWG; Fire Rating: VW-1; Jacket Rating: SJT; Temp Range: -4 to 221 F; Cable O.D.: 0.31in; TAA Compliant	\$10.24	13%	\$8.91
RKCONS17HD	Rackmount KVM Console with HD widescreen (16:9) 1080p - 17.3in LCD panel - Rack mount monitor works with virtually any KVM switch that supports VGA USB interfaces - 1U single port server rack drawer with durable steel housing 50,000 hour MTBF	\$1,280.21	13%	\$1,113.78
PXT100Y	AC power cord 1m (3.3ft) 16AWG power supply extension cable IEC 60320 C14 to IEC 60320 C13 connectors; 250V at 13A; UL listed (UL62/UL817); Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$18.99	13%	\$16.52
VS424HD4K60	Share and switch four distinct HDMI AV signals between four separate displays in a matrix configuration-WebGUI enables users to control the 4x4 HDMI Matrix Switch remotely- Enjoy astonishing picture quality with support for resolutions up to 4K 60Hz	\$624.21	13%	\$543.06
PXT1011	1ft (30cm) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$11.26	13%	\$9.80
8915-4606-POWER-CORD	6ft universal power cord with IEC 60320 C14 to C15 connectors; 250V at 15A; UL Listed components; Color: Green; 100% Copper Wire; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range -4 to 221 F; Cable O.D.: 0.3in; TAA Compliant	\$20.49	13%	\$17.83
8915-460Q-POWER-CORD	10ft universal power cord with IEC 60320 C14 to C15 connectors; 250V at 15A; UL Listed components; Col 100% Copper Wire; Fire Rating: VW-1; 14AWG; Jacket Rating: SJT; Temp Range -4 to 221 F; Cable O.D.: 0.3in; TAA Compliant	\$20.49	13%	\$17.83
PXT101EUR	2m (6.5ft) 18AWG (0.75mm2) flexible computer power cable w/ EU Schuko Plug and IEC 60320 C13 connectors; Rated for 250V 10A; CE certified; Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: H05VV-F; Jacket Material: PVC	\$11.26	13%	\$9.80
LP4PCIEX8ADP	Convert a Standard LP4 Power Supply Connector to an 8-pin PCI Express Video Card Power Connector - molex to 8 pin pci express - molex to pci express - molex to pcie -lp4 to pci express	\$11.26	13%	\$9.80

K31D-2U00-POWER-CORD	6in heavy duty power cord with NEMA L5-20P to NEMA 5-20R connectors; 250V at 20A; UL Listed; Wire: 100% Copper; Fire Rating: VW-1; 12AWG; Jacket Rating: SJT; Temp Range: -4 to 221°F; Cable O.D.: 0.44in; TAA Compliant	\$24.59	13%	\$21.39
PXT101	6ft (1.8m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$12.29	13%	\$10.69
VS221HDQ	Share a single HDMI display or projector between two HDMI video sources - with device priority and signal loss switching - HDMI Switch - HDMI Auto Switch - Two Port HDMI Switch - 2 Port HDMI Auto Switch - Priority HDMI Switch	\$79.94	13%	\$69.55
5G4AINDNP-USB-A-HUB	4-port metal USB hub for industrial environment; Driverless; USB 5Gbps - Wall / desk / DIN rail mount - DC barrel or terminal block power w/ 5 to 24V DC source (not incl.) - BC 1.2 charging with power source - 8kV Air / 4kV Contact ESD protection	\$102.99	13%	\$89.60
CDP2CAPDM	USB C audio and charge adapter w/ USB-C port for headset/headphones/data transfer and USB-C port for 60W Power Delivery pass-through - Bus-power - USB C audio adapter/charger to connect headset while charging USB Type-C host - MacBook/iPad Pro/Galaxy	\$33.81	13%	\$29.41
USBLT2PCARW2	Dual USB car charger charges two mobile devices up to 2.1A simultaneously; Built-in coiled Lightning cable provides a tangle free environment in vehicles; Charge tablets and Lightning devices at the same time; Fits in an auxiliary power outlet	\$42.01	13%	\$36.55
POEINJ4G-US	Deliver power and data to four PoE-powered devices (PD) using this wall-mountable PoE+ midspan hub; 4-Port Gigabit Power over Ethernet Midspan; 802.3at & 802.3af; Wall-mountable Power over Ethernet Injector; Up to 30.8 Watts per port; Easy setup; TAA	\$137.34	13%	\$119.49
2210GCN-WALL-CHARGER	100W GaN USB-C Wall Charger - 2x USB-C ports (100W max / PD 3.0) / 2x USB-A ports (24W max / QC 3.0) - Designed to run cool at full-load use - Rotating Foldable Plug - Portable fast charging - 6ft USB-C cable incl. - Ideal for Phones/laptops/tablets	\$76.86	13%	\$66.87
GC99MFRA2	Right Angle DB9 to DB9 Serial Cable Adapter Type 2 - M/F	\$11.26	13%	\$9.80
PXT1011410	10ft (3m) Universal power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.3in	\$17.41	13%	\$15.15
AF31XC-POE-INJECTOR	Unmanaged 1-Port 10Gbps Inline PoE++ Injector supports up to 60W/PoE/PoE+/PoE++ (802.3af/at/bt) - Multiple speed PoE plus injector (2.5/5/10G/10/100/1000Mbps) - Extend data/power up to 100m w/Ethernet Cat5/5e/6/6a cables - Wall Mountable	\$97.36	13%	\$84.70

PXT101146	6ft (1.8m) Universal power cord w/ NEMA 5-15P and IEC 320 C13 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating: SJT; Jacket Material PVC; Outer Dia. 0.3in	\$14.34	13%	\$12.48
EPS48ADAP	This LP4 + P4 PSU to EPS adapter combines a P4 power supply connection with an LP4 power supply connection, into a single 8-pin EPS motherboard connector. Backed by Lifetime Warranty.	\$10.24	13%	\$8.91
424DNA-USB-C-CHARGER	USB-C desk charger with 4x USBC (single port 140W EPR Power Delivery 3.1); Charge up to four laptops simultaneously with a total power of 240W; Runs cool under extended full-load use; Compatible with 16 MacBook M3/M4 Pro/Max; Ideal for meeting rooms	\$183.46	13%	\$159.61
ST121HD20L	This HDMI over CAT6 extender lets you transmit your HDMI signal over a CAT6 cable up to 330 ft. (100 m) away. The extender supports Ultra HD 4K with support for 3D and the accompanying digital audio.	\$421.26	13%	\$366.50
PXT10125	25ft (7.6m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$19.46	13%	\$16.93
PXT10120	20ft (6m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$17.41	13%	\$15.15
HDACFM5IN	Mini HDMI to HDMI Adapter; 4K 30Hz/Full HD 1080p/10.2 Gbps bandwidth/8Ch Audio/HDMI 1.4; Compact (1.1/28mm long) - Ultra HD High Speed HDMI Adapter w/ Gold-plated connectors - Connect Mini HDMI (Type-C) device/laptop/camera to TV/monitor/projector	\$17.41	13%	\$15.15
PXT10115	15ft (4.5m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$14.34	13%	\$12.48
HDBOOST4K2	Amplify 4K HDMI signal and extend it 45 ft. using certified HDMI cables. - Support for 4K 60Hz at up to 45 ft. away from your video source. - Supports 7.1 surround sound audio. - Compact HDMI amplifier can be hidden away for a discreet installation.	\$50.21	13%	\$43.68
LTANCHORL	Create an anchor point to secure your laptop, dock or other device with a laptop lock (sold separately) - Laptop cable lock anchor mounts to desk - Cable lock anchor point with large ringed design 1.4 x 0.7 / 35x19 mm for thicker or multiple cables	\$21.51	13%	\$18.71
PXT1001410	10ft (3m) Heavy duty extension cord w/ IEC 60320 C14 to C13 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$20.49	13%	\$17.83

I51G-ETHERNET-SWITCH	Expand your network connectivity with simple plug-and-play setup; 5x 10/100/1000Mbps; 9-60V DC; Auto-negotiates speed; OCP; Rugged metal; Operating temp: -40F-167F; 9K Jumbo Frames; Front-facing LEDs; Mounting kits included; TAA	\$98.39	13%	\$85.60
ST4300U3C3	Add 4 USB 3.0 hub ports, plus 3 dedicated USB charging ports (7 total) through a single USB 3.0 host connection - 4 Port USB 3.0 Hub plus 3 Dedicated USB Charging Ports (2 x 1A & 1 x 2A) - Wall Mountable Metal Enclosure - USB Charging Station	\$52.99	13%	\$46.10
PXT1002	AC power cord 2ft (0.6m) 18AWG power supply extension cable IEC 60320 C14 to C13 connectors; 125V at 10A; UL listed (UL62/UL817); Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating: SVT; Jacket material PVC	\$10.24	13%	\$8.91
PXT100146	6ft (1.8m) Heavy duty extension cord w/ IEC 60320 C14 to C13 connectors; 125V at 15A (Max); UL listed (UL62/UL817); AC Power Cord w/ molded connectors; Fire Rating VW-1; 3 Conductor; 14AWG; Jacket Rating SJT; Jacket Material PVC; Outer Dia. 0.36in	\$15.36	13%	\$13.36
ST4300MINU3W	Add four external USB 3.0 ports to your notebook or Ultrabook with a slim, portable hub -White Four Port Mini USB Hub -4Port External SuperSpeed USB 3 Hub with built-in cable -4 Port USB 3.0 Hub	\$29.71	13%	\$25.85
TX3SPLIT12	StarTech comp TX3SPLIT12 - 12in TX3 Fan Power Splitter Cable - 2-Fan (3 pin, TX3) connector - Male Left Gender - 1-Fan (3 pin, TX3) connector - Female Right Gender - 1feet Length - White - Lifetime Warranty	\$7.16	13%	\$6.23
MSTMDP123DP	3-port Mini DisplayPort to DisplayPort multi-monitor adapter drives 2x 4K 30Hz + 1x 1080p 60Hz DP displays to extend your desktop - DP 1.2/HBR2/MST (multi stream transport) - mDP to DP MST hub/video splitter - Built-in mDP cable - No Drivers; Windows	\$72.99	13%	\$63.50
IES5102	Expand your network connectivity with this rugged unmanaged network switch - Fast 10/100Mbps Switch - DIN rail mountable w/ built-in bracket - IP30-rated - Wide range 12-48V DC terminal block - Energy-Efficient Ethernet - Wider operating temperature	\$97.36	13%	\$84.70
LP4SATAFM12	Power an LP4 device from a SATA Power connection on your computer power supply - SATA to LP4 - 12in SATA to LP4 Power Cable Adapter - 12in SATA to Molex Cable - SATA to LP4 Power Adapter - SATA Female to LP4 Male Power Cable - 12 inch	\$10.24	13%	\$8.91
PXTR1016	6ft (2m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SJT; Jacket Material: PVC	\$12.29	13%	\$10.69
USB32DP4K	Connect an additional DisplayPort monitor to your PC with USB 3.0 technology capable of playback at 4K - External Video Card - USB Video Adapter - 4k Video Card - 4k Support - Dual Display Video Adapter - USB Video Card	\$91.21	13%	\$79.35

HB31C4AB	4-Port USB-C hub - USB-C host laptop to 4x USB Type-A adapter hub - SuperSpeed 10Gbps (USB 3.2/3.1 Gen 2) - Bus-powered Up to 15W total - Portable/compact housing - 9.8in attached cable - Works w/Thunderbolt 3 - OS independent - USB 3.0/2.0 Support	\$60.46	13%	\$52.60
HB30C3AGEPD	Portable 3 Port USB-C hub with 3x USB Type-A and Gigabit Ethernet RJ45 port - Power Delivery up to 60W pass-through laptop charging; 7.4W reserved for adapter hub - SuperSpeed USB 3.0 5Gbps (USB 3.2/3.1 Gen 1) - 5.9in attached cable - OS independent	\$78.91	13%	\$68.65
US1GC303APD	Connect to a GbE network and add 3 USB-A ports and Power Delivery charging through your laptops USB-C port - USB C Ethernet Adapter - USB C to LAN Adapter - Ideal for MacBook Pro, Dell XPS 13 other USB-C laptops - USB Type C Network Adapter + Hub	\$71.74	13%	\$62.41
VS421HDDP	Multi-port HDMI video switch supports HDMI (3x) and DisplayPort (1x) input - HDMI switcher box supports 4K resolution at 60Hz - Connect four sources to a display with limited HDMI 2.0 ports - Automatic 4 port switching and IR remote control	\$108.64	13%	\$94.52
HD2VGAMICRA	This highly portable adapter is the ideal travel companion for your Chromebook or Ultrabook laptop - Works with HDMI computers like HP Chromebook 14 Acer C720 and VGA monitors, TVs projectors - HDMI to VGA adapter - HDMI to VGA converter w/ audio	\$25.61	13%	\$22.28
RFX-6F-POWER-CORD	6ft (1.8m) AC power extension cable right-angle NEMA 5-15P to NEMA 5-15R; 125V 13A power supply extension cord; 16AWG; UL listed components; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SJT; Jacket material PVC	\$8.99	13%	\$7.82
PXTF10110	10ft (3m) 18AWG flexible computer power cord w/ Flat NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$16.39	13%	\$14.26
PXTF10115	15ft (4.5m) 18AWG flexible computer power cord w/ Flat NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$16.39	13%	\$14.26
PXTF1016	6ft (1.8m) 18AWG flexible computer power cord w/ Flat NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$12.29	13%	\$10.69
PXTMG10110	10ft (3m) 18AWG hospital grade power cord w/ NEMA 5-15P and IEC C13 connectors; Rated for 125V 10A; UL listed; Tested for CAN/CSA; Fully molded ends; hospital grade plug; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$10.24	13%	\$8.91

PXTMG10115	15ft (4.5m) 18AWG hospital grade power cord w/ NEMA 5-15P and IEC C13 connectors; Rated for 125V 10A; UL listed; Tested for CAN/CSA; Fully molded ends; hospital grade plug; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$12.29	13%	\$10.69
PXTMG1013	3ft (0.9m) 18AWG hospital grade power cord w/ NEMA 5-15P and IEC C13 connectors; Rated for 125V 10A; UL listed; Tested for CAN/CSA; Fully molded ends; hospital grade plug; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$8.19	13%	\$7.13
DKT30CHVSDPD	USB-C multiport adapter 4K 30Hz HDMI or VGA - USB 5Gbps 2x USB-A / 1x USB-C / 1x 100W Power Delivery Passthrough/Micro SD/SD Card Reader/Ethernet - USB C Mini Dock w/12in cable - USB Type-C power adapter or bus powered - Win/Mac/Chrome/iPad/Android	\$33.99	13%	\$29.57
HB30A4AIB	4 port USB 3.0 hub with individual port switches - 4x USB Type-A ports - SuperSpeed 5Gbps (USB 3.2/3.1 Gen 1) - Bus powered USB hub (4.5W shared w/downstream devices) - On/off power switches/LEDs on each port - 9.8in USB-A host cable - OS independent	\$42.01	13%	\$36.55
PXTMG1016	6ft (2m) 18AWG hospital grade power cord w/ NEMA 5-15P and IEC C13 connectors; Rated for 125V 10A; UL listed; Tested for CAN/CSA; Fully molded ends; hospital grade plug; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$9.21	13%	\$8.01
PXTR10110	10ft (3m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SJT; Jacket Material: PVC	\$15.36	13%	\$13.36
HB30C4AIB	Bus-powered 4 port hub with individual port switches - USB-C to 4x USB Type-A ports - SuperSpeed 5Gbps (USB 3.2/USB 3.1 Gen 1 or USB 3.0) - 15W/3A@5V of power - On/off power switches/LEDs on each port - 9.8in (25cm) USB-C host cable - OS independent	\$43.04	13%	\$37.44
PXT101L	6ft (1.8m) 18AWG flexible computer power cord w/ NEMA 5-15P and Right-Angle IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$10.24	13%	\$8.91
WCH1CBK	60 Watt PD Universal USB-C laptop AC wall charger w/ 6ft cable - Compact Travel size - USB Type C portable fast charge power delivery adapter - ETL/FCC/ICES Safety Certified - USB-IF Certified for compatible w/ MacBook Air/Pro 13 XPS 13 Surface Pro	\$61.49	13%	\$53.50
MDP2DPDVHD	Connect your mini DisplayPort Device to a DisplayPort, HDMI or DVI Display, with this Compact, All-in-One Adapter-mini displayport to displayport adapter-displayport converter-mini displayport adapter -mini displayport to DVI-Mini displayport to hdmi	\$34.84	13%	\$30.31

HB31C3A1CME	Industrial metal 4-Port USB-C hub SuperSpeed 10Gbps (USB 3.1/3.2 Gen 2) - 3x USB-A, 1x USB-C - Mountable USB Type-C hub with 15kV Air/8kV Contact ESD, 350W surge protection - Self-Powered up to 30W shared/7-24V terminal - USB-C or USB-A Host Cable	\$140.41	13%	\$122.16
8NS8-RACK-MOUNT-PDU	8-Outlet Horizontal Rack Mount PDU, 1U Power Strip, Individual Outlet On/Off Switches w/Covers, 15A Circuit Breaker, 8ft/2.4m Cord, NEMA 5-15P/R, TAA - 2 Years Warranty	\$96.34	13%	\$83.82
PXT101L3	3ft (0.9m) 18AWG flexible computer power cord w/ NEMA 5-15P and Right-Angle IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating: VW-1; Jacket Rating: SVT; Jacket Material: PVC	\$11.26	13%	\$9.80
VS222HDQ	Switch between two HDMI sources on two HDMI Displays - HDMI Selector - HDMI Matrix Switch - HDMI Splitter Switcher 2 In 2 Out - HDMI Selector Switch - HDMI Switcher Box - 2 Port HDMI Switch - HDMI Switcher Splitter - Video HDMI Switcher	\$116.84	13%	\$101.65
ST8CU824	Charge up to eight mobile devices at the same time, from a central location - USB Charging Station - Multi-Device Charging Station - Desktop Charging Station - 8-Port Charging Station for USB Devices - 96W/19.2A - 8x 2.A Ports	\$108.99	13%	\$94.82
011NB-WALL-CHARGER	Compact lightweight 12W USB-A wall charger with foldable prongs and portable design - Compatible with phones using USB-A cables including iPhone Pro/17/16 iPad and Samsung Galaxy - Up to 12W (5V 2.4A) charging for phones/other USB-powered devices	\$18.99	13%	\$16.52
VS221VGA2HD	Share an HDMI display/projector between a VGA and HDMI audio/video source, with automatic and priority switching - VGA to HDMI - HDMI Switch - HDMI Switch Box - HDMI Converter Switch box with VGA - VGA to HDMI Selector - VGA to HDMI Converter Switch	\$122.99	13%	\$107.00
USB2004EXT100	4 Port USB 2.0 extender kit connects 4 remote USB devices up to 330ft over CAT5e/CAT6 cable - Extruded aluminum/metal commercial USB extender - Incl. power adapter for remote hub providing 500mA/port; transmitter is bus powered - Windows macOS Linux	\$400.76	13%	\$348.66
USB2PACUBK	2-Port USB wall charger - Dual port USB-A charger with 2.4A (12W) and 1A (5W) ports - Portable/compact USB power adapter; Durable body; Folding plug - UL/FCC Certified - Charge Micro-B/USB-C/Lightning phones/tablets - iPhone, iPad Air/Mini, Galaxy	\$21.51	13%	\$18.71
CDP2VGAW	Connect your MacBook, Chromebook or laptop with USB-C to a VGA monitor or projector - USB C adapter - USB Type-C to Video Converter - USB 3.1 Type-C to VGA Video Adapter - USB Type-C to VGA Video Converter - USB Type C to VGA - USB C Video	\$16.99	13%	\$14.78

PEXHDCAP2	Capture an HD audio-video source, through a low-profile or full-profile PCI Express slot - HDMI Capture Card - low profile full profile PC recording - High-definition video grabber - HD capture - HD capture card - HDMI capture - Component capture	\$110.99	13%	\$96.56
PXT101NB3S3	3ft Laptop Power Cord NEMA 5-15P to IEC C5 AC Power Cord for Most Notebooks Power Brick - UL Listed Molded Connectors - SPECS: NEMA 5-15P to IEC 60320 C5 18AWG 125V 10A 3 Conductor SJT Rating PVC Jacket	\$11.26	13%	\$9.80
PXT101NB3S10	10ft Laptop Power Cord NEMA 5-15P to IEC C5 - AC Power Cord for Most Notebooks Power Bricks - UL Listed Molded Connectors - SPECS: NEMA 5-15P to IEC 60320 C5 18AWG 125V 10A 3 Conductor SVT Rating PVC Jacket	\$14.34	13%	\$12.48
PXT101NB10	10ft Laptop Power Cord NEMA 1-15P to IEC C7 AC Power Cord for Most Notebooks Power Bricks - UL Listed Molded Connectors - SPECS: NEMA 1-15P to IEC 60320 C7 18AWG 125V 7A 2 Conductor SPT-2 Rating PVC Jacket	\$13.31	13%	\$11.58
1415B8H-RACK-PDU-SP	14-Outlet Rackmount PDU, 1U Server Power Strip with 6x Front and 8x Rear Ports, Mounted Power Distribution Unit for 19-Inch Racks and Cabinets	\$121.96	13%	\$106.11
2030B8H-RACK-PDU-IC	1U rackmount PDU unit for 19in racks w/ 20x electrical outlets - 16x IEC C13 / 4x IEC C19 outlets - 240V 15A supply; 8ft power cord - 15A breakers safeguard each C19 outlet and every group of C13 ports - SPCC steel power distribution unit/strip; TAA	\$271.61	13%	\$236.30
WCH1C30	30 Watt GaN PD Universal USB-C laptop AC wall charger with 6ft cable - Compact power cube - USB type C portable fast charging power delivery adapter - For tablets and phones: iPad Pro, iPhone 15 & up, Samsung Galaxy, Google Pixel	\$58.41	13%	\$50.82
PAC100	AC power extension cord 1ft (0.3m) 18AWG power supply extension cable IEC 60320 C14 to NEMA 5-15R; 125V at 10A; UL listed; Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating SVT; Jacket material PVC	\$9.21	13%	\$8.01
1215B8H-RACK-PDU-RA	1U rackmount PDU unit for 19in racks w/ 12x NEMA 5-15R right-angle electrical outlets - 125V 15A supply; 8ft power cord - 2in outlet spacing fits bulky plugs in server/AV setups - Power distribution unit w/ safety cover switch - TAA power strip	\$98.39	13%	\$85.60
PAC520PLR1	1 ft. Power Adapter Cord features NEMA-L5-20R to NEMA-5-20P connectors providing a reliable connection - Fully molded strain relief connectors - Built with a 12 AWG wire - Locking NEMA-L5-20 receptacle ensures your equipment is securely connected	\$22.54	13%	\$19.61
HB30C5A2CST	7-Port USB-C hub - USB Type-C laptop/desktop to 5 USB-A (1x BC 1.2) and 2 USB-C - SuperSpeed 5Gbps USB 3.1/3.2 Gen 1 - Incl 36W power adapter/USB-C host cable - Mountable self-powered USB 3.0 hub - Rugged metal housing - Power switch - OS independent	\$105.56	13%	\$91.84

USB32VGAV	Add a secondary VGA display to your USB 3.0 enabled PC, and install the drivers without a CD or Internet connection - USB video card - USB 3.0 video adapter - On-board drivers for hassle-free installation - USB 3.0 external multi-monitor VGA adapter	\$35.86	13%	\$31.20
MDP2HDVGAW	Connect a Mini DisplayPort-equipped PC or Mac to an HDMI or VGA display - Mini Displayport to HDMI - Mini DisplayPort to VGA - Mini DP to HDMI - Mini DP to VGA - MacBook to projector - MacBook video output - Mini DisplayPort to VGA and HDMI	\$17.41	13%	\$15.15
PYO2SATA	Add an extra SATA power outlet to your Power Supply - sata power splitter - 6in sata power cable - 6in sata power y cable -6in sata power adapter cable - 1x SATA Power Plug to 2x SATA Power Receptacle	\$10.24	13%	\$8.91
HD2A	Extract and convert the audio from your HDMI signal to 3.5mm audio in 2.1 stereo sound - HDMI audio extractor - HDMI audio converter - HDMI to analog audio - HDMI to 2.1 audio - HDMI 2-channel audio extractor - HDCP compliant HDMI pass through port	\$27.99	13%	\$24.35
PXT101_10	10ft (3m) 18AWG flexible computer power cord w/ NEMA 5-15P and IEC 60320 C13 connectors; Rated for 125V 10A; UL listed (UL62/UL817); Fully molded ends; 100% Copper Wire; Fire Rating VW-1; Jacket Rating SVT; Jacket Material: PVC	\$12.29	13%	\$10.69
USB4PACBK	Charge 2 tablets and 2 phones simultaneously, from almost anywhere in the world - 4 Port USB Wall Charger - International USB Charger - Universal USB Wall Charger - Travel Charger - Black 4 Port USB Charger - Smart IC Technology - High Power 34W/6.8A	\$46.11	13%	\$40.12
IES101GP2SFW	Industrial Gigabit PoE+ switch - 8x RJ45 + 2x MSA SFP slots +75C to -40C - Max 30W per PoE port - IP-30 housing - MTBF 500k hrs - Vibration/shock/free fall rated - 6kV ESD - Full layer/L2 managed - DIN/wall mount incl - Terminal block or AC adapter	\$470.46	13%	\$409.30
GCAUD3535FF	3.5 mm to 3.5 mm Audio Coupler - Female to Female - Join Two Stereo Audio Cables Together to Make a Longer Cable - GCAUD3535FF - Lifetime Warranty - Connector Plating: Gold - Cable Jacket Material: PVC - Polyvinyl Chloride	\$10.24	13%	\$8.91
HB30C3A1CFBW	Portable 4 Port USB-C hub - USB Type-C laptop to 3 USB-A/1 USB-C - SuperSpeed 5Gbps (USB 3.0/USB 3.1/3.2 Gen 1) - USB bus powered draw up to 15W (3A/5V) total shared - OS independent - White USB C to USB A adapter hub - Works w/ Thunderbolt 3/USB 2.0	\$40.99	13%	\$35.66
IES81GPOEW	Industrial 8 port Gigabit PoE switch Up to 30W per 4 Power over Ethernet ports +75C to -40C temp 10/100/1000 Mbps network auto IP-30 housing MTBF 500000+hrs - Vibration/shock/free fall rated - 6kV ESD Full layer/L2 managed DIN/wall mounting 2 yr warr	\$309.54	13%	\$269.30
114NB-WALL-CHARGER	Deliver up to 25W USB-C Power Delivery (5V, 9V) plus 12W USB-A output for phones tablets and accessories - Features a 37W total combined output - Provides supplemental laptop charging when idle - Compact charger measures 59.8 x 56.3 x 27.7 mm	\$25.99	13%	\$22.61

ESD-WRIST-STRAP	Antistatic wrist strap discharges to ground and 1M resistance reduces shock - Ground via alligator clip / banana plug - ESD adjustable wristband fits most wrist sizes and rotates 360 degrees - Detachable cord and 5ft cable support flexible use	\$16.39	13%	\$14.26
ST4200USBM	Add four rugged external USB 2.0 ports from a single USB connection - usb 2.0 hub - 4 port usb hub - desktop usb hub -external usb hub - Protects your connected devices with 8kV Air and 4kV Contact ESD protection.	\$79.94	13%	\$69.55
103NB-WALL-CHARGER	Deliver up to 30W of USB-C Power Delivery at 5V/9V/15/20V to fast-charge compatible phones tablets/accessories - For quick charging of supported devices not intended to power laptops during active use - Ultra-compact - 35.5 x 30.9 x 27.8mm footprint	\$21.99	13%	\$19.13
ESD-HEEL-GROUNDER	ESD heel strap discharges to ground and 1M resistance reduces shock - Conductive ribbon (19.6in) maintains grounding - Fits low-profile shoe soles under 3.3in wide - Tetherless heel grounder design allows movement on anti-static compliant flooring	\$12.29	13%	\$10.69
165LN-USB-C-CHARGER	Up to 65W of USB-C PD 3.0/2.0 power with broad voltage support (5/9/12/15/20V) to quickly and safely charge devices - 5ft (1.5m) tethered USB-C cable - For Dell, Dell XPS, HP, HP ProBook, MacBook Pro, Microsoft Surface pro, Surface Laptop, Lenovo X1	\$40.99	13%	\$35.66
PXT1003	AC power cord 3ft (1m) 18AWG power supply extension cable IEC 60320 C14 to IEC 60320 C13 connectors; 125V at 10A; UL listed (UL62/UL817); Fully molded connectors; 3 Conductor extension cord; Fire rating VW-1; Jacket Rating: SVT; Jacket material PVC	\$10.24	13%	\$8.91
1065NB-WALL-CHARGER	Up to 65W of USB-C PD 3.0/2.0 power with broad voltage support (5/9/12/15/20V) to quickly & safely charge devices - GaN Charger with Power Adapter Brick for Dell, Dell XPS, HP, HP ProBook, MacBook Pro, Microsoft Surface pro, Surface Laptop, Lenovo X1	\$29.99	13%	\$26.09
1065NW-WALL-CHARGER	Up to 65W of USB-C PD 3.0/2.0 power with broad voltage support (5/9/12/15/20V) to quickly & safely charge devices - GaN Charger with Power Adapter Brick for Dell, Dell XPS, HP, HP ProBook, MacBook Pro, Microsoft Surface pro, Surface Laptop, Lenovo X1	\$29.99	13%	\$26.09
1100LN-USB-C-CHARGER	Up to 100W of USB-C PD 3.0/2.0 power with broad voltage support (5/9/12/15/20V) to quickly and safely charge devices - 5ft (1.5m) tethered USB-C cable - For Dell, HP, HP ProBook, MacBook Pro, Microsoft Surface pro, Surface Laptop, Lenovo X1	\$64.99	13%	\$56.54
102NB-WALL-CHARGER	Deliver up to 20W of USB-C Power Delivery at 5V and 9V to fast-charge compatible phones tablets / accessories - For quick charging of supported devices not intended to power laptops during active use - Compact with a 46.0 x 44.4 x 27.8mm footprint	\$18.99	13%	\$16.52

102NW-WALL-CHARGER	Deliver up to 20W of USB-C Power Delivery at 5V and 9V to fast-charge compatible phones tablets / accessories - For quick charging of supported devices not intended to power laptops during active use - Compact with a 46.0 x 44.4 x 27.8mm footprint	\$18.99	13%	\$16.52
VS421HD20	Switch between four HDMI video sources on a single display with support for Ultra HD resolutions - HDMI 2.0 switch - 4 port HDMI switch - HDMI switch 4 in 1 out - Multi port HDMI switch - 4 port HDMI automatic switch - HDMI switch - 4K60	\$67.64	13%	\$58.85
VS221HD20	Switch between two HDMI video sources on a single display, with support for Ultra HD resolutions - 4K HDMI switch - HDMI 2.0 switch - 2 port HDMI switch - HDMI switch - 2 port automatic HDMI switch - 2 port HDMI 2.0 automatic switch - 4K60	\$55.34	13%	\$48.15
LP4SATAFM2L	If you need to use an older IDE hard drive with a new SATA power supply, look no further than StarTech.com s LP4 to SATA	\$8.99	13%	\$7.82
LP4SATAFM6IN	6in SATA to LP4 Power Cable Adapter F/M - The LP4SATAFM6IN SATA to LP4 Power Cable Adapter features 1 LP4 female power connector and 1 male SATA power connector, for connecting an IDE hard drive to a SATA computer power supply connection.	\$9.21	13%	\$8.01
LP4SATAFM	This SATA to LP4 Power Cable Adapter features one LP4 female power connector and a male SATA power connector, allowing you to connect an IDE hard drive to a Serial ATA power connector provided by the computer power supply.	\$6.99	13%	\$6.08
MDP2DVID2	Connect your mDP device to any DVI-D display with the Mini DisplayPort to Dual-Link DVI Adapter - This compact DVI display adapter fits conveniently into your carrying case - Achieve dual-link resolutions up to 2560x1600 with this DVI video converter	\$40.99	13%	\$35.66