

BOSCH (Includes Electro-Voice)

Product Code	Product Description	MSRP	AV Discount	AV Contract Price
DCN-MICL	Pluggable Long Microphone	\$374.00	20%	299.2
EVC-1122-VIB	12 inch speaker, vari-intense indoor, designed to efficiently and evenly cover rectangular coverage areas with both music and speech, black. Note - ships without rigging hardware	\$1,757.00	20%	1405.6
PH-16 A4M	PH-16, Dual-Sided Full Cushion Hearing Protection Headset, A4M Connector - The dynamic receivers have special mountings which resist shock, vibration and acoustic feedback	\$664.00	20%	531.2
LBB4512/00-US	F.01U.080.447 Integrus Radiator High Power (US) (Requires RG-59 cable)	\$7,894.00	20%	6315.2
LBB4540/04	F.01U.508.294 Integrus pocket receiver, 4 channel	\$438.00	20%	350.4
PH-16 A4F	PH-16, Dual-Sided Full Cushion Hearing Protection Headset, A4F Connector - The dynamic receivers have special mountings which resist shock, vibration and acoustic feedback	\$664.00	20%	531.2
LBB4550/10	F.01U.073.977 Integrus NiMH battery pack (set of 10 pcs)	\$427.00	20%	341.6
LBB4560/00-US	F.01U.080.448 Integrus Charging Case for 56 Rx (US)	\$5,388.00	20%	4310.4
DCN-MICS-D	Pluggable microphone, short, dark (packaged 2 pieces, priced as each)	\$365.00	20%	292
DCN-CCU2	DCN Next Generation central control unit for controlling delegate microphones, distributing simultaneous interpretation, and conducting voting sessions.	\$6,869.00	20%	5495.2
LBB4116/10	F.01U.507.784 Extension cable assembly, 10 m	\$172.00	20%	137.6
LBB4416/01	F.01U.506.870 Network cable assembly, optical fiber, 0.5 m	\$91.90	20%	73.52
INT-TX04-US	Digital 4-channel transmitter with optical link (US)	\$6,999.00	20%	5599.2
EVF-12/126-W	Full-range, two-way, front load 12 point source loudspeaker with 120x60 pattern, white, indoor. All EVF G2 loudspeakers require electronics capable of Hybrid-FIR settings such as Dynacord IX Series.	\$2,750.00	20%	2200
ZLX-8-G2	8IN 2-way passive speaker Passive 8-inch 2-way loudspeaker, black	\$718.00	20%	574.4
ZLX-8P-G2-US	8IN 2-way powered speaker, US cord Powered 8-inch 2-way loudspeaker, US cord, black	\$898.00	20%	718.4
EVF-UB-BLK-LB	Black EVF U Bracket	\$422.00	20%	337.6
EVA-AM	Attenuation module for EVA full range - EVA-AM	\$320.00	20%	256
FAA-350	DETECTOR BASE, 6, POPIT	\$69.00	20%	55.2
EVID-S8.2B	Quick install Speaker 4cabinet 8Ohm black. IP54. Sold only in pairs.	\$825.00	20%	660

EVID-S5.2XW	Surface Mount Speaker - 55 - 20000 - 108DB - Carefully engineered for the toughest weather conditions (IP65); Long throw 5.25IN (133 mm) woofer housed in a UL 94-5VB fire rated ABS plastic for extended LF performance down to 55 Hz	\$644.00	20%	515.2
EVID-S8.2TB	Quick install Speaker 8cabinet 70/100V black. IP54. Sold only in pairs.	\$851.00	20%	680.8
EVID-S8.2W	Quick install Speaker 8cabinet 8Ohm white. IP54. Sold only in pairs.	\$875.00	20%	700
EVID-S5.2TB	Quick install Speaker 5cabinet 70/100V black. IP54. Sold only in pairs.	\$528.00	20%	422.4
EVID-S5.2W	Quick install Speaker 5cabinet 8Ohm white. IP54. Sold only in pairs.	\$501.00	20%	400.8
EVID-S5.2XB	Quick install Speaker 5cabinet 70/100V black. IP65. Sold only in pairs.	\$608.00	20%	486.4
EVID-S5.2TW	Quick install Speaker 5cabinet 70/100V white. IP54. Sold only in pairs.	\$560.00	20%	448
EVID-S4.2TB	Quick install Speaker 4cabinet 70/100V black. IP54. Sold only in pairs.	\$392.00	20%	313.6
EVID-S4.2W	Quick install Speaker 4cabinet 8Ohm white. IP54. Sold only in pairs.	\$386.00	20%	308.8
EVID-S5.2B	Quick install Speaker 5cabinet 8Ohm black. IP54. Sold only in pairs.	\$473.00	20%	378.4
DCNM-PS2	DICENTIS Powering Switch - second generation (for DICENTIS Conference System, including DICENTIS multimedia)	\$2,269.00	20%	1815.2
EVID-S4.2TW	Quick install Speaker 4cabinet 70/100V white. IP54. Sold only in pairs.	\$416.00	20%	332.8
DCNM-APS2	DICENTIS Audio Powering Switch - second generation (for DICENTIS Conference System, including DICENTIS multimedia)	\$3,115.00	20%	2492
DCNM-MICL	DICENTIS long stem microphone (19.9") for the DICENTIS Conference System or DICENTIS Wireless Conference System.	\$314.00	20%	251.2
DCNM-MICS	DCN MULTIMEDIA SHORT STEM MICROPHONE	\$282.00	20%	225.6
EVID-S4.2B	Quick install Speaker 4cabinet 8Ohm black. IP54. Sold only in pairs.	\$364.00	20%	291.2
DCNM-LPD	DCN multimedia Participant Database Software	\$1,653.00	20%	1322.4
DCNM-LMS	DCN multimedia Media Sharing Software	\$1,001.00	20%	800.8
DCNM-LMPM	DCN multimedia Meeting Prep & Management Software	\$3,443.00	20%	2754.4
DCNM-LSYS	DCN multimedia System Server Software	\$2,103.00	20%	1682.4
DCNM-CBTK	DCN multimedia System Cable Toolkit	\$5,363.00	20%	4290.4
EVID-S10.1DW	Subwoofer 2x10 cabinet white	\$1,094.00	20%	875.2
EVID-S12.1B	Subwoofer 12 cabinet black	\$762.00	20%	609.6
EVID-S8.2TW	Quick install Speaker 8cabinet 70/100V white. IP54. Sold only in pairs.	\$902.00	20%	721.6
EVID-S10.1DB	Subwoofer 2x10 cabinet black	\$1,032.00	20%	825.6
DCNM-LSID	DCN multimedia Identification at Seat	\$154.00	20%	123.2
EVID-S12.1W	Subwoofer 12 cabinet white	\$808.00	20%	646.4
DCNM-LSVT	DCN multimedia Voting at Seat	\$154.00	20%	123.2
PLN-1EOL	Plena end-of-line board (6 boards in pack)	\$404.00	20%	323.2
LC1-WC06E8	Ceiling loudspeaker, 9/6 watt, ABS grille, round	\$76.00	20%	60.8

LB2-UC30-D1	30 watt premium sound, ABS cabinet loudspeaker, black	\$167.00	20%	133.6
LB2-UC15-L1	15 watt premium sound, ABS cabinet loudspeaker, white	\$111.00	20%	88.8
LB2-UC30-L1	30 watt premium sound, ABS cabinet loudspeaker, white	\$167.00	20%	133.6
LB2-UC15-D1	15 watt premium sound, ABS cabinet loudspeaker, black	\$111.00	20%	88.8
DCNM-LSDU	DICENTIS Dual Use at Seat License; one license required per unit	\$140.00	20%	112
BRKT-POLE-L	Wall mount bracket for ZLXG2 12 and 15 2-way models F.01U.385.537	\$125.00	20%	100
TR-P	Threaded rod adapter for pendant	\$8.00	20%	6.4
WC-PB	Weather cover pendant black	\$15.00	20%	12
RE3-ACC-CXU2	2 foot antenna coax cable (pair)	\$57.90	20%	46.32
RE3-ACC-PCA	Polar Choice adapter for RE3-BPT	\$30.70	20%	24.56
550257	Assembly cable, category 5E, 3ft (0.9m)	\$19.11	20%	15.288
DCN-FMIC	Flush microphone connection panel	\$78.10	20%	62.48
WC-PW	Weather cover pendant white	\$15.90	20%	12.72
WS KIT	Panel mic spare windscreens, quantity 3	\$35.40	20%	28.32
DCN-FPRIOB-D	Flush priority panel, dark	\$380.00	20%	304
DCNM-IDESKINT	On-air & telephone interface kit for DCNM-IDESK	\$105.00	20%	84
DCN-FMICB-D	Flush microphone control panel, dark	\$90.30	20%	72.24
DCN-FPRIOB	Flush priority panel	\$380.00	20%	304
LH-WS	LH SERIES WINDSCREEN 2PK	\$14.55	20%	11.64
RE3-ACC-CXUF	Rear to front mount antenna cable kit	\$73.50	20%	58.8
LH-CC	LH SERIES CLOTHING CLIP	\$9.59	20%	7.672
LH-HBP	LH SERIES HEADBAND PAD	\$14.62	20%	11.696
WC-58B	Weather cover for 5inch, 8inch black - gland nut cover in case the backup phoenix connector is used (sold and priced per pair)	\$28.80	20%	23.04
WC-58W	Weather cover for 5inch, 8inch white - gland nut cover in case the backup phoenix connector is used (sold and priced per pair)	\$30.70	20%	24.56
RE3-ACC-GC3	Instrument cable, 1/4 to TA4F	\$57.90	20%	46.32
RE3-ACC-HHTSA1	Stand adapter for RE3-HHT transmitter	\$40.00	20%	32
DCN-FMIC-D	Flush microphone connection panel, dark	\$78.10	20%	62.48
DCN-FV-D	Flush voting panel, dark	\$280.00	20%	224
DCN-FBPS-D	Flush blank panel, small, dark (10 pieces)	\$274.00	20%	219.2
DCN-FEC-D	Flush end cap, dark (50 pieces)	\$351.00	20%	280.8
LBB4540/32	Integrus pocket receiver, 32 channel	\$554.00	20%	443.2
LH-SC	LH SERIES CARRYING CASE	\$32.10	20%	25.68
DCN-MICL-D	Pluggable microphone, long, dark (packaged 2 pieces, priced as each)	\$374.00	20%	299.2

DCN-MICS	Pluggable microphone, short (packaged 2 pieces, priced as each)	\$365.00	20%	292
RE3-ACC-HW3	Headworn mic with TA4F	\$194.00	20%	155.2
EVC-UB3-WHT	U-bracket for EVC-1122/VI, white	\$282.00	20%	225.6
RE3-ACC-OL3	Omnidirectional lavalier mic with TA4F	\$194.00	20%	155.2
RE3-ACC-CL3	Cardioid lavalier mic with TA4F	\$194.00	20%	155.2
RE3-ACC-CXU10	10 foot, 50 ohm BNC coax cable	\$73.50	20%	58.8
LC5-CBB	ABS back box for LC5-WC06E4 loudspeaker; combination is rated at IP 44	\$7.00	20%	5.6
OM-SM SFP ODIN	SFP Single Mode, 15 km, 2.67 Gbit/s	\$914.00	20%	731.2
TC2-30	Clothing Clip for OLM10 (Bagged)	\$31.60	20%	25.28
EVC-UB3-BLK	U-bracket for EVC-1122/VI, black	\$261.00	20%	208.8
HR-2 A5F	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A5F Connector	\$439.00	20%	351.2
HR-2 PT	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, Pigtail Termination	\$429.00	20%	343.2
HR-1 PT	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, Pigtail Termination	\$379.00	20%	303.2
HR-2 A4F	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A4F Connector	\$439.00	20%	351.2
PH-1 A5M	PH-1, Single-Sided Full Cushion Medium Weight Headset, A5M Connector	\$390.00	20%	312
PH-1 PT	PH-1, Single-Sided Full Cushion Medium Weight Headset, Pigtail Termination	\$342.00	20%	273.6
PH-1 A4F	PH-1, Single-Sided Full Cushion Medium Weight Headset, A4F Connector	\$390.00	20%	312
PH-1 A4M	PH-1, Single-Sided Full Cushion Medium Weight Headset, A4M Connector	\$390.00	20%	312
PH-2 PT	PH-2, Dual-Sided Full Cushion Medium Weight Headset, Pigtail Termination	\$409.00	20%	327.2
PH-3 A5F	PH-3, Dual-Sided Binaural Full Cushion Medium Weight Headset, A5F Connector	\$446.00	20%	356.8
PH-2 A4F	PH-2, Dual-Sided Full Cushion Medium Weight Headset, A4F Connector	\$459.00	20%	367.2
PH-2 A4M	PH-2, Dual-Sided Full Cushion Medium Weight Headset, A4M Connector	\$459.00	20%	367.2
RPT-10	RPT-10, 10 Foot Coax Cable with TNC Reverse Polarity Connector	\$89.90	20%	71.92
TR-30N-A10 A4F	UHF/VHF beltpack, 2ch, band A-10	\$1,698.00	20%	1358.4
PH-3 A5M	PH-3, Dual-Sided Binaural Full Cushion Medium Weight Headset, A5M Connector	\$446.00	20%	356.8
PH-88R6-AAB	Single side headset, PTT, 6foot (18M) Cord A6M Connector	\$374.00	20%	299.2
TR-30N-A13 A4F	UHF/VHF beltpack, 2ch, band A-13	\$1,698.00	20%	1358.4
TR-30N-A13 A4M	UHF/VHF beltpack, 2ch, band A-13	\$1,698.00	20%	1358.4
TR-30N-A10 A4M	UHF/VHF beltpack, 2ch, band A-10	\$1,698.00	20%	1358.4
TR-30N-A10 A5F	UHF/VHF beltpack, 2ch, band A-10	\$1,698.00	20%	1358.4

TR-30N-B10 A4M	UHF/VHF beltpack, 2ch, band B-10	\$1,698.00	20%	1358.4
TR-30N-B10 A5F	UHF/VHF beltpack, 2ch, band B-10	\$1,698.00	20%	1358.4
PCO32A30-US	BOSCH Powercord, powerCon 32 to NEMA L6-30 mains connector, 2m	\$156.00	20%	124.8
TR-30N-A13 A5F	UHF/VHF beltpack, 2ch, band A-13	\$1,698.00	20%	1358.4
IPX20:4	BOSCH DSP power amplifier 4x5000W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	\$14,245.00	20%	11396
TR-30N-B10 A4F	UHF/VHF beltpack, 2ch, band B-10	\$1,698.00	20%	1358.4
IPX10:8	BOSCH DSP power amplifier 8x1250W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	\$11,506.00	20%	9204.8
TR-30N-B13 A5F	UHF/VHF beltpack, 2ch, band B-13	\$1,698.00	20%	1358.4
IPX10:4	DSP power amplifier 4x2500W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	\$10,065.00	20%	8052
635L	635L, Omnidirectional Broadcast Interview Microphone, Beige, 9.5in Long - Metal housing provides magnetic shielding and strength - Self generating, no powering required	\$226.00	20%	180.8
TR-30N-C10 A4F	UHF/VHF beltpack, 2ch, band C-10	\$1,698.00	20%	1358.4
IPX5:4	DSP power amplifier 4x1250W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	\$7,907.00	20%	6325.6
635L/B	635L/b, Omnidirectional Broadcast Interview Microphone, Black, 9.5in Long - Metal housing provides magnetic shielding and strength - Self generating, no powering required	\$226.00	20%	180.8
TR-30N-B13 A4F	UHF/VHF beltpack, 2ch, band B-13	\$1,698.00	20%	1358.4
C3600FDI-US	DSP power amplifier 2x1800W, install. With FIR drive, Phoenix connectors.	\$2,569.00	20%	2055.2
BP-300-C	BODYPACK FOR R300 WIRELESS SYSTEM - C BAND	\$165.00	20%	132
TR-30N-B13 A4M	UHF/VHF beltpack, 2ch, band B-13	\$1,698.00	20%	1358.4
C2800FDI-US	BOSCH DSP power amplifier 2x1400W, install. With FIR drive, Phoenix connectors.	\$2,136.00	20%	1708.8
CCSD-CU	CCS 1000 D CONTROL UNIT	\$1,915.00	20%	1532
TR-30N-C13 A4F	UHF/VHF beltpack, 2ch, band C-13	\$1,698.00	20%	1358.4
C1800FDI-US	BOSCH DSP power amplifier 2x950W, install. With FIR drive, Phoenix connectors.	\$1,696.00	20%	1356.8
TR-30N-C13 A4M	UHF/VHF beltpack, 2ch, band C-13	\$1,698.00	20%	1358.4
C1300FDI-US	BOSCH DSP power amplifier 2x650W, install. With FIR drive, Phoenix connectors.	\$1,334.00	20%	1067.2
TR-30N-C10 A4M	UHF/VHF beltpack, 2ch, band C-10	\$1,698.00	20%	1358.4
TR-30N-C10 A5F	UHF/VHF beltpack, 2ch, band C-10	\$1,698.00	20%	1358.4
DBP 4M	IP 4 ch wired beltpack 4M headset - OMNEO beltpack works with OMS, ODIN, ADAM (OMI), ADAM-M (OMI)	\$1,268.00	20%	1014.4

DCNM-WCH05	DICENTIS Charger for 5 Batteries	\$1,435.00	20%	1148
DBP 5F	IP 4 ch wired beltpack 5F headset - OMNEO beltpack works with OMS, ODIN, ADAM (OMI), ADAM-M (OMI)	\$1,268.00	20%	1014.4
DCNM-WD	DICENTIS Wireless Discussion Device, IEEE 802.11n, 2.4 GHz and 5 GHz (ISM license free), Removable Battery Pack, easy to change and charge; Configurable as a participant, dual-use or chairperson Wireless Device by use of web browser interface	\$1,229.00	20%	983.2
XOB	Nylon belt for beltpack	\$20.10	20%	16.08
DCNM-WDE	DICENTIS Wireless Device Extended with 4.3 inch touch screen, NFC identification reader. Pluggable microphone and battery pack to be ordered separately.	\$1,639.00	20%	1311.2
DBP 4F	IP 4 ch wired beltpack 4F headset - OMNEO beltpack works with OMS, ODIN, ADAM (OMI), ADAM-M (OMI)	\$1,268.00	20%	1014.4
DCNM-WLIION	DICENTIS BATTERY PACK	\$429.00	20%	343.2
ND76	ND76, cardioid dynamic vocal mic	\$153.00	20%	122.4
CCSD-DS	Discussion Device for the CCS 1000 D Digital Discussion System, supplied with a shortstem fixed microphone, configurable as a participant device or a chairperson device.	\$664.00	20%	531.2
ND86	ND86, supercardioid dynamic vocal mic	\$190.00	20%	152
ND44	ND44, supercardioid dynamic drum/instrument mic	\$164.00	20%	131.2
ND68	ND68, supercardioid kick drum mic	\$247.00	20%	197.6
DCNM-WAP	DICENTIS Wireless Access Point, IEEE 802.11n, 2.4 GHz and 5 GHz (ISM license free), 100-240 Vac 50-60 Hz in, 48 Vdc out, 1000BaseT IEEE 802.3ab, Dimensions (H x W x D) with bracket: 285 x 202 x 65 mm (11.2 x 8.0 x 2.6 in)	\$4,535.00	20%	3628
RPT-5	RPT-5, 5 Foot Coax Cable with TNC Reverse Polarity Connector	\$80.00	20%	64
EKX-15	EKX-15 PASSIVE 15in 2-WAY SPEAKER - EV-patented Signal Synchronized Transducers (SST) waveguide design provides precise and consistent coverage, minimal distortion, and maximized acoustical loading	\$1,523.00	20%	1218.4
TC-ZX1I-WHT-LB	Terminal Cover for ZX1i. Includes weatherized gland nut fitting.	\$45.50	20%	36.4
EKX-15-CVR	PADDED COVER FOR EKX-15 AND 15P, EV LOGO - Lightweight, compact 15-mm wood enclosure with internal bracing and durable EVCoat finish	\$163.00	20%	130.4
ND96	ND96, supercardioid dynamic vocal mic	\$236.00	20%	188.8
EKX-15P-US	EKX-15P POWERED 15in 2-WAY SPEAKER - EV-patented Signal Synchronized Transducers (SST) waveguide design provides precise and consistent coverage, minimal distortion, and maximized acoustical loading	\$1,889.00	20%	1511.2
RPT-3	RPT-3, 3 Foot Coax Cable with TNC Reverse Polarity Connector	\$75.80	20%	60.64
EKX-15S	EKX-15S PASSIVE 15in SUBWOOFER	\$1,701.00	20%	1360.8
BP4000A5F	Single Channel Universal Belt Pack, A5F Headset Jack	\$438.00	20%	350.4

DCN-TCD	DCN TRANSPORT CASE FOR 10 UNITS	\$1,352.00	20%	1081.6
BP5000A4F	Dual Channel Universal Belt Pack, A4F Headset Jack	\$584.00	20%	467.2
EKX-12	EKX-12 PASSIVE 12in 2-WAY SPEAKER - EV-patented Signal Synchronized Transducers (SST) waveguide design provides precise and consistent coverage, minimal distortion, and maximized acoustical loading	\$1,343.00	20%	1074.4
ANT-FPM	Swivel mount for flatpanel	\$68.60	20%	54.88
EKX-12-CVR	PADDED COVER FOR EKX-12 AND 12P, EV LOGO - Lightweight, compact 15-mm wood enclosure with internal bracing and durable EVCoat finish	\$145.00	20%	116
BP4000 A4M	Single Channel Universal Belt Pack, A4M Headset Jack	\$569.00	20%	455.2
EKX-12P-US	EKX-12 PASSIVE 12in 2-WAY SPEAKER - Intelligent thermal management with a variable speed fan controlled by multiple onboard sensors	\$1,710.00	20%	1368
LBB3306/05	Extension cable, 5 m, LBB 3222/04	\$221.00	20%	176.8
DCNM-HDMIC	DCN multimedia Highly Directive Microphone	\$363.00	20%	290.4
EKX-18SP-US	EKX-18SP POWERED 18IN SUBWOOFER US CORD	\$2,610.00	20%	2088
RE3-ACC-RMK1	Rack mount kit for single RE3 receiver	\$86.80	20%	69.44
EKX-BRKT12	WALL MOUNT BRACKET FOR EKX-12/12P, BLK	\$453.00	20%	362.4
BP5000A5F	Dual Channel Universal Belt Pack, A5F Headset Jack	\$584.00	20%	467.2
DCNM-DVT	DICENTIS Discussion device with voting	\$814.00	20%	651.2
EKX-BRKT15	WALL MOUNT BRACKET FOR EKX-15/15P, BLK	\$471.00	20%	376.8
BP6000 A4M	Dual Channel Universal Belt Pack, A4M Headset Jack	\$642.00	20%	513.6
EVID-2.1	SURFACE-MOUNT SATELLITE SPEAKER SYSTEM - BLACK (PRICED AND SOLD IN PAIRS)	\$168.00	20%	134.4
ELX200-12S-CVR	Padded cover for ELX200-12S, 12SP	\$176.00	20%	140.8
EKX-15S-CVR	PADDED COVER FOR EKX-15S AND 15SP, EV LOGO - Lightweight, compact 15-mm wood enclosure with internal bracing and durable EVCoat finish	\$163.00	20%	130.4
OM-MM FIBER	Multi mode fiber module Omneo OMI	\$229.00	20%	183.2
EKX-15SP-US	EKX-15SP POWERED 15IN SUBWOOFER US CORD	\$2,250.00	20%	1800
EBK-M10-4PACK	EBK-M10-4PACK Eyebolt Kit for EVC Sub	\$160.00	20%	128
EKX-18S	EKX-18S PASSIVE 18in SUBWOOFER	\$2,060.00	20%	1648
ELX200-10-CVR	Padded cover for ELX200-10, 10P	\$159.00	20%	127.2
EKX-18S-CVR	PADDED COVER FOR EKX-18S AND 18SP, EV LOGO - Lightweight, compact 15-mm wood enclosure with internal bracing and durable EVCoat finish	\$199.00	20%	159.2
EVOLVE50-PL-SW	Column speaker pole, short, white	\$194.00	20%	155.2
EVID-C2.1	CEILING-MOUNT SATELLITE SPEAKER SYSTEM (PRICED AND SOLD IN PAIRS)	\$202.00	20%	161.6
RE3-ACC-BC2	Two slot battery charger	\$297.00	20%	237.6
RE420	Premium condenser cardioid vocal microphone	\$411.00	20%	328.8
EVID-P2.1	PENDANT-MOUNT SATELLITE SPEAKER SYSTEM (PRICED AND SOLD IN PAIRS)	\$237.00	20%	189.6

RE520	Premium condenser supercardioid vocal microphone	\$411.00	20%	328.8
EVID-PC6.2	ULTRA HIGH PERFORMANCE 6in TWO WAY CEILING MOUNT LOUDSPEAKER SYSTEM WITH CONCENTRIC COMPRESSION DRIVER	\$1,018.00	20%	814.4
HR-1 A4M	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, A4M Connector	\$399.00	20%	319.2
EVID-2.1W	SURFACE-MOUNT SATELLITE SPEAKER SYSTEM - WHITE (PRICED AND SOLD IN PAIRS)	\$168.00	20%	134.4
HR-1 A5M	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, A5M Connector	\$399.00	20%	319.2
EVID-40C	CEILING-MOUNT SUBWOOFER - WHITE FINISH	\$573.00	20%	458.4
BP-325 GRAY	2 channel binaural (stereo), programmable beltpack w/call light, individual talk/listen and volume controls, 3 pin m/f XLR loop thru and separate dynamic, or carbon mic. NO ELECTRET MIC Uses either stereo or mono headset. GRAY	\$871.00	20%	696.8
EVID-40S	SURFACE-MOUNT SUBWOOFER - BLACK CABINET	\$537.00	20%	429.6
DCN-FCOUP	Flush coupling (50 pieces)	\$181.00	20%	144.8
EVID-40SW	SURFACE-MOUNT SUBWOOFER - WHITE CABINET	\$537.00	20%	429.6
DCN-FVU	Flush voting unit	\$559.00	20%	447.2
DCN-FVU-D	Flush voting unit, dark	\$559.00	20%	447.2
RE3-ACC-RFAMP	Active RF antenna booster, 470-960 MHz	\$194.00	20%	155.2
RE420-RC3	Wireless head with RE420 capsule	\$410.00	20%	328
TPC-1	Touch Panel Controller 5.7inch	\$1,510.00	20%	1208
CA-23-16S	Cable adapter 6pin SWC M to two 3pin Female	\$152.00	20%	121.6
DCNM-MMDSP	Anti-reflection screen protector for Multimedia Device (25 pcs)	\$530.00	20%	424
RE3-ACC-RMK2	Rack mount kit for two RE3 receivers	\$86.80	20%	69.44
LH-302-DM-IC6	Double side headset, quick connect IC6	\$254.00	20%	203.2
PH-44R6-GPI	Double side headset, PTT, 6foot (18M) Cord A6M Connector	\$479.00	20%	383.2
DCN-FCS	Flush channel selector	\$604.00	20%	483.2
LH-300-DM-IC6	Single side headset, quick connect IC6	\$248.00	20%	198.4
DCN-FHH-C	Handheld microphone, coiled cable	\$465.00	20%	372
EBK1-M10-3PACK	Forged M10 Eyebolt kit set of 3 ELX200	\$141.00	20%	112.8
RE3-ACC-PASP	1 x 2 passive antenna splitter kit, 10-1000 MHz	\$207.00	20%	165.6
DCN-FHH	Handheld microphone	\$465.00	20%	372
LC5-WC06E4	Ceiling speaker, 6 watt, with wide coverage angle. Intended for low ceiling applications in low-noise areas. (82 dB SPL at 1 W/m) Integrated leaf springs facilitate installation in a 3inch circular cut-out. ABS grille & frame are styled to visually compl	\$43.00	20%	34.4

LH-300-DM-A4F	LH-300, SINGLE SIDE, DYNAMIC MIC, A4F	\$277.00	20%	221.6
LBB4114/00	DCN trunk splitter	\$587.00	20%	469.6
LBB4115/00	DCN tap-off unit	\$587.00	20%	469.6
LH-300-DM-PT	LH-300, SINGLE SIDE, DYNAMIC MIC, PT	\$228.00	20%	182.4
LH-300-EM-I3.5	LH-300, SINGLE SIDE, DYNAMIC MIC, 3.5	\$240.00	20%	192
LH-300-DM-A4M	LH-300, SINGLE SIDE, DYNAMIC MIC, A4M	\$277.00	20%	221.6
LH-300-DM-A5M	LH-300, SINGLE SIDE, DYNAMIC MIC, A5M	\$277.00	20%	221.6
LH-302-DM-A5F	LH-302, DOUBLE SIDE, DYNAMIC MIC, A5F	\$249.00	20%	199.2
LH-302-DM-A5M	LH-302, DOUBLE SIDE, DYNAMIC MIC, A5M	\$288.00	20%	230.4
LH-302-DM-A4F	LH-302, DOUBLE SIDE, DYNAMIC MIC, A4F	\$288.00	20%	230.4
LH-302-DM-A4M	LH-302, DOUBLE SIDE, DYNAMIC MIC, A4M	\$288.00	20%	230.4
OM-1	OMNEO card for Dante Audio Transport	\$1,205.00	20%	964
RE3-ACC-CXU25	25 foot, 50 ohm low loss BNC coax cable	\$143.00	20%	114.4
LH-302-DM-PT	LH-302, DOUBLE SIDE, DYNAMIC MIC, PT	\$237.00	20%	189.6
LH-302L-6.3	LH-302, DOUBLE SIDE, LISTEN ONLY, 6.3	\$152.00	20%	121.6
DCN-FEC	Flush end cap (50 pieces)	\$351.00	20%	280.8
DCN-FET	Flush extraction tools	\$274.00	20%	219.2
AB-24	Bracket for BTR-200/300 with 6ft coax	\$83.80	20%	67.04
DCN-FBPS	Flush blank panel, small (10 pieces)	\$274.00	20%	219.2
DCN-FVCRD-D	Flush voting and card panel, dark	\$559.00	20%	447.2
RE520-RC3	Wireless head with RE520 capsule	\$410.00	20%	328
DCN-FV	Flush voting panel	\$280.00	20%	224
DCN-FVCRD	Flush voting and card panel	\$559.00	20%	447.2
DCN-FBP-D	Flush blank panel, long, dark (10 pieces)	\$419.00	20%	335.2
DCN-FLSP-D	Flush loudspeaker panel, dark	\$132.00	20%	105.6
CA 6FSC-6MNT	Cable 6pin F SWC to 6pin M NTX	\$200.00	20%	160
CA 6MSC-6FNT	Cable 6pin M SWC to 6pin F NTX	\$200.00	20%	160
RA-5	RA-5, Omni Antenna (5db), magnetic mount with TNC reverse polarity connector	\$56.80	20%	45.44
EVERSE12-TRAY-B	EVERSE12-TRAY-B - Tray for EVERSE 12, 12V DC cable, black	\$172.00	20%	137.6
RE3-BPT-5H	Bodypack transmitter 560-596 MHz	\$344.00	20%	275.2
DCNM-CB02-I	DICENTIS System Network Cable 2m	\$72.40	20%	57.92
RA-3	RA-3, Omni Antenna (3db), with TNC reverse polarity connector	\$44.50	20%	35.6
RE3-BPTRSB-5H	Bodypack TX, for ref switch 560-596MHz	\$378.00	20%	302.4
RE3-BPTRSB-5L	Bodypack TX, for ref switch 488-524MHz	\$378.00	20%	302.4

RE3-BPT-5L	Bodypack transmitter 488-524 MHz	\$344.00	20%	275.2
RE3-BPT-6M	Bodypack transmitter 653-663 MHz	\$344.00	20%	275.2
24-PSE	Power supply for TR-24, TR-240, TR-1800	\$24.80	20%	19.84
DCN-FCS-D	Flush channel selector, dark	\$604.00	20%	483.2
RE3-BPTRSB-6M	Bodypack TX, for ref switch 653-663MHz	\$378.00	20%	302.4
TNC-REV-COUPLER	TNC Reverse Polarity Coupler (Jack to Jack)	\$71.10	20%	56.88
HDP-IHDP	High-quality dynamic headphones - ISO 20109:2017 Compliant	\$187.00	20%	149.6
HDP-IHDS	High-quality dynamic headphones w/microphone - ISO 20109:2017 Compliant	\$199.00	20%	159.2
DCN-FLSP	Flush loudspeaker panel	\$132.00	20%	105.6
DCNM-CBCPLR	Dicentis Cable Coupler (6 Pack)	\$362.00	20%	289.6
ND96-RC3	Wireless head with ND96 capsule	\$268.00	20%	214.4
PH-88ER6	Single side headset, coiled, PTT, 6foot (18M) Cord A6M Connector	\$459.00	20%	367.2
ND76-RC3	Wireless head with ND76 capsule	\$172.00	20%	137.6
EVERSE-DUFFEL	EVERSE padded duffel bag - Polyester,PVC - Black - 13.78 in x 28.74 in x 13.78 in s (H x W x D) - Compatible EVERSE12 and EVERSE8 Loudspeakers and accessories - Weight (kg) 1.66	\$242.00	20%	193.6
ND86-RC3	Wireless head with ND86 capsule	\$224.00	20%	179.2
TR-825-FE	UHF beltpack, 2ch, band FE, 4M headset	\$3,557.00	20%	2845.6
TR-825-FER	UHF beltpack, 2ch, band FE, 4F headset	\$3,557.00	20%	2845.6
TR-825-FDR	UHF beltpack, 2ch, band FD, 4F headset	\$3,557.00	20%	2845.6
TR-825-FDR5	UHF beltpack, 2ch, band FD, 5F headset	\$3,557.00	20%	2845.6
TR-825-HER	UHF beltpack, 2ch, band HE, 4F headset	\$3,557.00	20%	2845.6
TR-825-HER5	UHF beltpack, 2ch, band HE, 5F headset	\$3,557.00	20%	2845.6
TR-825-FER5	UHF beltpack, 2ch, band FE, 5F headset	\$3,557.00	20%	2845.6
TR-825-HE	UHF beltpack, 2ch, band HE, 4M headset	\$3,557.00	20%	2845.6
TR-82N B3 5 US	UHF beltpack, 2ch, band B3, 5M headset	\$3,699.00	20%	2959.2
TR-82N B3 US	UHF beltpack, 2ch, band B3, 4M headset	\$3,699.00	20%	2959.2
TR-82N A3 5 US	UHF beltpack, 2ch, band A3, 5M headset	\$3,699.00	20%	2959.2
TR-82N A3 US	UHF beltpack, 2ch, band A3, 4M headset	\$3,699.00	20%	2959.2
EVC-1082-00B	8 speaker, 100x100 indoor, black. Note - ships without rigging hardware	\$1,280.00	20%	1024
TR-82N F3 5 US	UHF beltpack, 2ch, band F3, 5M headset	\$3,699.00	20%	2959.2
TR-82N F3 US	UHF beltpack, 2ch, band F3, 4M headset	\$3,699.00	20%	2959.2
TR-82N C3 5 US	UHF beltpack, 2ch, band C3, 5M headset	\$3,699.00	20%	2959.2
TR-82N C3 US	UHF beltpack, 2ch, band C3, 4M headset	\$3,699.00	20%	2959.2
TR-82N-FD	UHF beltpack, 2ch, band FD, 4M headset	\$3,699.00	20%	2959.2

TR-82N-FE	UHF beltpack, 2ch, band FE, 4M headset	\$3,699.00	20%	2959.2
TR-82N H3 5 US	UHF beltpack, 2ch, band H3, 5M headset	\$3,699.00	20%	2959.2
TR-82N H3 US	UHF beltpack, 2ch, band H3, 4M headset	\$3,699.00	20%	2959.2
DCN-DDI	Dual delegate interface	\$1,024.00	20%	819.2
PH-16 A5M	PH-16, Dual-Sided Full Cushion Hearing Protection Headset, A5M Connector	\$664.00	20%	531.2
TR-82N-HE	UHF beltpack, 2ch, band HE, 4M headset	\$3,699.00	20%	2959.2
4015-15	15ft. 25-pair Cable Assembly.	\$129.00	20%	103.2
RE3-ACC-ALPA	Active log periodic antenna, 470-960 MHz	\$446.00	20%	356.8
ELX200-18S-CVR	Padded cover for ELX200-18S, 18SP	\$212.00	20%	169.6
ANT-FP	Flatpanel antenna	\$230.00	20%	184
ELX200-12-CVR	Padded cover for ELX200-12, 12P	\$159.00	20%	127.2
RE3-HHT420-5H	Handheld transmitter with RE420 head, 560-596 MHz	\$680.00	20%	544
RE3-HHT420-5L	Handheld transmitter with RE420 head, 488-524 MHz	\$680.00	20%	544
PXM-12M-CVR	Padded cover for PXM-12MP	\$149.00	20%	119.2
RE3-ACC-PLPA	Passive log periodic antenna, 470-960 MHz	\$372.00	20%	297.6
TR-800-HER5	UHF beltpack, 2ch, band HE, 5F headset	\$2,417.00	20%	1933.6
TR-80N A3 US	UHF beltpack, 2ch, band A3, 4M headset	\$2,702.00	20%	2161.6
TR-800-HE	UHF beltpack, 2ch, band HE, 4M headset	\$2,417.00	20%	1933.6
TR-800-HER	UHF beltpack, 2ch, band HE, 4F headset	\$2,417.00	20%	1933.6
TR-80N F3 US	UHF beltpack, 2ch, band F3, 4M headset	\$2,702.00	20%	2161.6
TR-80N H3 US	UHF beltpack, 2ch, band H3, 4M headset	\$2,702.00	20%	2161.6
TR-80N B3 US	UHF beltpack, 2ch, band B3, 4M headset	\$2,702.00	20%	2161.6
TR-80N C3 US	UHF beltpack, 2ch, band C3, 4M headset	\$2,702.00	20%	2161.6
TR-80N-HE	UHF beltpack, 2ch, band HE, 4M headset	\$2,702.00	20%	2161.6
TR-825 A3 5 US	UHF beltpack, 2ch, band A3, 5M headset	\$3,557.00	20%	2845.6
TR-80N-FD	UHF beltpack, 2ch, band FD, 4M headset	\$2,702.00	20%	2161.6
TR-80N-FE	UHF beltpack, 2ch, band FE, 4M headset	\$2,702.00	20%	2161.6
TR-825 A3 US	UHF beltpack, 2ch, band A3, 4M headset	\$3,557.00	20%	2845.6
BP4000A4F	Single Channel Universal Belt Pack, A4F Headset Jack	\$438.00	20%	350.4
TR-825 B3 5 US	UHF beltpack, 2ch, band B3, 5M headset	\$3,557.00	20%	2845.6
TR-825 A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	\$3,557.00	20%	2845.6
TR-825 A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	\$3,557.00	20%	2845.6
TR-825 B3 US	UHF beltpack, 2ch, band B3, 4M headset	\$3,557.00	20%	2845.6
TR-825 C3 5 US	UHF beltpack, 2ch, band C3, 5M headset	\$3,557.00	20%	2845.6
TR-825 B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	\$3,557.00	20%	2845.6

TR-825 B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	\$3,557.00	20%	2845.6
TR-825 C3 US	UHF beltpack, 2ch, band C3, 4M headset	\$3,557.00	20%	2845.6
TR-825 F3 5 US	UHF beltpack, 2ch, band F3, 5M headset	\$3,557.00	20%	2845.6
TR-825 C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	\$3,557.00	20%	2845.6
TR-825 C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	\$3,557.00	20%	2845.6
TR-825 F3 US	UHF beltpack, 2ch, band F3, 4M headset	\$3,557.00	20%	2845.6
TR-825 H3 5 US	UHF beltpack, 2ch, band H3, 5M headset	\$3,557.00	20%	2845.6
TR-825 F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	\$3,557.00	20%	2845.6
TR-825 F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	\$3,557.00	20%	2845.6
TR-825 H3 US	UHF beltpack, 2ch, band H3, 4M headset	\$3,557.00	20%	2845.6
TR-825-FD	UHF beltpack, 2ch, band FD, 4M headset	\$3,557.00	20%	2845.6
TR-825 H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	\$3,557.00	20%	2845.6
TR-825 H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	\$3,557.00	20%	2845.6
TR-32N-F13 A4F	UHF/VHF beltpack, 2ch, band F-13 stereo	\$2,325.00	20%	1860
HT-300-C	R300 HANDHELD TX W/PL22 IN BOX 516-532MH	\$190.00	20%	152
TR-32N-F13 A4M	UHF/VHF beltpack, 2ch, band F-13 stereo	\$2,325.00	20%	1860
TR-32N-F10 A4M	UHF/VHF beltpack, 2ch, band F-10 stereo	\$2,325.00	20%	1860
TR-32N-F10 A5F	UHF/VHF beltpack, 2ch, band F-10 stereo	\$2,325.00	20%	1860
TR-32N-H10 A4M	UHF/VHF beltpack, 2ch, band H-10 stereo	\$2,325.00	20%	1860
EVID-PC8.2	ULTRA HIGH PERFORMANCE 8in TWO WAY CEILING MOUNT LOUDSPEAKER SYSTEM WITH CONCENTRIC COMPRESSION DRIVER	\$1,194.00	20%	955.2
TR-32N-H10 A5F	UHF/VHF beltpack, 2ch, band H-10 stereo	\$2,325.00	20%	1860
TR-32N-F13 A5F	UHF/VHF beltpack, 2ch, band F-13 stereo	\$2,325.00	20%	1860
EVID-S44W	WALL-MOUNT BACKGROUND MUSIC SPEAKER SYSTEM PACKAGE - SURFACE-MOUNT SUBWOOFER AND 4 SURFACE-MOUNT SATELLITE SPEAKERS - WHITE	\$853.00	20%	682.4
TR-32N-H10 A4F	UHF/VHF beltpack, 2ch, band H-10 stereo	\$2,325.00	20%	1860
TR-32N-H13 A5F	UHF/VHF beltpack, 2ch, band H-13 stereo	\$2,325.00	20%	1860
TR-800 A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	\$2,417.00	20%	1933.6
TR-32N-H13 A4F	UHF/VHF beltpack, 2ch, band H-13 stereo	\$2,325.00	20%	1860
TR-32N-H13 A4M	UHF/VHF beltpack, 2ch, band H-13 stereo	\$2,325.00	20%	1860
TR-800 B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	\$2,417.00	20%	1933.6
TR-800 B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	\$2,417.00	20%	1933.6
LB6-SW100-D	SURFACE-MOUNT SUBWOOFER - BLACK CABINET	\$719.00	20%	575.2
TR-800 A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	\$2,093.00	20%	1674.4
LB6-SW100-L	SURFACE-MOUNT SUBWOOFER - WHITE CABINET	\$719.00	20%	575.2

TR-800 A3 US	UHF beltpack, 2ch, band A3, 4M headset	\$2,417.00	20%	1933.6
TR-800 C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	\$2,417.00	20%	1933.6
PVA-15CST	PAVIRO MATRIX CALL STATION	\$966.00	20%	772.8
TR-800 C3 US	UHF beltpack, 2ch, band C3, 4M headset	\$2,417.00	20%	1933.6
PVA-1EB	PAVIRO CST EMERGENCY BUTTON	\$112.00	20%	89.6
TR-800 B3 US	UHF beltpack, 2ch, band B3, 4M headset	\$2,417.00	20%	1933.6
PVA-1KS	The PVA-1KS Call station key switch is an optional key switch that can be installed in the PVA-15CST Call station.	\$184.00	20%	147.2
TR-800 C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	\$2,417.00	20%	1933.6
PVA-1WEOL	PAVIRO END-OF-LINE SLAVE MODULE	\$170.00	20%	136
TR-800 F3 US	UHF beltpack, 2ch, band F3, 4M headset	\$2,417.00	20%	1933.6
TR-800 H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	\$2,417.00	20%	1933.6
TR-800 F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	\$2,417.00	20%	1933.6
DC-PM1600-3-UNIV	Power Mixer, 12 Mic/Line + 4 Mic/Stereo Line Channels, 6xAUX, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000 Watt; incl. Lid-1600	\$5,434.00	20%	4347.2
PRS-4AEX4	AUDIO EXPANDER ANALOGUE	\$3,567.00	20%	2853.6
TR-800 F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	\$2,417.00	20%	1933.6
RE3-ND76-5L	RE3 Wireless Handheld set with ND76 head 488-524MHz	\$735.00	20%	588
PRS-4OMI4	OMNEO INTERFACE	\$5,233.00	20%	4186.4
TR-800-FD	UHF beltpack, 2ch, band FD, 4M headset	\$2,417.00	20%	1933.6
PVA-CSK	PAVIRO MATRIX CALL STATION KIT	\$1,377.00	20%	1101.6
TR-800-FDR	UHF beltpack, 2ch, band FD, 4F headset	\$2,417.00	20%	1933.6
R300-E-C	HEADWORN SYSTEM W/HM3 516-532MHZ	\$413.00	20%	330.4
TR-800 H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	\$2,417.00	20%	1933.6
TR-800 H3 US	UHF beltpack, 2ch, band H3, 4M headset	\$2,417.00	20%	1933.6
R300-L-C	UNI-LAPEL SYSTEM W/U LM18 516-532MHZ	\$398.00	20%	318.4
TR-800-FER	UHF beltpack, 2ch, band FE, 4F headset	\$2,417.00	20%	1933.6
PVA-20CSE	PAVIRO MATRIX CALL STATION EXTENSION	\$600.00	20%	480
TR-800-FER5	UHF beltpack, 2ch, band FE, 5F headset	\$2,417.00	20%	1933.6
PVA-2P500	PAVIRO MATRIX AMPLIFIER 2 X 500W	\$3,666.00	20%	2932.8
TR-800-FDR5	UHF beltpack, 2ch, band FD, 5F headset	\$2,417.00	20%	1933.6
PVA-4CR12	PAVIRO MATRIX CONTROLLER	\$2,673.00	20%	2138.4
TR-800-FE	UHF beltpack, 2ch, band FE, 4M headset	\$2,417.00	20%	1933.6
PVA-4R24	PAVIRO MATRIX ROUTER	\$2,247.00	20%	1797.6
TR-30N-F10 A4M	UHF/VHF beltpack, 2ch, band F-10	\$1,698.00	20%	1358.4

TR-30N-F10 A5F	UHF/VHF beltpack, 2ch, band F-10	\$1,698.00	20%	1358.4
TR-30N-C13 A5F	UHF/VHF beltpack, 2ch, band C-13	\$1,698.00	20%	1358.4
TR-30N-F10 A4F	UHF/VHF beltpack, 2ch, band F-10	\$1,698.00	20%	1358.4
TR-30N-F13 A5F	UHF/VHF beltpack, 2ch, band F-13	\$1,698.00	20%	1358.4
R300-RX-C	R300 RECEIVER ONLY IN CASE 516-532MHZ, ClearScan finds the clearest channel available with the touch of one (1) button, EZsync infrared channel transfer from the receiver to the transmitter for easy and error-free setup	\$268.00	20%	214.4
TR-30N-H10 A4F	UHF/VHF beltpack, 2ch, band H-10	\$1,698.00	20%	1358.4
RE50L	RE50L, OMNIDIRECTIONAL BROADCAST INTERVIEW MICROPHONE, BLACK, 9.5 in LONG	\$308.00	20%	246.4
TR-30N-F13 A4F	UHF/VHF beltpack, 2ch, band F-13	\$1,698.00	20%	1358.4
RE50N/D-L	RE50N/D-L, OMNIDIRECTIONAL BROADCAST INTERVIEW MICROPHONE W/NEODMIUM ELEMENT, BLACK, 9.5in LONG	\$340.00	20%	272
TR-30N-F13 A4M	UHF/VHF beltpack, 2ch, band F-13	\$1,698.00	20%	1358.4
TR-30N-H13 A4F	UHF/VHF beltpack, 2ch, band H-13	\$1,698.00	20%	1358.4
LH2-UC06	THE COMPACT HORN LOUDSPEAKER LH2-UC06 IS SPECIFICALLY DESIGNED FOR MARINE APPLICATIONS AND OTHER INDUSTRIAL ENVIRONMENTS. UNITS ARE RESISTANT TO WATER AND DUST (IP 67), AS WELL AS THE CORROSIVE EFFECT	\$133.00	20%	106.4
TR-30N-H13 A4M	UHF/VHF beltpack, 2ch, band H-13	\$1,698.00	20%	1358.4
LH2-UC15E	SPECIFICALLY DESIGNED FOR EXCELLENT SOUND REPRODUCTION IN MARINE APPLICATIONS AND OTHER INDUSTRIAL ENVIRONMENTS. UNITS ARE WATER- AND DUST-PROTECTED (IP 67), AND RESISTANT TO THE CORROSIVE EFFECTS OF	\$276.00	20%	220.8
TR-30N-H10 A4M	UHF/VHF beltpack, 2ch, band H-10	\$1,698.00	20%	1358.4
TR-30N-H10 A5F	UHF/VHF beltpack, 2ch, band H-10	\$1,698.00	20%	1358.4
TR-32N-A10 A4M	UHF/VHF beltpack, 2ch, band A-10 stereo	\$2,325.00	20%	1860
TR-32N-A10 A5F	UHF/VHF beltpack, 2ch, band A-10 stereo	\$2,325.00	20%	1860
TR-30N-H13 A5F	UHF/VHF beltpack, 2ch, band H-13	\$1,698.00	20%	1358.4
DCNM-LVPM	DCN MULTIMEDIA VOTING PREPARATION AND MANAGEMENT; ONE LICENSE REQUIRED PER SYSTEM	\$3,504.00	20%	2803.2
TR-32N-A10 A4F	UHF/VHF beltpack, 2ch, band A-10 stereo	\$2,325.00	20%	1860
EKX-TCA	EKX-TCA TRUSS adapter FOR EKX 12in/15in F/R, BLK	\$371.00	20%	296.8
TR-32N-A13 A5F	UHF/VHF beltpack, 2ch, band A-13 stereo	\$2,325.00	20%	1860
TR-32N-B10 A4F	UHF/VHF beltpack, 2ch, band B-10 stereo	\$2,325.00	20%	1860
TR-32N-A13 A4F	UHF/VHF beltpack, 2ch, band A-13 stereo	\$2,325.00	20%	1860
TR-32N-A13 A4M	UHF/VHF beltpack, 2ch, band A-13 stereo	\$2,325.00	20%	1860

TR-32N-B13 A4F	UHF/VHF beltpack, 2ch, band B-13 stereo	\$2,325.00	20%	1860
TR-32N-B13 A4M	UHF/VHF beltpack, 2ch, band B-13 stereo	\$2,325.00	20%	1860
TR-32N-B10 A4M	UHF/VHF beltpack, 2ch, band B-10 stereo	\$2,325.00	20%	1860
TR-32N-B10 A5F	UHF/VHF beltpack, 2ch, band B-10 stereo	\$2,325.00	20%	1860
TR-32N-C10 A4M	UHF/VHF beltpack, 2ch, band C-10 stereo	\$2,325.00	20%	1860
TR-32N-C10 A5F	UHF/VHF beltpack, 2ch, band C-10 stereo	\$2,325.00	20%	1860
TR-32N-B13 A5F	UHF/VHF beltpack, 2ch, band B-13 stereo	\$2,325.00	20%	1860
TR-32N-C10 A4F	UHF/VHF beltpack, 2ch, band C-10 stereo	\$2,325.00	20%	1860
TR-32N-C13 A5F	UHF/VHF beltpack, 2ch, band C-13 stereo	\$2,325.00	20%	1860
TR-32N-F10 A4F	UHF/VHF beltpack, 2ch, band F-10 stereo	\$2,325.00	20%	1860
TR-32N-C13 A4F	UHF/VHF beltpack, 2ch, band C-13 stereo	\$2,325.00	20%	1860
TR-32N-C13 A4M	UHF/VHF beltpack, 2ch, band C-13 stereo	\$2,325.00	20%	1860
RE3-RE520-5H	Handheld set with RE520 head 560-596 MHz	\$1,038.00	20%	830.4
RE3-RE520-5L	Handheld set with RE520 head 488-524 MHz	\$1,038.00	20%	830.4
RE3-RE420-5L	Handheld set with RE420 head 488-524 MHz	\$1,038.00	20%	830.4
RE3-RE420-6M	Handheld set with RE420 head 653-663 MHz	\$1,038.00	20%	830.4
RE3-ND76-5H	Handheld set with ND76 head 560-596 MHz	\$735.00	20%	588
RE3-ND76-6M	Handheld set with ND76 head 653-663 MHz	\$735.00	20%	588
RE3-RE520-6M	Handheld set with RE520 head 653-663 MHz	\$1,038.00	20%	830.4
MFX-UB420-B	U bracket for MFX-12MC, 420mm, blk	\$414.00	20%	331.2
RE3-ND86-6M	Handheld set with ND86 head 653-663 MHz	\$769.00	20%	615.2
RE3-ND96-5H	Handheld set with ND96 head 560-596 MHz	\$799.00	20%	639.2
RE3-ND86-5H	Handheld set with ND86 head 560-596 MHz	\$769.00	20%	615.2
EVOLVE70-SB-US	EVOLVE 15 Subwoofer - Black US cord	\$3,498.00	20%	2798.4
RE3-ND86-5L	Handheld set with ND86 head 488-524 MHz	\$769.00	20%	615.2
COBREFLEX IIB	Folded sectoral horn to match ID60 drivers; also fits 1828, 1829, 7110XC, and ID30 drivers, 80 degrees x 60 degrees, weather resistant, integral mounting bracket, gray	\$226.00	20%	180.8
OMS ADVANCED 4F	Main station Advanced 4ch A4M headset. 40 OMNEO devices, ROAMEO support, 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 8 keypad capacity, Fiber support, 4	\$9,764.00	20%	7811.2
RE3-ND96-5L	Handheld set with ND96 head 488-524 MHz	\$799.00	20%	639.2
RE3-ND96-6M	Handheld set with ND96 head 653-663 MHz	\$799.00	20%	639.2
OMS ANALOG 4F	Main station 4ch A4F headset. 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 4 conferences.	\$2,472.00	20%	1977.6

OMS ANALOG 4M	Main station 4ch A4M headset. 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 4 conferences.	\$2,472.00	20%	1977.6
EVA-2082S/1220-BLK	Dual-element 120 x20 full-range line-array module - EVA-2082S/1220-BLK	\$4,128.00	20%	3302.4
OMS ADVANCED 4M	Main station Advanced 4ch A4M headset. 40 OMNEO devices, ROAMEO support, 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 8 keypanel capacity, Fiber support, 4	\$9,764.00	20%	7811.2
OMS ADVANCED 5F	Main station Advanced 4ch A4M headset. 40 OMNEO devices, ROAMEO support, 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 8 keypanel capacity, Fiber support, 4	\$9,764.00	20%	7811.2
OMS BASIC 4M	Main station Basic 4ch A4M headset. 20 wired OMNEO devices (no analog, no ROAMEO), 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity.	\$4,199.00	20%	3359.2
OMS BASIC 5F	Main station Basic 4ch A5F headset. 20 wired OMNEO devices (no analog, no ROAMEO), 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity.	\$4,199.00	20%	3359.2
OMS ANALOG 5F	Main station 4ch A5F headset. 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 4 conferences.	\$2,472.00	20%	1977.6
OMS BASIC 4F	Main station Basic 4ch A4F headset. 20 wired OMNEO devices (no analog, no ROAMEO), 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity.	\$4,199.00	20%	3359.2
OMS INTERMED 5F	Main station Intermed 4ch A5F headset. 20 OMNEO devices, ROAMEO support, 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity, Fiber support.	\$7,650.00	20%	6120
LBB4118/00	Termination Plug	\$35.90	20%	28.72
OMS PLUS 4F	Main station Analog Plus 4ch A4F headset. 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity.	\$3,791.00	20%	3032.8
OMS INTERMED 4F	Main station Intermed 4ch A4F headset. 20 OMNEO devices, ROAMEO support, 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity, Fiber support.	\$7,650.00	20%	6120
OMS INTERMED 4M	Main station Intermed 4ch A4M headset. 20 OMNEO devices, ROAMEO support, 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity, Fiber support.	\$7,650.00	20%	6120

ELX200-BRKT-W	Wall mount bracket, ELX200 2-way, white	\$223.00	20%	178.4
EVA-2082S/906-BLK	90 X 6 , EVCOAT, BLACK	\$4,128.00	20%	3302.4
OMS PLUS 4M	Main station Analog Plus 4ch A4M headset. 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity.	\$3,791.00	20%	3032.8
EVA-2151D-BLK	DUAL 15in EVCOAT, BLACK	\$4,540.00	20%	3632
OMS PLUS 5F	Main station Analog Plus 4ch A5F headset. 4 ports of analog 2-Wire, 2 program inputs, 1 stage announce, 4 GPI/ 4 Relays, 16 conferences, 4 ports of analog 4-wire AIO ports, 8 tielines, 4 keypanel capacity.	\$3,791.00	20%	3032.8
LBB3306/20	Extension cable, 20 m, LBB 3222/04	\$362.00	20%	289.6
90007741009	Speaker station, 2ch, S-box, no handle	\$487.00	20%	389.6
DCNM-NCH	DICENTIS multimedia Name Card Holder (25 pcs)	\$196.00	20%	156.8
PVA-15ECS	PAVIRO Call Station with Two Emergency Buttons and Key Switch installed at the factory	\$1,359.00	20%	1087.2
DCN-CCUB2	CENTRAL CONTROL UNIT BASIC	\$5,036.00	20%	4028.8
LM1-MSB-1	Metal Suspension Bracket adapter Set for Hemi-Directional Loudspeaker	\$265.00	20%	212
DCN-FCCCU	Flight Case for 2 Central Control Units	\$1,391.00	20%	1112.8
RE3-BPNID-6M	Bodypack set, no input device 653-663 MHz	\$624.00	20%	499.2
DCN-FBP	Flush blank panel, long (10 pieces)	\$419.00	20%	335.2
LBB4116/15	LBB 4116/15 DCN Extension Cable 15m	\$199.00	20%	159.2
RE3-ACC-CXU75	75 foot, 50 ohm low loss BNC coax cable	\$558.00	20%	446.4
LBB4116/05	System extension cable, 5m	\$132.00	20%	105.6
IP-10D-CW	Crossover input 10inch subwoofer white	\$195.00	20%	156
RE3-BPKRSB-6M	Bodypack set, for ref switch 653-663MHz	\$603.00	20%	482.4
IP-10D-CB	Crossover input 10inch subwoofer black	\$184.00	20%	147.2
RE3-BPKRSB-5L	Bodypack set, for ref switch 488-524MHz	\$663.00	20%	530.4
RE3-BPNID-5H	Bodypack set, no input device 560-596 MHz	\$624.00	20%	499.2
RE3-BPGC-6M	Bodypack instrument set 653-663 MHz	\$680.00	20%	544
RE3-BPKRSB-5H	Bodypack set, for ref switch 560-596MHz	\$663.00	20%	530.4
V600:2-US	AV Devices - 2 channel 600W powerTANK amplifier with APD (Auto Power Down), dualCOOL, ecoRAIL, hi/lo pass filters, & VLD (4 , 8 , 70V or 100V), 1/2 RU, US-F.01U.410.739	\$1,095.00	20%	876
RE3-BPGC-5H	Bodypack instrument set 560-596 MHz	\$680.00	20%	544
RE3-BPGC-5L	Bodypack instrument set 488-524 MHz	\$680.00	20%	544
V600:4-US	BOSCH SECURITY SYSTEMS V600:4-US 4 channel 600W powerTANK amplifier with APD (Auto Power Down), dualCOOL, ecoRAIL, speakerEQ & VLD. F.01U.409.544	\$1,425.00	20%	1140

RE3-BPNID-5L	Bodypack set, no input device 488-524 MHz	\$624.00	20%	499.2
RE3-BPCL-6M	Bodypack set, cardioid mic 653-663 MHz	\$813.00	20%	650.4
RE3-BPCL-5H	Bodypack set, cardioid mic 560-596 MHz	\$813.00	20%	650.4
RE3-BPCL-5L	Bodypack set, cardioid mic 488-524 MHz	\$813.00	20%	650.4
RE3-BPHW-6M	Bodypack set, headworn mic 653-663 MHz	\$813.00	20%	650.4
RE3-BPOL-6M	Bodypack set, omni lavalier 653-663 MHz	\$813.00	20%	650.4
RE3-BPOL-5H	Bodypack set, omni lavalier 560-596 MHz	\$813.00	20%	650.4
RE3-BPOL-5L	Bodypack set, omni lavalier 488-524 MHz	\$813.00	20%	650.4
RE3-BPHW-5H	Bodypack set, headworn mic 560-596 MHz	\$813.00	20%	650.4
RE3-BPHW-5L	Bodypack set, headworn mic 488-524 MHz	\$813.00	20%	650.4
RE3-ACC-CXU100	100 foot, 50 ohm low loss BNC coax cable	\$745.00	20%	596
RE3-RE420-5H	Handheld set with RE420 head 560-596 MHz	\$1,038.00	20%	830.4
ELX200-BRKT	Wall mount bracket, ELX200 2-way models	\$156.00	20%	124.8
SMS-2GUS-4	2-gang US electrical box adapter 4inch	\$103.00	20%	82.4
TR-80N B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	\$2,702.00	20%	2161.6
TR-80N B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	\$2,702.00	20%	2161.6
TR-80N A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	\$2,702.00	20%	2161.6
TR-80N A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	\$2,702.00	20%	2161.6
TR-80N F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	\$2,702.00	20%	2161.6
TR-80N F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	\$2,702.00	20%	2161.6
TR-80N C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	\$2,702.00	20%	2161.6
TR-80N C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	\$2,702.00	20%	2161.6
TR-80N-FDR	UHF beltpack, 2ch, band FD, 4F headset	\$2,702.00	20%	2161.6
TR-80N-FDR5	UHF beltpack, 2ch, band FD, 5F headset	\$2,702.00	20%	2161.6
TR-80N H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	\$2,702.00	20%	2161.6
TR-80N H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	\$2,702.00	20%	2161.6
TR-80N-HER	UHF beltpack, 2ch, band HE, 4F headset	\$2,702.00	20%	2161.6
TR-80N-HER5	UHF beltpack, 2ch, band HE, 5F headset	\$2,702.00	20%	2161.6
TR-80N-FER	UHF beltpack, 2ch, band FE, 4F headset	\$2,702.00	20%	2161.6
TR-80N-FER5	UHF beltpack, 2ch, band FE, 5F headset	\$2,702.00	20%	2161.6
TR-82N B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	\$3,699.00	20%	2959.2
TR-82N B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	\$3,699.00	20%	2959.2
TR-82N A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	\$3,699.00	20%	2959.2
TR-82N A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	\$3,699.00	20%	2959.2
TR-82N F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	\$3,699.00	20%	2959.2

TR-82N F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	\$3,699.00	20%	2959.2
TR-82N C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	\$3,699.00	20%	2959.2
TR-82N C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	\$3,699.00	20%	2959.2
TR-82N-FDR	UHF beltpack, 2ch, band FD, 4F headset	\$3,699.00	20%	2959.2
TR-82N-FDR5	UHF beltpack, 2ch, band FD, 5F headset	\$3,699.00	20%	2959.2
TR-82N H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	\$3,699.00	20%	2959.2
TR-82N H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	\$3,699.00	20%	2959.2
TR-82N-HER	UHF beltpack, 2ch, band HE, 4F headset	\$3,699.00	20%	2959.2
TR-82N-HER5	UHF beltpack, 2ch, band HE, 5F headset	\$3,699.00	20%	2959.2
TR-82N-FER	UHF beltpack, 2ch, band FE, 4F headset	\$3,699.00	20%	2959.2
TR-82N-FER5	UHF beltpack, 2ch, band FE, 5F headset	\$3,699.00	20%	2959.2
EVOLVE90-SB-US	EVOLVE 18 Subwoofer - Black US cord	\$4,198.00	20%	3358.4
RE3-HHT520-5L	Handheld transmitter with RE520 head, 488-524 MHz	\$674.00	20%	539.2
EVOLVE90-CVR	EVOLVE90 Subwoofer slip cover - 600D Polyester (outside), polyester laminated with 5 mm foam lining (inside) - Black	\$191.00	20%	152.8
RE3-HHT520-6M	Handheld transmitter with RE520 head, 653-663 MHz	\$613.00	20%	490.4
RE3-HHT420-6M	Handheld transmitter with RE420 head, 653-663 MHz	\$680.00	20%	544
RE3-HHT520-5H	Handheld transmitter with RE520 head, 560-596 MHz	\$680.00	20%	544
SMS-TR-5	Threaded rod adapter for 5inch black (sold per pair)	\$43.00	20%	34.4
MFX-CVR-12MC	Soft cover for MFX-12MC	\$121.00	20%	96.8
EVOLVE70-90-TB	EVOLVE70-90 Column, pole and carry bag - Black	\$1,750.00	20%	1400
ELX200-15-CVR	Padded cover for ELX200-15, 15P	\$176.00	20%	140.8
EVOLVE70-CVR	EVOLVE70 Subwoofer slip cover - 600D Polyester (outside), polyester laminated with 5 mm foam lining (inside) - Black	\$173.00	20%	138.4
RPT-25	RPT-25, 25 Foot Coax Cable with TNC Reverse Polarity Connector	\$110.00	20%	88
RE3-HHT76-6M	Handheld transmitter with ND76 head, 653-663 MHz	\$445.00	20%	356
RE3-HHT86-5H	Handheld transmitter with ND86 head, 560-596 MHz	\$500.00	20%	400
EVERSE8-RAINCVR	8	\$120.00	20%	96
RE3-HHT76-5H	Handheld transmitter with ND76 head, 560-596 MHz	\$445.00	20%	356
RE3-HHT76-5L	Handheld transmitter with ND76 head, 488-524 MHz	\$445.00	20%	356
RE3-HHT96-5H	Handheld transmitter with ND96 head, 560-596 MHz	\$545.00	20%	436
RE3-HHT96-5L	Handheld transmitter with ND96 head, 488-524 MHz	\$545.00	20%	436
RE3-HHT86-5L	Handheld transmitter with ND86 head, 488-524 MHz	\$500.00	20%	400
RE3-HHT86-6M	Handheld transmitter with ND86 head, 653-663 MHz	\$500.00	20%	400
DCNM-CBCON	DICENTIS System Connectors (50pcs) for custom length cables or repairing DCNM-CBxx-I Cables	\$751.00	20%	600.8

MFX-CVR-15MC	Soft cover for MFX-15MC	\$142.00	20%	113.6
RE3-HHT96-6M	Handheld transmitter with ND96 head, 653-663 MHz	\$545.00	20%	436
PRA-PSM48	48V Power Supply	\$261.00	20%	208.8
LB7-UC06V	Surface Mount Speaker 6W with Volume Control	\$90.20	20%	72.16
LB7-UC06VR	Surface Mount Speaker 6W with Volume Override	\$95.70	20%	76.56
SMS-UB-58	U-bolt adapter for 5inch, 8inch black, for installation with standard 2inch U-bolts (sold and priced per pair)	\$43.00	20%	34.4
LB7-UC06E	Surface Mount Speaker 6W	\$85.80	20%	68.64
RE3-RX-5H	RE3 half rack space receiver 560-596 MHz	\$445.00	20%	356
RE3-RX-5L	RE3 half rack space receiver 488-524 MHz	\$445.00	20%	356
RE20-BLACK	Variable-D announcers microphone, Black	\$609.00	20%	487.2
RE3-ACC-CXU50	50 foot, 50 ohm low loss BNC coax cable	\$374.00	20%	299.2
MB1082-WHT	Wall/ceiling mounting bracket for Xi-1082, white	\$95.60	20%	76.48
MFX-RB-B	Rigging bar, MFX, black	\$255.00	20%	204
RE3-RX-6M	RE3 half rack space receiver 653-663 MHz	\$445.00	20%	356
MB1082	Wall/ceiling mounting bracket for Xi-1082, black	\$95.60	20%	76.48
EVC-1082-96PIW	8inch speaker, 90x60 weatherized, white. Note - ships without rigging hardware	\$1,876.00	20%	1500.8
EVC-1082-96B	8inch speaker, 90x60 indoor, black. Note - ships without rigging hardware	\$1,280.00	20%	1024
EVC-1082-96PIB	8inch speaker, 90x60 weatherized, black. Note - ships without rigging hardware	\$1,737.00	20%	1389.6
DCNM-FCMMD	Flight Case for 6 Multimedia Devices (does not fit DICENTIS or DICENTIS Wireless devices)	\$1,450.00	20%	1160
LBB4560/50-US	Integrus Charging Cabinet 56 Rx (US)	\$5,158.00	20%	4126.4
ELX200-10-W	10inch 2-way passive speaker, white	\$1,041.00	20%	832.8
PXM-12MP-US	700 Watt 12inch powered coaxial monitor, 90 degrees x 90 degrees	\$1,661.00	20%	1328.8
ELX200-10	10inch 2-Way passive speaker	\$1,041.00	20%	832.8
ELX200-12	12inch 2-Way passive speaker	\$1,129.00	20%	903.2
ELX200-12-W	12inch 2-way passive speaker, white	\$1,129.00	20%	903.2
ELX200-10P-W	10inch 2-way powered speaker, white	\$1,400.00	20%	1120
DCNM-CB250-I	DICENTIS System Installation Cable 250m	\$2,883.00	20%	2306.4
ELX200-12P-W	12inch 2-way powered speaker, white	\$1,485.00	20%	1188
ELX200-12S-W	12inch passive subwoofer, white	\$1,217.00	20%	973.6
ELX200-15	15inch 2-Way passive speaker	\$1,304.00	20%	1043.2
ELX200-15-W	15inch 2-way passive speaker, white	\$1,304.00	20%	1043.2
MFX-12MC-B	12inch multi-use coax monitor, black	\$3,136.00	20%	2508.8

MFV-12MC-W	12inch multi-use coax monitor, white	\$3,387.00	20%	2709.6
EVC-1122-64B	12inch speaker, 60x45 indoor, black. Note - ships without rigging hardware	\$1,451.00	20%	1160.8
EVC-1122-64PIB	12inch speaker, 60x45 weatherized, black. Note - ships without rigging hardware	\$1,980.00	20%	1584
ELX200-15P-W	15inch 2-way powered speaker, white	\$1,660.00	20%	1328
ELX200-12SP-W	12inch powered subwoofer, white	\$1,565.00	20%	1252
EVC-1122-95B	12inch speaker, 90x55 indoor, black. Note - ships without rigging hardware	\$1,451.00	20%	1160.8
EVC-1122-95PIB	12inch speaker, 90x55 weatherized, black. Note - ships without rigging hardware	\$1,980.00	20%	1584
EVC-1122-64PIW	12inch speaker, 60x45 weatherized, white. Note - ships without rigging hardware	\$2,138.00	20%	1710.4
EVC-1122-64W	12inch speaker, 60x45 indoor, white. Note - ships without rigging hardware	\$1,567.00	20%	1253.6
EVC-WB-BLK	Wall bracket EVC 8inch,12inch,15inch black	\$431.00	20%	344.8
EVC-WB-WHT	Wall bracket EVC 8inch,12inch,15inch white	\$465.00	20%	372
EVC-UB2-BLK	U-Bracket EVC 12inch,15inch black	\$295.00	20%	236
EVC-UB2-WHT	U-Bracket EVC 12inch,15inch white	\$319.00	20%	255.2
IP-10D-TB	250W Transformer input panel for 10inch subwoofer. Black.	\$248.00	20%	198.4
UB-10DW	U-bracket for 10inch subwoofer white	\$137.00	20%	109.6
IP-10D-TW	250W Transformer input panel for 10inch subwoofer. White.	\$263.00	20%	210.4
UB-10DB	U-bracket for 10inch subwoofer black	\$129.00	20%	103.2
PLE-10M2-EU	Plena Mixer	\$1,053.00	20%	842.4
LB20-PC60EW-5L	Extreme Conditions IP65 install Speaker 5inch cabinet 70/100V white. (packaged and priced in pairs)	\$704.00	20%	563.2
EVOLVE30M-SUBCVR	Soft cover for EVOLVE 30M sub	\$159.00	20%	127.2
LS1-UC10U	10 watt pendant sphere loudspeaker,UL1480 ed.6 certified (Sold and priced in pairs)	\$376.00	20%	300.8
RR-PC82-B	Rough-in mounting plate for new construction for use with the EVID PC8.2 (PACKAGE OF 4)	\$174.00	20%	139.2
LBB3306/00	Installation cable, 100 m, LBB 3322/04	\$858.00	20%	686.4
INT-TX08-US	Digital 8-channel transmitter with optical link (US)	\$9,256.00	20%	7404.8
DCN-EPS-UL	Extension power supply, dark case, UL/CSA	\$2,738.00	20%	2190.4
LBB4511/00-US	Integrus Radiator Medium Power (US) (Requires RG-59 cable)	\$5,246.00	20%	4196.8
INT-FCRAD	Flight case for Integrus radiator	\$1,301.00	20%	1040.8
INT-FCRX	Flight case for 100 receivers	\$1,368.00	20%	1094.4
EVC-1082-00PIW	8inch speaker, 100x100 weatherized, white. Note - ships without rigging hardware	\$1,876.00	20%	1500.8
EVC-1082-00W	8inch speaker, 100x100 indoor, white. Note - ships without rigging hardware	\$1,382.00	20%	1105.6

DCNM-TCB	Dicentis Transport case for 10x DCNM-xD - The transport case fits 10 x (Wired) Discussion Devices, 10 x short or long stem microphones, 10 x high directive microphones and contains a cable compartment (Does not fit multimedia)	\$2,185.00	20%	1748
EVC-1082-00PIB	8inch speaker, 100x100 weatherized, black. Note - ships without rigging hardware	\$1,737.00	20%	1389.6
BTR-30N-B13 A4M	UHF/VHF base station 2ch band B-13	\$5,190.00	20%	4152
BTR-30N-B13 A5F	UHF/VHF base station 2ch band B-13	\$5,190.00	20%	4152
BTR-30N-B10 A5F	UHF/VHF base station 2ch band B-10	\$5,190.00	20%	4152
BTR-30N-B13 A4F	UHF/VHF base station 2ch band B-13	\$5,190.00	20%	4152
BTR-30N-C10 A5F	UHF/VHF base station 2ch band C-10	\$5,190.00	20%	4152
BTR-30N-C13 A4F	UHF/VHF base station 2ch band C-13	\$5,190.00	20%	4152
BTR-30N-C10 A4F	UHF/VHF base station 2ch band C-10	\$5,190.00	20%	4152
BTR-30N-C10 A4M	UHF/VHF base station 2ch band C-10	\$5,190.00	20%	4152
BTR-30N-F10 A4F	UHF/VHF base station 2ch band F-10	\$5,190.00	20%	4152
BTR-30N-F10 A4M	UHF/VHF base station 2ch band F-10	\$5,190.00	20%	4152
BTR-30N-C13 A4M	UHF/VHF base station 2ch band C-13	\$5,190.00	20%	4152
BTR-30N-C13 A5F	UHF/VHF base station 2ch band C-13	\$5,190.00	20%	4152
BTR-30N-F13 A4M	UHF/VHF base station 2ch band F-13	\$5,190.00	20%	4152
BTR-30N-F13 A5F	UHF/VHF base station 2ch band F-13	\$5,190.00	20%	4152
BTR-30N-F10 A5F	UHF/VHF base station 2ch band F-10	\$5,190.00	20%	4152
BTR-30N-F13 A4F	UHF/VHF base station 2ch band F-13	\$5,190.00	20%	4152
BTR-30N-H10 A5F	UHF/VHF base station 2ch band H-10	\$5,190.00	20%	4152
BTR-30N-H13 A4F	UHF/VHF base station 2ch band H-13	\$5,190.00	20%	4152
BTR-30N-H10 A4F	UHF/VHF base station 2ch band H-10	\$5,190.00	20%	4152
BTR-30N-H10 A4M	UHF/VHF base station 2ch band H-10	\$5,190.00	20%	4152
BTR-800-FD	UHF base station 2ch band FD, 4M headset	\$7,548.00	20%	6038.4
BTR-800-FDR	UHF base station 2ch band FD, 4F headset	\$7,548.00	20%	6038.4
BTR-30N-H13 A4M	UHF/VHF base station 2ch band H-13	\$5,190.00	20%	4152
BTR-30N-H13 A5F	UHF/VHF base station 2ch band H-13	\$5,190.00	20%	4152
BTR-800-FER	UHF base station 2ch band FE, 4F headset	\$7,548.00	20%	6038.4
BTR-800-FER5	UHF base station 2ch band FE, 5F headset	\$7,548.00	20%	6038.4
BTR-800-FDR5	UHF base station 2ch band FD, 5F headset	\$7,548.00	20%	6038.4
BTR-800-FE	UHF base station 2ch band FE, 4M headset	\$7,548.00	20%	6038.4
BTR-800-HER5	UHF base station 2ch band HE, 5F headset	\$7,548.00	20%	6038.4
BTR-800-HE	UHF base station 2ch band HE, 4M headset	\$7,548.00	20%	6038.4

BTR-800-HER	UHF base station 2ch band HE, 4F headset	\$7,548.00	20%	6038.4
RE3-ACC-AASP	2-in x 8-out active antenna splitter, 470-960 MHz	\$743.00	20%	594.4
MFX-UB600-B	U bracket for MFX-15MC, 600mm, blk	\$446.00	20%	356.8
MFX-UB500-B	U bracket for MFX-12MC and MFX-15MC, 500mm, blk	\$446.00	20%	356.8
WB-58B-20P	Wall-bracket multi pack for EVID-S / LB20 5inch, 8inch black 20pc	\$411.00	20%	328.8
WB-58W-20P	Wall-bracket multi pack for EVID-S / LB20 5inch, 8inch white 20pc	\$436.00	20%	348.8
BTR-80N-C3R	BTR-80N Base Station RTS, A4F Headset Jack, C3 BAND	\$8,261.00	20%	6608.8
MB-300	Horizontal array kit for side-by-side arraying of two Sb121, Sb121a, Sb122PI, Sx100plus or Sx300 (use a second Mb300 to array three systems; the Mb300 requires one Mb200 U-bracket kit per speaker system), black	\$164.00	20%	131.2
BTR-80N-FDR	UHF base station 2ch band FD, 4F headset	\$8,261.00	20%	6608.8
BTR-80N-FDR5	UHF base station 2ch band FD, 5F headset	\$8,261.00	20%	6608.8
BTR-80N-C3R5	BTR-80N Base Station RTS, A5F Headset Jack, C3 BAND	\$8,261.00	20%	6608.8
BTR-80N-FD	UHF base station 2ch band FD, 4M headset	\$8,261.00	20%	6608.8
BTR-80N-FER5	UHF base station 2ch band FE, 5F headset	\$8,261.00	20%	6608.8
BTR-80N-HE	UHF base station 2ch band HE, 4M headset	\$8,261.00	20%	6608.8
BTR-80N-FE	UHF base station 2ch band FE, 4M headset	\$8,261.00	20%	6608.8
BTR-80N-FER	UHF base station 2ch band FE, 4F headset	\$8,261.00	20%	6608.8
EVOLVE30M-CASE	Carrying case for EVOLVE 30M	\$428.00	20%	342.4
BTR-80N-HER	UHF base station 2ch band HE, 4F headset	\$8,261.00	20%	6608.8
BTR-80N-HER5	UHF base station 2ch band HE, 5F headset	\$8,261.00	20%	6608.8
BTR-30N-A10 A5M	UHF/VHF base station 2ch band A-10	\$5,190.00	20%	4152
BTR-30N-A13 A4F	UHF/VHF base station 2ch band A-13	\$5,190.00	20%	4152
BTR-30N-A10 A4F	UHF/VHF base station 2ch band A-10	\$5,190.00	20%	4152
BTR-30N-A10 A4M	UHF/VHF base station 2ch band A-10	\$5,190.00	20%	4152
BTR-30N-B10 A4F	UHF/VHF base station 2ch band B-10	\$5,190.00	20%	4152
BTR-30N-B10 A4M	UHF/VHF base station 2ch band B-10	\$5,190.00	20%	4152
BTR-30N-A13 A4M	UHF/VHF base station 2ch band A-13	\$5,190.00	20%	4152
BTR-30N-A13 A5F	UHF/VHF base station 2ch band A-13	\$5,190.00	20%	4152
ETX-BRKT35	ARRAY BRACKET FOR ETX-35P, BLK	\$440.00	20%	352
ETX-TCA-L	TRUSS adapter FOR ETX-12P, 15P, 35P, BLK	\$397.00	20%	317.6
LBB4119/00	DCN Connectors (25 pairs)	\$443.00	20%	354.4
LBB4116/25	DCN Extension Cable 25m	\$266.00	20%	212.8
INT-TXO	F.01U.351.763. OMNEO 4-channel transmitter, fully compatible with DICENTIS (Wired) Conference System	\$3,586.00	20%	2868.8
ETX-BRKT10	WALL MOUNT BRACKET FOR ETX-10P, BLK	\$440.00	20%	352

ETX-BRKT12	WALL MOUNT BRACKET FOR ETX-12P, BLK	\$464.00	20%	371.2
ETX-BRKT15	WALL MOUNT BRACKET FOR ETX-15P, BLK	\$483.00	20%	386.4
DCN-SWAT-E	Conference Software Attendance & Access, E-code	\$2,520.00	20%	2016
DCN-SWID-E	Conference Software ID Card Encoding, E-code	\$1,815.00	20%	1452
OMN-DANTEGTW	Dante Gateway for OMNEO - Supports AES67 - Audio streams: 64 in both directions - Sampling rate 48 kHz - Power Supply 100-240 Vac, 12-48 Vdc, 10W - Mounted in a 19" rack	\$3,208.00	20%	2566.4
DCNM-RENTAL	DICENTIS software for rental dealers; future seat licenses included for 225 seats	\$10,726.00	20%	8580.8
DCNMWLIION	Battery Pack for DCNM-WD	\$429.00	20%	343.2
DCN-SWAPI-E	Conference Software API, E-code	\$835.00	20%	668
DCNMWD	DICENTIS Wireless Discussion Device, IEEE 802.11n, 2.4 GHz and 5 GHz (ISM license free), Removable Battery Pack, easy to change and charge; Configurable as a participant, dual-use or chairperson Wireless Device by use of web browser interface	\$1,229.00	20%	983.2
DCN-SWPV-E	Conference Software Parliamentary Voting, E-code	\$4,199.00	20%	3359.2
DCNMWCH05	DICENTIS Charger for 5 Batteries	\$429.00	20%	343.2
DCN-SWSACC-E	Stand-Alone Automatic Camera Control Software, E-code	\$1,185.00	20%	948
DCNMWAP	DICENTIS Wireless Access Point, IEEE 802.11n, 2.4 GHz and 5 GHz (ISM license free), 100-240 Vac 50-60 Hz in, 48 Vdc out, 1000BaseT IEEE 802.3ab, Dimensions (H x W x D) with bracket: 285 x 202 x 65 mm (11.2 x 8.0 x 2.6 in)	\$4,535.00	20%	3628
DCN-SWIND-E	Conference Software Individual Channels, E-code	\$2,449.00	20%	1959.2
DCNMMICL	DICENTIS long stem microphone (19.9") for the DICENTIS Conference System or DICENTIS Wireless Conference System.	\$314.00	20%	251.2
DCN-SWMD-E	Conference Software Message Distribution, E-code	\$1,675.00	20%	1340
EVC-1082-96W	8 speaker, 90x60 indoor, white. Note - ships without rigging hardware	\$1,382.00	20%	1105.6
DCN-SWSMV-E	Synoptic microphone and voting-control software, E-code	\$2,659.00	20%	2127.2
LBB4187/00-E	Open interface software, E-code	\$853.00	20%	682.4
DCN-SWSI-E	Conference Software Simultaneous Interpretation, E-code	\$2,098.00	20%	1678.4
DCN-SWSMD-E	Conference Software Streaming Meeting Data, E-code	\$2,520.00	20%	2016
ASP-58	Adjustable loudspeaker pole with M20 thread.For use with EKX and ETX subwoofers.Maximum height 57.5 inches.Maximum weight 100 lbs.	\$133.00	20%	106.4
EVC-1122-VIW	12inch speaker, vari-intense indoor, designed to efficiently and evenly cover rectangular coverage areas with both music and speech, white. Note - ships without rigging hardware	\$1,898.00	20%	1518.4
EVOLVE50M-SB-US	Column speaker sub US, black - MUST ORDER WITH EVOLVE50-TB	\$2,828.00	20%	2262.4
EVC-1122-95PIW	12inch speaker, 90x55 weatherized, white. Note - ships without rigging hardware	\$2,138.00	20%	1710.4

CCSD-CURD	Control Unit for the CCS 1000 Digital Discussion System, has MP3 recording and DAFS, provides power for the Discussion Devices, enables peripheral equipment to be connected to the discussion system	\$2,595.00	20%	2076
EVC-1122-95W	12inch speaker, 90x55 indoor, white. Note - ships without rigging hardware	\$1,567.00	20%	1253.6
EVOLVE30M-W	Portable column system, global, white	\$2,448.00	20%	1958.4
MFX-15MC-B	12inch multi-use coax monitor, black	\$3,546.00	20%	2836.8
CCSD-DL	CCS 1000 D Discussion Device Long	\$698.00	20%	558.4
EVOLVE50M-SW	Column speaker sub US and EU, white - MUST ORDER WITH EVOLVE50-TW	\$2,828.00	20%	2262.4
EVOLVE30M-US	Portable column system, US, black	\$2,448.00	20%	1958.4
EVC-1152-64PIW	15inch speaker, 60x45 weatherized, white. Note - ships without rigging hardware	\$2,321.00	20%	1856.8
EVC-1152-64W	15inch speaker, 60x45 indoor, white. Note - ships without rigging hardware	\$1,706.00	20%	1364.8
MFX-15MC-W	15inch multi-use coax monitor, white	\$3,830.00	20%	3064
EVC-1152-64PIB	15inch speaker, 60x45 weatherized, black. Note - ships without rigging hardware	\$2,149.00	20%	1719.2
EVC-1152-95W	15inch speaker, 90x55 indoor, white. Note - ships without rigging hardware	\$1,706.00	20%	1364.8
ELX200-18S-W	18inch passive subwoofer, white	\$1,567.00	20%	1253.6
EVC-1152-95PIB	15inch speaker, 90x55 weatherized, black. Note - ships without rigging hardware	\$2,149.00	20%	1719.2
EVC-1152-95PIW	15inch speaker, 90x55 weatherized, white. Note - ships without rigging hardware	\$2,321.00	20%	1856.8
DCNMFBD2	DCNM-FBD2 Flush base device 2 - Wired - Two RJ12 connectors, Two balanced audio inputs, Two RJ45 compatible connectors, Two loudspeaker outputs - 48 VDC	\$740.00	20%	592
EVC-1181S-PIB	18inch subwoofer weatherized, black. Note - ships without rigging hardware	\$2,286.00	20%	1828.8
EVC-1181S-PIW	18inch subwoofer weatherized, white. Note - ships without rigging hardware	\$2,469.00	20%	1975.2
ELX200-18SP-W	18inch powered subwoofer, white	\$1,913.00	20%	1530.4
EVC-1181S-B	18inch subwoofer indoor, black. Note - ships without rigging hardware	\$1,683.00	20%	1346.4
OMS_A TO AP	SW Upgrade Analog to Analog Plus - Product MAC ID and email address must be issued for delivery of Software Product	\$1,546.00	20%	1236.8
OMS_A TO INT	SW Upgrade Analog to Intermediate - Product MAC ID and email address must be issued for delivery of Software Product	\$5,405.00	20%	4324
EVC-1181S-W	18inch subwoofer indoor, white. Note - ships without rigging hardware	\$1,818.00	20%	1454.4
OMS_A TO ADV	SW Upgrade Analog to Advanced - Product MAC ID and email address must be issued for delivery of Software Product	\$7,518.00	20%	6014.4
DCNM-FPT	Flush positioning tools	\$29.00	20%	23.2
OMS_BAS TO ADV	SW Upgrade Basic to Advanced - Product MAC ID and email address must be issued for delivery of Software Product	\$4,915.00	20%	3932

LBB4116/00	DCN Installation Cable 100m	\$956.00	20%	764.8
DCNM-FPRIOB	The Flush priority button panel is connected to the Flush base device (DCNM-FBD) by CAN connection - Dimensions (H x W x D) (in) - 2.20 in x 2 in x 1.80 in	\$243.00	20%	194.4
OMS_BAS TO INT	SW Upgrade Basic to Intermediate - Product MAC ID and email address must be issued for delivery of Software Product	\$2,802.00	20%	2241.6
DCNM-FMICB	The Microphone button panel is connected to the Flush base device (DCNM-FBD) via a control interface, and can be daisy-chained to other devices. Stylish and modern design	\$95.80	20%	76.64
OMS_AP TO ADV	SW Upgrade Analog Plus to Advanced - Product MAC ID and email address must be issued for delivery of Software Product	\$5,973.00	20%	4778.4
DCNM-FMCP	BOSCH SECURITY SYSTEMS DCNM-FMCP Flush microphone connection panel - Stylish and modern design - Shock-mount technology for less external noise - The microphone and loudspeaker can be active at the same time	\$107.00	20%	85.6
OMS_AP TO INT	SW Upgrade Analog Plus to Intermediate - Product MAC ID and email address must be issued for delivery of Software Product	\$3,861.00	20%	3088.8
DCNM-FLSP	BOSCH SECURITY SYSTEMS DCNM-FLSP Flush Mounted Loudspeaker Panel	\$110.00	20%	88
DCNM-LIMS	DICENTIS Interpreting multiple sources license	\$3,337.00	20%	2669.6
DCNM-FET	BOSCH SECURITY SYSTEMS DCNM-FET Flush extraction tools	\$152.00	20%	121.6
DCNM-LSSL	DICENTIS Select Language at Seat	\$154.00	20%	123.2
DCNM-FEC	BOSCH SECURITY SYSTEMS DCNM-FEC Flush end cap - Matching end caps give a finishing touch to the flush mounted devices. Two end caps are needed per flush mount position.	\$250.00	20%	200
OMS_INT TO ADV	SW Upgrade Intermediate to Advanced - Product MAC ID and email address must be issued for delivery of Software Product	\$2,113.00	20%	1690.4
DCNM-FBPW	BOSCH SECURITY SYSTEMS DCNM-FBPW Flush blank panel wide	\$253.00	20%	202.4
DCNM-DEMO	DICENTIS software for product demonstration; future seat licenses are included for 6 seats	\$1,001.00	20%	800.8
LH3-UC25XS	EX Flameproof horn, short-flare version; Replaces LBC3437/00, LBC3438/00, LBC3438/01	\$807.00	20%	645.6
LBB4540/08	Integrus pocket receiver, 8 channel	\$482.00	20%	385.6
SAND-1	Stand adapter for ND46 and ND66, also fits ND44	\$29.70	20%	23.76
DRC-2	Drum rim clamp for ND44, optional for ND46, and ND66	\$42.70	20%	34.16
EVF-1122S/126-BLK	120degree X 60degree, EVCOAT, Black - 4th-order passive crossover with HF protection - PI and FG Version are Standard with Gland Nut and Stainless Steel Grille	\$2,537.00	20%	2029.6
EVF-1122D/126-WHT	EVF-1122D 120 X 60 EVCOAT WHITE - Rotatable Constant-directivity waveguide - 97 dB sensitivity, 131 dB maximum SPL	\$3,506.00	20%	2804.8
EVF-1122D/126-PIB	EVF-1122D 120 X 60 EVCOAT WEATHERIZED - Rotatable Constant-directivity waveguide - 97 dB sensitivity, 131 dB maximum SPL	\$4,091.00	20%	3272.8

ND66	Cardioid condenser instrument mic - Provides the necessary gain reduction to prevent the mic element from overloading	\$236.00	20%	188.8
EVF-1122D/126-FGW	EVF-1122D 120 X 60 FIBERGLASSWEATHERIZED - Full-face protected by a powder coated steel front grille backed with acoustic foam	\$5,022.00	20%	4017.6
EVF-1122D/126-FGB	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, WHITE - Full-face protected by a powder coated steel front grille backed with acoustic foam	\$4,650.00	20%	3720
EVF-1122D/126-BLK	EVF-1122D 120 X 60 EVCOAT BLACK	\$3,246.00	20%	2596.8
U120:1-US	Power amplifier 120W 1 channel, US	\$461.00	20%	368.8
U240:1M-US	Mixer amplifier 240W 1 channel, US	\$659.00	20%	527.2
EVC-1152-95B	15 peaker, 90x55 indoor, black. Note - ships without rigging hardware	\$1,580.00	20%	1264
U240:1-US	Power amplifier 240W 1 channel, US	\$560.00	20%	448
DC-CMS2200-3-MIG	18 Mic/Line plus 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface	\$5,165.00	20%	4132
LC1-WM06E8	Ceiling loudspeaker, 9/6 watt, metal grille, round, EVAC compliant	\$75.00	20%	60
DC-CMS600-3-MIG	4 Mic/Line plus 2 Mic/Stereo Line Channels plus 2 Stereo Line Channels, 2 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface	\$2,509.00	20%	2007.2
PLE-WP3S2Z-US	Wall panel	\$110.00	20%	88
DC-CMS1600-3-MIG	12 Mic/Line plus 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface	\$4,428.00	20%	3542.4
DCNM-IDESK	DISCENTIS Interpreter desk (sold without mic) - ISO 20109:2017 Compliant	\$3,611.00	20%	2888.8
PLE-2CS	2-zone, call station - Dimensions (H x W x D) (mm) 40 x 100 x 235 mm - Mounting type Tabletop - Operating temperature (C) -10 45 C - Weight (kg) 1kg	\$415.00	20%	332
DCNM-IDESKVID	DISCENTIS Interpreter desk with HDMI video output (sold without mic) - ISO 20109:2017 Compliant	\$4,257.00	20%	3405.6
PLE-1CS	All-call, call station	\$231.00	20%	184.8
DC-LID1000	Lid for CMS 1000-3 or PowerMate 1000-3	\$299.00	20%	239.2
DC-LID1600	Lid for CMS 1600-3 or PowerMate 1600-3	\$321.00	20%	256.8
PLE-2MA240-US	2-channel, 240 watt mixer amplifier	\$1,668.00	20%	1334.4
DC-PM2200-3-UNIV	Power Mixer, 18 Mic/Line plus 4 Mic/Stereo Line Channels, 6xAUX, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000 Watt;	\$6,520.00	20%	5216
LC1-MMSB	Mounting support bracket for LC1 series loudspeakers	\$11.00	20%	8.8
LC1-CMR	Mounting ring	\$15.00	20%	12
DCNM-TCIDESK	Dicentis Transport case for 2x DCNM-IDESK	\$1,644.00	20%	1315.2
LC1-CSMB	Surface mounting box	\$29.00	20%	23.2

DC-PM1000-3-UNIV	Power Mixer, 6 Mic/Line plus 4 Mic/Stereo Line Channels, 6xAUX, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000 Watt; incl. Lid-1000	\$4,708.00	20%	3766.4
LC1-CBB	Back box	\$12.00	20%	9.6
DC-RMK15	Rear Rackmount Kit - Advised when L-series rack will be taken out on road. Kit includes Left & Right mounting ears. 1 kit per amp.	\$97.90	20%	78.32
LC1-MFD	Metal fire dome for LC1 series loudspeakers	\$49.00	20%	39.2
DC-RMK-CMS-3	19inch Rackmountkit for CMS 600-3	\$143.00	20%	114.4
LC1-UM24E8	Ceiling loudspeaker, 36/24 watt, metal grille, round, EVAC compliant	\$174.00	20%	139.2
DC-RMK1000-3	Rackmount Kit for PowerMate 1000-3	\$144.00	20%	115.2
LC1-UM06E8	Ceiling loudspeaker, 9/6 watt, metal grille, round, EVAC compliant	\$87.00	20%	69.6
DC-RMK1000CMS	Rackmount Kit for CMS1000-3 (coloured)	\$166.00	20%	132.8
LC1-UM12E8	Ceiling loudspeaker, 18/12 watt, metal grille, round, EVAC compliant	\$121.00	20%	96.8
SR20TGX-US	Amplifier system rack 3x TGX20-US	\$57,745.00	20%	46196
LM1-CB	Carrier bag for two LBC1259/00 loudspeaker floor stands	\$95.20	20%	76.16
TGX10	4 x 2500W DSP Amplifier with OMNEO, AES/EBU	\$10,898.00	20%	8718.4
HDP-ILN	Induction-loop neckband	\$163.00	20%	130.4
DC-RMK-PM600-3	19inch Rackmount Kit for PowerMate 600-3	\$120.00	20%	96
HDP-LWSP	Solid earpads for LLB 3443/00 (50 pairs)	\$387.00	20%	309.6
LBB4416/40	Network cable assembly, optical fiber, 40 m	\$635.00	20%	508
LBC3080/01	Metal fire dome for LHM0606 (red)	\$34.00	20%	27.2
TGX20	4 x 5000W DSP Amplifier with OMNEO, AES/EBU	\$16,353.00	20%	13082.4
LBC1227/01	Heavy Microphone Table Stand	\$63.10	20%	50.48
PLE-2MA120-US	2-channel, 120 watt mixer amplifier	\$1,119.00	20%	895.2
APS1 COMB_SPLT	APS-1, Antenna Combiner/Splitter for two to one input/output	\$378.00	20%	302.4
LBC3406/16	Horn 8x15in without driver	\$232.00	20%	185.6
LBC3405/16	Horn 20in without driver	\$247.00	20%	197.6
LBC3404/16	Horn 15in without driver	\$232.00	20%	185.6
EVM12L8OHMCLASSIC	12-inch, 200-watt premium guitar speaker, 8 ohms	\$597.00	20%	477.6
EVM12L8OHMBLLABEL	Zakk Wyld signature guitar speaker, 12-inch, 300-watt, 8 ohms	\$628.00	20%	502.4
EVF-1122S/126-PIW	120degree X 60degree, EVCOAT, PI-WEATHERIZED, WHITE	\$3,651.00	20%	2920.8
EVF-1122S/126-PIB	120degree X 60degree, EVCOAT, PI-Weatherized, Black - compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,381.00	20%	2704.8
EVF-1122S/126-FGW	120degree X 60degree, FIBERGLASS, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,260.00	20%	3408

EVF-1122S/126-FGB	120degree X 60degree, FIBERGLASS, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,944.00	20%	3155.2
DC-BAG-600CMS	Carrying bag for CMS 600-3	\$197.00	20%	157.6
DC-BAG-600PM	Carrying bag for PowerMate 600-3	\$205.00	20%	164
ELX200-12S	12 passive subwoofer	\$1,217.00	20%	973.6
LC1-MSK	Metal suspension kit	\$28.00	20%	22.4
ETX-35P-CVR	PADDED COVER FOR ETX-35P, EV LOGO	\$240.00	20%	192
ETX-15P-CVR	PADDED COVER FOR ETX-15P, EV LOGO	\$185.00	20%	148
ETX-12P-CVR	PADDED COVER FOR ETX-12P, EV LOGO	\$167.00	20%	133.6
ETX-10P-CVR	PADDED COVER FOR ETX-10P, EV LOGO	\$149.00	20%	119.2
LBB1965/00-US	Plena message manager	\$1,988.00	20%	1590.4
ELX200-18SP-US	18 powered subwoofer, US cord	\$1,913.00	20%	1530.4
PLN-6TMW-US	Plena weekly timer	\$1,781.00	20%	1424.8
ELX200-18S	12 inch speaker, vari-intense indoor, designed to efficiently and evenly cover rectangular coverage areas with both music and speech, black. Note - ships without rigging hardware	\$1,567.00	20%	1253.6
ETX-18SP-CVR	PADDED COVER FOR ETX-18SP, EV LOGO	\$204.00	20%	163.2
LBC1434/10-US	Program selector, (US), (shipped in quantities of 6 pieces, priced as each)	\$72.80	20%	58.24
ELX200-12SP-US	12 powered subwoofer, US cord	\$1,565.00	20%	1252
ETX-15SP-CVR	PADDED COVER FOR ETX-15SP, EV LOGO	\$185.00	20%	148
LBN9001/00-US	Driver unit 45/30W for LBC340x/16	\$307.00	20%	245.6
LBN9000/00-US	Driver unit 22.5/15W for LBC340x/16	\$174.00	20%	139.2
ETX-15SP-US	ETX-15SP POWERED SUBWOOFER, BLK, US - 1800 W Class-D power amplifier with integrated FIR-Drive DSP - 134 dB peak SPL	\$3,238.00	20%	2590.4
ETX-35P-US	ETX-35P 3-WAY POWERED SPEAKER, BLK, US - 1800 W Class-D power amplifier with integrated FIR-Drive DSP	\$3,392.00	20%	2713.6
ETX-15P-US	ETX-15P 2-WAY POWERED SPEAKER, BLK, US - 2000 W Class-D power amplifier with integrated FIR-Drive DSP - 135 dB peak SPL	\$3,031.00	20%	2424.8
LS1-UC20E-1-US	20 watt pendant sphere loudspeaker, EVAC compliant	\$204.00	20%	163.2
ETX-10P-US	ETX-10P 2-WAY POWERED LOUDSPEAKER, BLK, US - 10-inch LF SMX woofer - 1.25-inch HF titanium compression driver - 2000 W Class-D power amplifier with integrated FIR-Drive DSP	\$2,670.00	20%	2136
LP1-UC20E-1-US	20 watt uni-directional sound projector, EVAC compliant	\$241.00	20%	192.8
LBC3493/12-US	Horn Loudspeaker 45/30W	\$292.00	20%	233.6
LBC3492/12-US	Horn Loudspeaker 30/20W	\$249.00	20%	199.2
LBC3491/12-US	Horn Loudspeaker 15/10W	\$199.00	20%	159.2
LBC3481/12-US	Horn Loudspeaker 15/10W	\$173.00	20%	138.4

LBC3484/00-US	50W/20in Horn Loudspeaker, EVAC	\$347.00	20%	277.6
LBC3483/00-US	35W/20in Horn Loudspeaker, EVAC	\$292.00	20%	233.6
LBC3482/00-US	25W/14in Horn Loudspeaker, EVAC	\$241.00	20%	192.8
LBN9003/00-US	Driver unit 75/50W for LBC340x/16	\$535.00	20%	428
LP1-UC10E-1-US	10 watt uni-directional sound projector, EVAC compliant	\$190.00	20%	152
LP1-BC10E-1-US	10 watt bi-directional sound projector, EVAC compliant	\$238.00	20%	190.4
LHM0606/00-US	Ceiling loudspeaker, 9/6 watt, 70.7V, metal grille, round, screw mount (lot size minimum order of 10 pieces, priced as each)	\$29.60	20%	23.68
LM1-TB	Tile bridge and C-ring for LC1 series loudspeakers (packaged and priced as 2 pieces)	\$66.00	20%	52.8
LC1-PIB	Pilot tone indication circuit board (shipped in quantities of 6 pieces, priced as each)	\$139.00	20%	111.2
CCX-2	CCX-2, Telethin Cord (Gray), 5ft (1.5M) Coil, Telethin Cord (Gray) with Right Angle Miniature Connector	\$56.00	20%	44.8
CCT-2	CCT-2, Telethin Cord (Gray), 5ft (1.5M) Coil, Telethin Cord (Gray) with 1/4inStraight Connector	\$50.60	20%	40.48
VXT-3	VXT-3, Telethin Cord (Gray), 5ft (1.5M) with 500 Ohm Volume Control, 1/4inStraight Connector	\$119.00	20%	95.2
VYT-3	VYT-3, Telethin Cord (Gray), 5ft (1.5M), 2000 Ohm with Volume Control, 1/4inStraight Connector	\$106.00	20%	84.8
AEF-3	AEF-3, Nylon Earloop	\$14.00	20%	11.2
4015-50	50ft. 25-pair Cable Assembly.	\$251.00	20%	200.8
4015-5	5ft. 25-pair Cable Assembly.	\$116.00	20%	92.8
RE50N/D-B	N/DYM dynamic omnidirectional interview microphone, black	\$303.00	20%	242.4
L1300FD-US	DSP power amplifier 2x650W. With FIR drive, XLR/NL4 connectors.	\$1,218.00	20%	974.4
RE50/B	Classic dynamic omnidirectional interview microphone, black	\$281.00	20%	224.8
RE27N/D	Microphone - Studio Microphone - N/DYM Variable-D dynamic cardioid studio microphone	\$700.00	20%	560
RE20	Classic Variable-D dynamic cardioid studio microphone	\$609.00	20%	487.2
L1800FD-US	DSP power amplifier 2x950W. With FIR drive, XLR/NL4 connectors.	\$1,540.00	20%	1232
S-40W	120-watt 5-1/4-inch two-way, 100 x 100, weather resistant, flying and stand mount (optional - requires S-40MBW hardware), white polystyrene (pair)	\$273.00	20%	218.4
L3600FD-US	DSP power amplifier 2x1800W. With FIR drive, XLR/NL4 connectors.	\$2,336.00	20%	1868.8
L2800FD-US	DSP power amplifier 2x1400W. With FIR drive, XLR/NL4 connectors.	\$1,949.00	20%	1559.2
AEF-2	AEF-2, Plastic Covered Metal Earloop	\$14.00	20%	11.2
RE90HW	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, white	\$404.00	20%	323.2

RE90H	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, black	\$404.00	20%	323.2
RE90P-12	Gooseneck podium cardioid condenser microphone with XLR base, 12-inch gooseneck	\$404.00	20%	323.2
RE90P-18	Gooseneck podium cardioid condenser microphone with XLR base, 18-inch gooseneck	\$404.00	20%	323.2
RE90BW	Boundary condenser microphone, white	\$404.00	20%	323.2
RE90B	Boundary condenser microphone, black	\$404.00	20%	323.2
WS-92	Foam windscreen for RE92 Lapel Microphone	\$19.59	20%	15.672
WS-3	WS-3, Windscreen grey for PH-24	\$11.73	20%	9.384
C-8	C-8, Ear Cushion, Moleskin, For PH44/PH88.	\$11.73	20%	9.384
TC-92	Tie Clip for RE92 Lapel Microphone	\$17.25	20%	13.8
WS-30	Foam windscreen for OLM-10, WLM-10, and WLM-30	\$19.59	20%	15.672
WS-745	Foam windscreen for HM7 and SCHS-745 headworn mic	\$19.59	20%	15.672
MB200W	Wall/ceiling U-bracket kit for Sb122, Sb122PI, Sx100 and Sx300, white	\$274.00	20%	219.2
BP2-CLIP SWIVEL	Cell Phone type swivel clip with mounting stud and screw for BPU-2/WT-500	\$13.05	20%	10.44
CL-2	CL-2, Replacement clip/door for TR200/300 - complete.	\$42.20	20%	33.76
BSL-1	BSL-1, Spare battery sled for TR200/300.	\$33.80	20%	27.04
TC-21	Tie Clip for ULM-21 Lapel Microphone	\$23.40	20%	18.72
WS-21	Windscreen for ULM-21 Lapel Micophone	\$24.40	20%	19.52
ID60DT	60-watt driver for reentrant horns, weather resistant, dual 1-inch screw-on exit, 60-watt 25/70.7-volt transformer (60-, 30-, 15-, 7.5-, 3.25- and 1.88-watt taps)	\$446.00	20%	356.8
RCM-810	RCM-810 IRIS-Net Remote Control Retrofit Module for CPS Mk II and CPS Multichannel Amplifiers	\$541.00	20%	432.8
PC PLUS-5	Multi-pattern gooseneck microphone with mic switch and universal base, 5-inch gooseneck	\$547.00	20%	437.6
PH8S	Single-sided w/flexible dynamic boom mic, 150 Ohm earphone, 6ft (1.8M) Cord, and .350 mini Connector for use with SONY camera only. (replaces Sony DR-100).	\$289.00	20%	231.2
PC SATELLITE-18	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 18-inch gooseneck	\$629.00	20%	503.2
PC SATELLITE-12	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 12-inch gooseneck	\$629.00	20%	503.2

PC SATELLITE-5	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 5-inch gooseneck	\$629.00	20%	503.2
RE92HW	Premium hanging choir cardioid condenser microphone with in-line preamp, XLR-type connector, 25ft cable. White.	\$460.00	20%	368
RE92H	Premium hanging choir cardioid condenser microphone with in-line preamp, XLR-type connector, 25ft cable. Black.	\$460.00	20%	368
RE92TX	Premium Cardioid Lapel Microphone with TA4F connector for R100, RE-2, RE-1 and any Telex wireless	\$365.00	20%	292
MB5-W	Wall/ceiling mounting bracket kit for ZX4 and ZX5, white	\$345.00	20%	276
MB5-B	Wall/ceiling mounting bracket kit for ZX4 and ZX5, black	\$345.00	20%	276
CB5-W	Array rigging kit for two ZX3 or ZX5 loudspeakers, white	\$348.00	20%	278.4
CB5-B	Array rigging kit for two ZX3 or ZX5 loudspeakers, black	\$348.00	20%	278.4
PC DESKTOP-18	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 18-inch gooseneck - RF Shield provides superior RFI/GSM shielding	\$638.00	20%	510.4
PC DESKTOP-12	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 12-inch gooseneck - RF Shield provides superior RFI/GSM shielding	\$638.00	20%	510.4
PC DESKTOP-5	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 5-inch gooseneck	\$580.00	20%	464
TC-6W	Weatherized terminal cover for 6.2 series - white - SOLD INDIVIDUALLY	\$41.30	20%	33.04
TC-6B	Weatherized terminal cover for 6.2 series - black - SOLD INDIVIDUALLY	\$39.00	20%	31.2
TC-4W	Weatherized terminal cover for 4.2 series - white SOLD INDIVIDUALLY	\$36.00	20%	28.8
RE92L	Premium lapel microphone, cardioid.	\$433.00	20%	346.4
PC-12/XLR	Multi-pattern gooseneck microphone with XLR base, 12-inch gooseneck - RF Shield provides superior RFI/GSM shielding - Phantom powered back-Electret condenser	\$483.00	20%	386.4
PC-18/XLR	Multi-pattern gooseneck microphone with XLR base, 18-inch gooseneck - RF Shield provides superior RFI/GSM shielding - Phantom powered back-Electret condenser	\$483.00	20%	386.4
PC-12/FL	Multi-pattern gooseneck microphone with flange mount, 12-inch gooseneck - RF Shield provides superior RFI/GSM shielding - Phantom powered back-electret condenser	\$491.00	20%	392.8
PC-18/FL	Multi-pattern gooseneck microphone with flange mount, 18-inch gooseneck - RF Shield provides superior RFI/GSM shielding - Phantom powered back-electret condenser	\$491.00	20%	392.8
PC PLUS-12	Multi-pattern gooseneck microphone with mic switch and universal base, 12-inch gooseneck - RF Shield provides superior RFI/GSM shielding	\$602.00	20%	481.6
PC PLUS-18	Multi-pattern gooseneck microphone with mic switch and universal base, 18-inch gooseneck - RF Shield provides superior RFI/GSM shielding	\$602.00	20%	481.6

EVID 4.2W	Same as model EVID 4.2 but white cabinet (pair)	\$524.00	20%	419.2
EVID 4.2	EVID 4.2 - Speaker - 65 - 20000 - Black - Compact full range. Ideal for restaurants, bars, patios, and retail. Vented LF enclosure	\$494.00	20%	395.2
EVID 3.2TW	EVID 3.2TW - Speaker - 85 - 20000 - White - Line-array enhanced coverage control. Organic, unobtrusive shape. Strong-Arm-Mount™ for easy, flexible aiming	\$295.00	20%	236
EVID 3.2T	Two-way twin 3.5in woofer and 7.5in direct radiator dome tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (pair)	\$295.00	20%	236
EVID 3.2W	EVID 3.2W - Speaker - 85 - 20000 - White - Line-array enhanced coverage control. Organic, unobtrusive shape. Strong-Arm-Mount™ for easy, flexible aiming	\$273.00	20%	218.4
EVID 3.2	Two-way twin 3.5in woofer and 7.5in direct radiator dome tweeter. Black cabinet. Includes mounting system (pair)	\$273.00	20%	218.4
PH-44PT	PH-44, Dual-Sided Lightweight Headset, 6ft (18M) Cord, Pigtail Termination	\$250.00	20%	200
PH-44R5	PH-44, Dual-Sided Lightweight Headset, 6ft (18M) Cord, A5M Connector - The PH-44 features high quality dynamic earphones with a dynamic noise cancelling microphone on an adjustable boom that can be bent to practically any mouth-to-mic position	\$319.00	20%	255.2
TC-4B	Weatherized terminal cover for 4.2 series - black - SOLD INDIVIDUALLY	\$34.00	20%	27.2
EVID 6.2TW	EVID 6.2TW - loudspeaker - 62 - 20000 - White - Ultra compact, two-way full-range system with an appealing design, lightweight, also for outdoor use, with a high-quality 70/100V transformer	\$854.00	20%	683.2
EVID 6.2T	Two-way twin 6in woofer and 1in horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (pair)	\$806.00	20%	644.8
EVID 6.2W	Same as model EVID 6.2 but white cabinet (pair)	\$825.00	20%	660
EVID 6.2	Two-way twin 6in woofer and 1in horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system (pair)	\$778.00	20%	622.4
EBK-M10-3PACK	EBK-M10, FORGED M10 EYEBOLT KIT SET OF 3	\$152.00	20%	121.6
EVID 4.2TW	EVID 4.2 Dual 4" 2way surface-mount loudspeaker	\$555.00	20%	444
EVID 4.2T	Two-way twin 4in woofer and 1in horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (pair)	\$524.00	20%	419.2
PH-88	PH-88, Single-Sided Lightweight Headset, 6ft (18M) Cord, A4F Connector	\$309.00	20%	247.2
HR-1 A4F	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, A4F Connector	\$399.00	20%	319.2
PH-44A5	PH-44, Dual-Sided Lightweight Headset, 6ft (18M) Cord, A5F Connector - The PH-44 features high quality dynamic earphones with a dynamic noise cancelling microphone on an adjustable boom that can be bent to practically any mouth-to-mic position	\$263.00	20%	210.4
PH-44R	PH-44, Dual-Sided Lightweight Headset, 6ft (18M) Cord, A4M Connector	\$319.00	20%	255.2

PH-44	PH-44, Dual-Sided Lightweight Headset, 6ft (18M) Cord, A4F Connector	\$319.00	20%	255.2
PH-44-IC3	PH-44, Dual-Sided Lightweight Headset, 9ft (27M) Cord with 1/8in Split Feed - for use with Model #IC-W3 only	\$329.00	20%	263.2
PH88E-R	PH-88, Single-Sided Lightweight Headset, 12ft (36M) Coiled Cord, A4M Connector	\$292.00	20%	233.6
PH-88E	PH-88, Single-Sided Lightweight Headset, 12ft (36M) Coiled Cord, A4F Connector - The PH-88 features high quality, monaural, dynamic earphones with a dynamic noise cancelling microphone on an adjustable boom that can be bent to practically any mouth-to-mic position	\$292.00	20%	233.6
PH-88R5	PH-88, Single-Sided Lightweight Headset, 6ft (18M) Cord, A5M Connector	\$309.00	20%	247.2
PH-88R	PH-88, Single-Sided Lightweight Headset, 6ft (18M) cord, A4M Connector - The PH-88 features high quality, monaural, dynamic earphones with a dynamic noise cancelling microphone on an adjustable boom that can be bent to practically any mouth-to-mic position	\$309.00	20%	247.2
WS-11	Foam windscreen for PH-21/PH-23/Stinger	\$21.70	20%	17.36
C-4	C-4, Ear Cushion, Moleskin, For PH100/PH200.	\$22.00	20%	17.6
PC-USA	BOSCH SECURITY SYSTEMS PC-USA, USA Power Cord for BTR-800/ 700/ 80N and BC800NM Battery Charger.	\$24.80	20%	19.84
RTX-04	RTX-04, Telethin Driver, 1000 Ohm	\$41.50	20%	33.2
RTW-04	RTW-04, Telethin Driver, 500 Ohm	\$41.50	20%	33.2
RTV-04	RTV-04, Telethin Driver, 125 Ohm	\$45.90	20%	36.72
RTR-04	RTR-04, Telethin Driver, 15 Ohm	\$43.25	20%	34.6
US600EL	Dynamic noise-canceling grip-to-talk microphone, black	\$273.00	20%	218.4
HED-2	Collapsible lightweight headphone.	\$23.70	20%	18.96
SEB-1	Single earbud with cord.	\$16.17	20%	12.936
WS-2	WS-2, Windscreen, For PH44/PH88 and HR1/HR2	\$11.83	20%	9.464
CC-1	CC-1, Cushion Cover Sock (Black) For Full Cushion Headset (1).	\$14.58	20%	11.664
BT-4	BT-4, Large Earcones For Use With ET-4 (Bag of Five)	\$35.20	20%	28.16
BT-3	BT-3, Medium Earcones For Use With ET-4 (Bag of Five)	\$35.20	20%	28.16
BT-2	BT-2, Small Earcones For Use With ET-4 (Bag of Five)	\$35.20	20%	28.16
CPSM	Shock mount for RE90P, PC/XLR, & PC Plus	\$63.40	20%	50.72
NC450A-6PIN	PTT Hand Mic, Noise Cancelling with A6M connector	\$301.00	20%	240.8
NC450D	Dynamic, Normally open, Low Z, handheld paging mic	\$214.00	20%	171.2
785L	Dynamic, No switch, Low Z, Gooseneck paging mic	\$313.00	20%	250.4
ASP-1	Height adjustable steel subwoofer stand, 914.4mm to 1524 mm (36 in to 60 in), 36.3kg (80lbs) maximum weight capacity, black powdercoat finish	\$48.40	20%	38.72

RA-5E	Omni Antenna Kit (5dB), magnetic mount with TNC reverse polarity plug connector, plus 1.5m (5 ft) coaxial cable and TNC reverse polarity coupler (jack to jack).	\$97.00	20%	77.6
RA-7E	Omni Antenna Kit (7dB), with TNC reverse polarity plug connector, AB-24 antenna mount bracket and 4.6m (15 ft) coaxial cable.	\$87.80	20%	70.24
RA-7	RA-7, Omni Antenna (7db), with TNC reverse polarity connector	\$87.80	20%	70.24
EVC-UB1-WHT	U-Bracket EVC 8 white	\$246.00	20%	196.8
EVC-UB1-BLK	U-Bracket EVC 8 black	\$228.00	20%	182.4
NC-6FC	Neutrik 6-pin female connector (black).	\$40.20	20%	32.16
323S	Quick-disconnect insoftin stand clamp for 1-inch diameter microphones - including RE50 and tapered mics - N/D967, 767a, 367s, 267a, 167, and RE510	\$43.70	20%	34.96
314E	Windscreen for 635A, gray	\$30.00	20%	24
309A	Suspension shock mount for RE20, RE27N/D, black	\$194.00	20%	155.2
HA-5	VSA-1 handle adapter for ZX4 and ZX5, black	\$134.00	20%	107.2
RE97TX-BEIGE	MiniMic Omnidirectional Low Profile Headworn microphone in light beige color with TA4F connector - Omni-directional polar pattern provides clean sound and uniform response	\$554.00	20%	443.2
RM-800	RM-800, Rack mount reinforcement for BTR-700/800.	\$87.60	20%	70.08
EBK-3	Forged M8 eye bolt kit (set of 3)	\$88.00	20%	70.4
SSK-1	Single stud rigging kit (set of 3)	\$94.20	20%	75.36
TSP-1	Includes 2 EV Tripod Speaker Stands (TSS-1) and 1 EV Dual Tripod Speaker Stand Carry Bag (TCB-1) packaged in a full color retail box	\$193.00	20%	154.4
TXA	TA4F to XLR adapter . Enables use of EV/Telex wireless headworn and lavalier mics in wired XLR applications. Phantom power required.	\$83.50	20%	66.8
EVID C12.2	EVID C12.2, Integrated 12in Ceiling Mounted Speaker System - complete with can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 64, 32, 16, 8, and 4 watts (SOLD INDIVIDUALLY)	\$797.00	20%	637.6
SC-ZX1	Slip Cover for ZX1 with drawstring	\$80.40	20%	64.32
CB1	ZX1 Carrying Bag. Includes shoulder strap and accessory pockets - Two can be combined for carrying two speakers at once.	\$179.00	20%	143.2
MP1-B	Single Mounting Plate for ZX1. Includes spacers and detachable hang points.	\$167.00	20%	133.6
RE97TX-BLACK	MiniMic Omnidirectional Low Profile Headworn microphone in black color with TA4F connector - Omni-directional polar pattern provides clean sound and uniform response	\$554.00	20%	443.2
HDC-5	Heavy duty stackable cover for ZX4 and ZX5, black	\$231.00	20%	184.8
SR-50-J	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6

SR-50-I	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-G	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-D	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-C	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-A	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
NL-4S	Inductive neckloop	\$151.00	20%	120.8
SR-50-L	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
BT-1	BT-1, Replacement Eartip For ET-1 Eartip (Bag Of 25)	\$89.00	20%	71.2
ET-4	ET-4, Coiled Acoustic Eartube With Clothing Clip For Use With Earcones (Includes 1 Each - S, M, & L Earcones)	\$48.70	20%	38.96
ET-2	ET-2, Coiled Acoustic Eartube With Clothing Clip For Use With Earmold Or Eartip	\$48.70	20%	38.96
ET-3	ET-3, Straight Acoustic Eartube With Clothing Clip For Use With Earmold Or Eartip	\$48.70	20%	38.96
TRH-2	TRH-2, Heavy duty leather swivel holster w/belt loop for TR-700/ 800/ 80N	\$186.00	20%	148.8
TRH-1	TRH-1, Heavy duty leather swivel holster with belt loop for TR200/300.	\$181.00	20%	144.8
ND76S	ND76S, dynamic vocal microphone w/switch - Excellent all-around vocal performance: Crisp, clear and balanced - Large diaphragm dynamic capsule creates a rich and detailed frequency response	\$164.00	20%	131.2
MB200	Wall/ceiling U-bracket kit for Sb122, Sb122PI, Sx100 and Sx300, black	\$274.00	20%	219.2
CXU-2	CXU-2, 2ft 50 ohm low loss coaxial cable, TNC M connector.	\$35.60	20%	28.48
TERMINATION-TP-2	50 ohm termination plug (TNC) for ACS-101.	\$26.60	20%	21.28
US602FL	Dynamic noise-canceling grip-to-talk microphone, black	\$267.00	20%	213.6
EMV-2	EMV-2 Complete Earset - Includes RTV-04,CMT-2,AEF-3. 125 Ohm, 5ft (1.5M) Cord, 1/4in Plug	\$69.00	20%	55.2
CMT-95	CMT-95, Telethin Cord (Gray), 5ft (1.5M) with 1/4in Sub-Miniature Connector	\$49.00	20%	39.2
CMT-98	CMT-98, Telethin Cord (Gray), 5ft (1.5M) with Straight Miniature Connector	\$49.00	20%	39.2
CMT-92	CMT-92, Telethin Cord (Gray), 5ft (1.5M) with Right-Angle Miniature Connector	\$49.00	20%	39.2
CMT-2	CMT-2, Telethin Cord (Gray), 5ft (1.5M) with 1/4in Straight Connector	\$49.00	20%	39.2
RTY-04	RTY-04, Telethin Driver, 2000 Ohm	\$41.50	20%	33.2
AB-300	AB-300, Universal bracket for model UX-X 5/8 wave antennafts.	\$43.80	20%	35.04

MAC-2	XLR to TA4 adapter cord	\$56.30	20%	45.04
635A	Classic dynamic omnidirectional interview microphone, fawn beige - Steel housing provides magnetic shielding and strength - Self generating, no powering required	\$205.00	20%	164
635N/D-B	N/DYM dynamic omnidirectional interview microphone, black - Comes Complete with Stand Adapter - Rugged Design - The diaphragm is protected from dust and magnetic particles by a carefully designed integral windscreen and blast filter	\$268.00	20%	214.4
C3	C3, Foam Ear Cushion for PH 1, PH2 & HD Full Cushion Headsets (1) Black	\$19.23	20%	15.384
PT-400NL	PT-400NL, DPDT In-Line Push To Talk Switch Kit W/Non-Locking Feature.	\$121.00	20%	96.8
PT-400	PT-400, DPDT In Line Push To Talk Switch Kit W/Locking Feature.	\$121.00	20%	96.8
TR-800-E88R	TR-800 Belt Pack RTS, A4F Headset Jack, E88 BAND	\$2,417.00	20%	1933.6
WPN1-US	Wall Panel Controller Networked. F.01U.394.578	\$314.00	20%	251.2
BP-700	BP-700, Alkaline battery holder, TR-1/ 700/ 800/ 825/ 80N/ RKP-4.	\$73.60	20%	58.88
BTR-800-E88R	BTR-800 Base Station RTS, A4F Headset Jack, E88 BAND	\$7,548.00	20%	6038.4
EVERSE12-US	12in battery powered speaker, black US	\$2,045.00	20%	1636
4025A	1 X 4 50 pin Passive Splitter.	\$459.00	20%	367.2
SAP1626	Source assign panel for channel assignment - 12 TW circuits and 3 program - DC powered 2-way 2-Wire intercom channels - Program audio channels - Three (3) program channels allow three (3) different program sources to be connected to an SAP-1626	\$6,396.00	20%	5116.8
HS-6000	Telephone style PTT handset with metal hanger bracket, 200 ohm impedance, 4ft (1.2M) coiled cord, and A4M connector	\$375.00	20%	300
SPK300L A5F	2 Channel speaker station features channel select, speaker/mic toggle on-off switch, call light and separate dynamic or carbon mic input. Includes hand mic. (A5F)	\$1,218.00	20%	974.4
SPK300L A4F	2 Channel speaker station features channel select, speaker/mic toggle on-off switch, call light and separate dynamic or carbon mic input. Includes hand mic. (A4F).	\$1,218.00	20%	974.4
PTT-A4M	PTT Hand Mic, Noise Cancelling with A4M connector	\$194.00	20%	155.2
CM300L A5F	2 Channel console mount user station with separate dynamic or carbon mic input, silent channel select switching. Solid metal front with open back for console mount. Uses MCP-3 rack kit . (A5F)	\$1,095.00	20%	876
BP325 BLACK	2 channel binaural (stereo), programmable beltpack w/call light, individual talk/listen and volume controls, 3 pin m/f XLR loop thru and separate dynamic, or carbon mic. NO ELECTRET MIC Uses either stereo or mono headset. BLACK	\$795.00	20%	636

MRT327 A4F	2 channel modular user station w/call signaling, dual action mic switch, volume control, 3pin XLR loop through connectors, A4F headset jack. 1/4in gooseneck mic connector.1RU by 1/2 rack wide.	\$725.00	20%	580
MRT327 A5F	2 channel modular user station w/call signaling, dual action mic switch, volume control, 3pin XLR loop through connectors, A6F headset connector uses A5M headset connector. 1/4in gooseneck mic connector.1RU by 1/2 rack wide.	\$725.00	20%	580
SV-3	Interconnect cable for multiple BOP to single SAP.	\$390.00	20%	312
WMS300L A5F	2 Channel wall mount speaker station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 4 gang box. (A5F)	\$1,156.00	20%	924.8
WMS300L A4F	2 Channel wall mount speaker station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 4 gang box. (A4F)	\$1,156.00	20%	924.8
BOP220	I/O Breakout panel for use with the SAP 1626.	\$862.00	20%	689.6
HED-1	Ultra lightweight headphone	\$17.40	20%	13.92
UX-58R	UX-58R, Omni-directional 5/8 wave antenna 200-216 MHz (red, 25in).	\$260.00	20%	208
UX-58W	UX-58W, Omni-directional 5/8 wave antenna 185-200 MHz (white, 29in).	\$260.00	20%	208
UX-58Y	UX-58Y, Omni-directional 5/8 wave antenna 169-185 MHz (yellow, 30.5in).	\$260.00	20%	208
UX-58B	UX-58B, Omni-directional 5/8 wave antenna 150-169 MHz (blue, 38.5in).	\$260.00	20%	208
BPA-5	BPA-5, 1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 726-826 MHz, Red.	\$55.70	20%	44.56
CM300L A4F	2 Channel console mount user station with separate dynamic or carbon mic input, silent channel select switching. Solid metal front with open back for console mount. Uses MCP-3 rack kit. (A4F)	\$901.00	20%	720.8
4001-RMA	Rack mount adapter for 4001.	\$181.00	20%	144.8
WM300L A4F	2 Channel wall mount user station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 2 gang box. (A4F)	\$925.00	20%	740
MAC-G3	Guitar Cord featuring George Lfts cable for RE-2/FMR-500	\$64.40	20%	51.52
SBC-1	SBC-1, Swivel beltclip for TR-1/ 700/ 800/ 825/ 80N/ RKP-4.	\$34.50	20%	27.6
CES-2	CES-2 Complete Earset - Includes RTV-04,CMT-98, ET-4. 125 Ohm, 5ft (1.5M) Cord, 1/8in Plug.	\$130.00	20%	104
CES-1	CES-1 Complete Earset - Includes RTV-04,CMT-2,ET-4. 125 Ohm, 5ft (1.5M) Cord, 1/4in Plug.	\$130.00	20%	104
SM-2-O	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2

BPA-2	BPA-2, 1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 488-556 MHz, Black.	\$55.70	20%	44.56
BPA-1	BPA-1, 1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 425-488 MHz, Violet.	\$55.70	20%	44.56
VZX-8-US	V-Series Wall panel controller with 1.77IN color display and encoder, ships with white and black front covers.	\$314.00	20%	251.2
TP-3R	TP-3R, XLR-3 Intercom indummy loadin plug for BTR-1/700/800/80N (RTS).	\$37.00	20%	29.6
VZX-8-US	8-Zone Audio Processor features 20 processed input sources, 8 processed zone outputs and advanced DSP features including a Virtual Mixer with AMM, ANC, AGC, EQ with FIR, and more, 1 RU, US power cord.	\$1,899.00	20%	1519.2
TP-3	TP-3, XLR-3 Intercom indummy loadin plug for BTR-1/700/800/80N (Audiocom).	\$37.30	20%	29.84
ALP-600B	ALP-600B, Bracket kit for ALP-600 antenna	\$347.00	20%	277.6
ALP 600M	ALP 600M, Telescoping mast for ALP-600 antenna	\$299.00	20%	239.2
ALP-600	ALP-600, Bi-directional log periodic antenna covers 520-760Mhz. Unique side-to-side coverage pattern increases signal gain up to 1.6dB. Includes mounting hardware and 10ft (3 meters) coaxial cable. Measures 17inL x 12inH, painted black with TNC connector.	\$1,042.00	20%	833.6
BRKT-POLE-S	Wall mount bracket for ZLXG2 8in 2-way model	\$107.00	20%	85.6
SM-2-N	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SMP-2-I	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom	\$1,705.00	20%	1364
SMP-2-A	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom	\$1,705.00	20%	1364
PST-170	17-channel portable transmitter with E.D.R feature, auxiliary input, and OLM10 omnidirectional microphone, recharge contacts, runs on two AA batteries (sold separately)	\$741.00	20%	592.8
SR-400	17-channel synthesized personal receiver with a back lit LCD display, high frequency boost and E.D.R. includes recharge contacts Runs on two AA batteries. (Earphones and batteries sold separately)	\$368.00	20%	294.4

ST-300	17-channel synthesized base transmitter with backlit LCD display, XLR and 1/4in inputs, selectable mic/line/70V input, input level adjustment, selectable RF transmit power and Enhanced Dynamic Range (E.D.R.), telescoping antenna and wall pack power supply	\$836.00	20%	668.8
HS-6A (BLACK)	HS-6A (BLACK), Telephone Style PTT Handset With Metal Hanger Bracket, 200 Ohm Impedence, 4ft (1.2M) Coiled Cord, A4F Connector	\$281.00	20%	224.8
HS-6A (WHITE)	HS-6A (WHITE), Telephone Style PTT Handset With Metal Hanger Bracket, 200 Ohm Impedence, 4ft (1.2M) Coiled Cord, A4F Connector	\$281.00	20%	224.8
JB-2	3-pin/6-pin junction box.	\$392.00	20%	313.6
WP-3	Wall plate, two channel, 6pin male XLR.	\$91.00	20%	72.8
HE-15	HE-15, 15ft Headset Extension Cable - A4M/F.	\$113.00	20%	90.4
RM-14	Single rack mount for use with SS-2002RM ONLY.	\$114.00	20%	91.2
XP-4PGM	9-pin male program input on ES4000A & EMS4001 into four XLR3 female (1/4 rack wide).	\$162.00	20%	129.6
MCP7	Hand-held Dynamic microphone w/6pin connector (coiled cord).	\$154.00	20%	123.2
VSA-1	Strong arm mount for PX1122M, PX1152M, Plasma P1, ZX3 (requires HA-3), ZX4 and ZX5 (requires HA-5), black	\$447.00	20%	357.6
CCB-1	Interfaces a single channel of Telex balanced to ClearCom unbalanced intercom, audio and light signal.	\$320.00	20%	256
ME-50/2	50ft (15.2m)Super flex 2 channel cable w/XLR-6 M/F connectors.	\$298.00	20%	238.4
ME-25/2	25ft (7.6m) Super flex 2 channel cable w/XLR-6 M/F connectors.	\$197.00	20%	157.6
MS-2002	2 Ch user/main station with 2.0 amp power supply with speaker. External balanced/unbalanced selector switch, dynamic mic headset jack, gooseneck mic jack, separate channel program input (DB-9F) and channel connectors (one XLR3M/F per channel plus XLR6) PA	\$1,579.00	20%	1263.2
US-2002	2 Ch user/main station with external balanced/unbalanced selector switch, dynamic mic headset jack (XLR-4M), gooseneck mic jack (1/4in locking), separate channel program input (DB9F) and level control, call light and audible tone and level control, (4) XL	\$1,466.00	20%	1172.8
MCP4	Tandem mount kit.	\$96.90	20%	77.52
MCP3	Console mount kit.	\$438.00	20%	350.4
MCP2	Single rack mount kit. For use with SSA324, SSA324#U, DSI2008 and DSI2008-CALL and RTS TW components. (Not for use with Audiocom components)	\$293.00	20%	234.4
MCP1	Dual rack mount kit (two main components side by side). For use with SSA324, SSA324#U, DSI2008 and DSI2008-CALL and RTS TW components. (Not for use with Audiocom components)	\$231.00	20%	184.8

PS-20	1.8 amp per channel in 2ch mode power supply for 25 stations,. Features 2 and 4 channel operation, monitoring, 2ch program input, audio linking and 3-mode of operation: RTS 2ch, RTS 4ch and Clear-Com mode. 110-240v 1RU by 1/2 rack wide. UL/CE approved.	\$1,398.00	20%	1118.4
MS4002	4 Ch user/main station with 4.0 amp power supply with speaker. External balanced/unbalanced selector switch, auto detect mic headset jack, gooseneck mic jack, separate channel program input (DB-9F) and channel connectors (one XLR3M/F per channel) PA output	\$3,224.00	20%	2579.2
SS-1002	1 Ch speaker station - no enclosure.	\$718.00	20%	574.4
EMS-4001	4 Ch expansion station with 2.0 amp power supply. Balanced/unbalanced operation, separate channel program input (DB-9F) and level controls, and 4 RCA speaker output jacks. Connects directly to master station or another expansion station (up to 22 channels)	\$1,892.00	20%	1513.6
PS-4001	4 Ch 2.0 amp switching power supply with auto load distribution fault detect for each channel (4) XLR-3M channel connectors, (1) D-15 connector for use with ES-4000A. Balanced / unbalanced operation. 1/2 rack wide by 1 high.	\$1,821.00	20%	1456.8
PS-2001L	2 Ch 2.0 amp switching power supply with channel combine/isolate switch, balanced and unbalanced operation and (2) XLR-3M channel connectors (one per channel). 1/2 rack wide by 1 high.	\$1,157.00	20%	925.6
IC-6SX	Passive source assign panel for channel assignment of up to 6 intercom channels to 12 positions - 3pin XLR.	\$1,529.00	20%	1223.2
SS-2002RM	2 Ch speaker station - rack mountable - use RM-14 rack mount kit.	\$1,192.00	20%	953.6
SS-2002U	2 Ch flush mount speaker station w/WKP-Box.	\$800.00	20%	640
SS-1002U	1 Ch flush mount speaker station w/WKP-Box.	\$747.00	20%	597.6
SS-2002S	2 Ch portable speaker station w/top handle box, (2) XLR-6).	\$971.00	20%	776.8
SS-2002P	2 Ch desktop speaker station w/ angle box, (2) XLR-6.	\$971.00	20%	776.8
SS-1002S	1 Ch portable speaker station w/top handle box, (2) XLR-3).	\$926.00	20%	740.8
SS-1002P	1 Ch desktop speaker station w/ angle box, (2) XLR-3.	\$926.00	20%	740.8
SS-2002	2 Ch speaker station - no enclosure.	\$694.00	20%	555.2
RM-325 A5F	2 channel binaural (stereo) programmable modular user station w/call signaling, dual action mic switch, individual volume controls. Program input and DB-15F aux connector for custom connections. A6F headset connector uses a A5M headset connector. No goose	\$727.00	20%	581.6
IFB-325	Portable single channel IFB Beltpack w/ 1/4in Jack. Meets critical requirements of the television broadcast industry, as well as other live or recorded media applications	\$575.00	20%	460
IFB-1000	1 Ch listen only IFB portable belt pack, 1/4in jack for earphone.	\$548.00	20%	438.4

SAP612	Source assign panel for channel assignment - 6ch to 12 TW positions. - Output connections can be made directly to a single user station or a group of user stations	\$1,531.00	20%	1224.8
CIA-1000 (FRONT)	Call light indicator with FRONT mounted red flashing light. Channel select control, line and loop connectors. Spring clamp terminals for relay output. 1RU by 1/2 rack wide. BLACK	\$513.00	20%	410.4
CIA-1000 (TOP)	Call light indicator with TOP mounted red flashing light. Channel select control, line and loop connectors. Spring clamp terminals for relay output. 1RU by 1/2 rack wide. BLACK	\$513.00	20%	410.4
WKP-BOX	Flush mounted wall box for SS-1002/SS-2002 and WKP-4.	\$160.00	20%	128
WM-2000	2 Ch headset station with listen/call/talk key, balanced/unbalanced operation, headset jack (A4M). Flush mount in two gang box.	\$548.00	20%	438.4
WM-1000	1 Ch headset station with listen/call/talk key, balanced/unbalanced operation, headset jack (A4M). Flush mount in two gang box.	\$587.00	20%	469.6
ES-4000A	4 Ch expansion station with level controls, balanced/unbalanced operations, separate channel program input (DB9F), intercom channel connection (DB-15F) and (4) RCA speaker output jacks(one per channel).1/2 rack wide by 1 high. Requires connection to US200	\$1,101.00	20%	880.8
VRK-1B-LB	Vertical rigging kit black, EVF + EVF	\$3,021.00	20%	2416.8
SR-50-P	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
C2	C2, Foam Ear Cushion for PH81 & PH85 Full Cushion Headsets (1) Gray	\$19.23	20%	15.384
VRK-2B-LB	Vertical rigging kit black, EVF + EVH	\$1,247.00	20%	997.6
PC BOUNDARY	Wired boundary multi-pattern condenser mic. Mic on/off switch, mic status LED. - High visibility blue LED clearly displays mic status to the user and can be remotely controlled in automatic mixer mode	\$497.00	20%	397.6
PS800NM4	PS800NM4, Power supply for 4 bay NMH charger.	\$159.00	20%	127.2
CB800NM4	CB800NM4, 4 bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 (without power supply or battery packs).	\$1,022.00	20%	817.6
C800NM	C800NM, Single bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 (without power supply or battery pack).	\$113.00	20%	90.4
ULM21	Unidirectional lavalier condenser mic with TA4F connector for R100, RE-2, RE-1, and any Telex wireless	\$218.00	20%	174.4
PL37	PL37, Overhead microphone, Condenser, Cardioid	\$132.00	20%	105.6
PL33	PL33, Kick drum microphone, Dynamic, Supercardioid - Fast transient response, Excellent off-axis rejection - Frequency contoured for dialed-in kick drum sound - 3 Year Warranty	\$166.00	20%	132.8
PL80C	PL80c, Vocal microphone, Dynamic, Supercardioid, Ultra low noise / CLASSIC FINISH	\$161.00	20%	128.8

PL80A	PL80a, Vocal microphone, Dynamic, Supercardioid, Ultra low noise	\$161.00	20%	128.8
RE320	Variable-D dynamic cardioid microphone for vocals and instruments with 2 position personality switch - Kick drum curve is ideal for bass drum micing	\$355.00	20%	284
HM7	Headworn condenser cardioid mic with TA4F wired for R100, RE-2, RE-1 and any Telex Wireless - An adjustable behind-the-headband secures the microphone while allowing complete freedom of movement	\$293.00	20%	234.4
HM2	EV headworn unidirectional condenser vocal mic with TA4F connector for R100, RE-2, RE-1 and any Telex Wireless	\$213.00	20%	170.4
PC BOUNDARY SAT	Wireless boundary multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-V, RE-2, RE-1, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.)	\$629.00	20%	503.2
INT-TX32	Digital 32-channel transmitter with optical link (US). F.01U.402.31	\$23,335.00	20%	18668
PA430	30-watt constant-directivity paging projector, 60degree x 40degree, weather resistant, integral swivel bracket, 8 ohms, tan	\$193.00	20%	154.4
OLM10	Omnidirectional lavalier condenser mic with TA4F wired for R100, RE-2 and RE-1 and any Telex wireless	\$76.50	20%	61.2
EVOLVE-WMK-PB	WALL MOUNT KIT, EVOLVE, PHOENIX, BLACK	\$226.00	20%	180.8
SE-62	EVID FM 6.2 Surface Mount Enclosure Kit (sold as a pair)	\$125.00	20%	100
EVOLVE-WMK-NW	WALL MOUNT KIT, EVOLVE, NL4, WHITE	\$226.00	20%	180.8
SE-42	EVID FM 4.2 Surface Mount Enclosure Kit (sold as a pair)	\$98.00	20%	78.4
HA-3-BLK	VSA-1 handle adapter for ZX3, black	\$150.00	20%	120
EVOLVE-WMK-PW	WALL MOUNT KIT, EVOLVE, PHOENIX, WHITE	\$226.00	20%	180.8
MB3-W	Wall/ceiling mounting bracket kit for ZX3, white	\$240.00	20%	192
MB3-B	Wall/ceiling mounting bracket kit for ZX3, black	\$240.00	20%	192
EVOLVE-WMK-NB	WALL MOUNT KIT, EVOLVE, NL4, BLACK	\$226.00	20%	180.8
EVOLVE-TM-B	TRUSS MOUNT, EVOLVE, BLACK	\$173.00	20%	138.4
WSPL-4	WSPL-4, Foam windscreen (black) for PL37 overhead condenser microphone (also fits RE200)	\$28.90	20%	23.12
WSPL-3	WSPL-3, Foam windscreen (black) for PL35 tom/snare drum microphone	\$26.30	20%	21.04
WSPL-2	WSPL-2, Foam windscreen (black) for PL33 kick drum microphone (also fits RE20 and RE27N/D)	\$35.80	20%	28.64
WSPL-1	WSPL-1, Foam windscreen (black) for all PL Series VOCAL microphones	\$28.90	20%	23.12
SAPL-3	SAPL-3, Isolating shock mount stand adapter for PL37 condenser microphone	\$25.50	20%	20.4
SAPL-2	SAPL-2, Microphone stand adapter for PL33 (also fits RE20, RE27N/D and N/D868)	\$66.30	20%	53.04
DCNM-SERVER2	Windows Server pre-installed and configured Windows Server OS, DICENTIS software and DHCP server (License sold separately). Successor of F.01U.364.22	\$4,375.00	20%	3500

SAPL-1	SAPL-1, Microphone stand adapter for all PL Series VOCAL microphones	\$28.50	20%	22.8
4015-5F	5ft. 25-pair Cable Assembly (Flat ribbon cable).	\$204.00	20%	163.2
4002RMA	Rack mount adapter for 4002.	\$152.00	20%	121.6
VRK-3B	BLACK VERTICAL RIGGING KIT FOR EVH	\$1,339.00	20%	1071.2
HRK-3W	WHITE HORIZONTAL RIGGING KIT FOR EVH	\$1,511.00	20%	1208.8
HRK-3B	BLACK HORIZONTAL RIGGING KIT FOR EVH	\$1,399.00	20%	1119.2
TK-150	TK-150, KIT, ACCESSORY, 70V TRANSFORMER, 150W, EVF AND EVH	\$335.00	20%	268
HE-30	HE-30, 30ft Headset Extension Cable - A4M/F.	\$151.00	20%	120.8
CDG	CDG, KIT, ACCESSORY, DUAL GLAND NUT COVER, EVA, EVF AND EVH	\$83.30	20%	66.64
CSG	CSG, KIT, ACCESSORY, SINGLE GLAND NUT COVER, EVA, EVF AND EVH	\$62.10	20%	49.68
CDNL4	CDNL4, KIT, ACCESSORY, DUAL NL4 COVER, EVA, EVF ADN EVH	\$79.30	20%	63.44
HDP-LWNEP	Earpads for Neckband Headphone (50 pairs)	\$97.00	20%	77.6
ACS-101	ACS-101, Antenna Combiner/Splitter for up to 10 RKP-4B or BTR-1 base station transmit antenna outputs and 10 receive antenna inputs with US power cord.	\$9,490.00	20%	7592
VRK-3W	WHITE VERTICAL RIGGING KIT FOR EVH	\$1,446.00	20%	1156.8
BTR-800 B3	BTR-800 Base Station, A4M Headset Jack, B3 BAND	\$7,548.00	20%	6038.4
LA3-VARI-E	VARI EXTENSION UNIT	\$6,961.00	20%	5568.8
LA3-VARI-BH	Vari-directional array base unit, coax	\$9,284.00	20%	7427.2
LA3-VARI-B	VARI BASE UNIT	\$8,884.00	20%	7107.2
SM-2-A	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
2TX80N-KIT	2TX80N-KIT, Two Transmitter Output Modification kit for BTR-800 - User installed.	\$460.00	20%	368
EVID-EC6.2	Two-way 6.5IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$209.00	20%	167.2
EVID-EC4.2	Two-way 4IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, tile rails, and mounting ring. 20W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$169.00	20%	135.2
EVID-EC3.1	Full-range 3IN ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, tile rails, and mounting ring. 15W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. IP45 rated for high-humidity environments. (priced individually, packaged in pairs)	\$119.00	20%	95.2

DCN-DISCLM	DCN-DISCLM - Cable Clamp	\$69.20	20%	55.36
EVID-C4.2LP-G2	High-quality two-way 4IN coaxial low profile ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$229.00	20%	183.2
EVID-C4.2-G2	High-quality two-way 4IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$209.00	20%	167.2
EVID-EC8.2	Two-way 8IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$289.00	20%	231.2
EVID-EC6.2E	Two-way EVAC 6.5IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480, CAN/ULC-S541, UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$239.00	20%	191.2
EVID-C8.2HC-G2	High-quality two-way 8IN coaxial ceiling speaker with white bezel-less magnetic grille - ideal for high-ceiling environments - complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 90W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$409.00	20%	327.2
EVID-C8.2-G2	High-quality two-way 8IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 60W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$339.00	20%	271.2
EVID-C6.2LP-G2	High-quality two-way 6.5IN coaxial low profile ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$309.00	20%	247.2
EVID-C6.2-G2	High-quality two-way 6.5IN coaxial ceiling speaker with white bezel-less magnetic grille, complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 30W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$279.00	20%	223.2

EVID-C8.1S-G2	High-quality 8IN ceiling subwoofer with white bezel-less magnetic grille, complete with back can enclosure, SwiftLock installation system, tile rails, and mounting ring. 60W transformer for 70/100V or 8-ohm bypass. UL1480A, UL2043 and CSA 22.2 205 certified. (priced individually, packaged in pairs)	\$409.00	20%	327.2
BTR-80N-H3R5	BTR-80N Base Station RTS, A5F Headset Jack, H3 BAND	\$8,261.00	20%	6608.8
BTR-80N-H3R	BTR-80N Base Station RTS, A4F Headset Jack, H3 BAND	\$8,261.00	20%	6608.8
BTR-80N-H3	BTR-80N Base Station, A4M Headset Jack, H3 BAND	\$8,261.00	20%	6608.8
LBB4416/20	Network cable assembly, optical fiber, 20 m	\$413.00	20%	330.4
LBB4418/00	Cable/connector toolkit	\$4,007.00	20%	3205.6
LBB4417/00	Set of network connectors (20 pieces)	\$375.00	20%	300
BTR-80N-F3R5	BTR-80N Base Station RTS, A5F Headset Jack, F3 BAND	\$8,261.00	20%	6608.8
BTR-80N-F3R	BTR-80N Base Station RTS, A4F Headset Jack, F3 BAND	\$8,261.00	20%	6608.8
LBB4418/50	Spare cutting tool (2 pieces)	\$1,127.00	20%	901.6
BTR-80N-F3	BTR-80N Base Station, A4M Headset Jack, F3 BAND	\$8,261.00	20%	6608.8
PRS-NSP	Network splitter	\$1,229.00	20%	983.2
LBB4416/00	Network Cable 100 Meter	\$1,742.00	20%	1393.6
PRS-FINNA	Fiber interface, non-addressable	\$1,229.00	20%	983.2
DCNM-CB10-I	System cable assembly 10m	\$187.00	20%	149.6
ND46	ND46, supercardioid dynamic instrument mic - Excellent isolation with lively and balanced sound, Easy mic placement with locking pivoting head	\$201.00	20%	160.8
BTR-80N-C3	BTR-80N Base Station, A4M Headset Jack, C3 BAND	\$8,261.00	20%	6608.8
BTR-80N-A3R5	BTR-80N Base Station RTS, A5F Headset Jack, A3 BAND	\$8,261.00	20%	6608.8
BTR-80N-A3R	BTR-80N Base Station RTS, A4F Headset Jack, A3 BAND	\$8,261.00	20%	6608.8
BTR-80N-A3	BTR-80N Base Station, A4M Headset Jack, A3 BAND	\$8,261.00	20%	6608.8
BTR-80N-B3R5	BTR-80N Base Station RTS, A5F Headset Jack, B3 BAND	\$8,261.00	20%	6608.8
BTR-80N-B3R	BTR-80N Base Station RTS, A4F Headset Jack, B3 BAND	\$8,261.00	20%	6608.8
BTR-80N-B3	BTR-80N Base Station, A4M Headset Jack, B3 BAND	\$8,261.00	20%	6608.8
VRK-1W	WHITE VERTICAL RIGGING KIT FOR EVF	\$1,255.00	20%	1004
HRK-2W	WHITE HORIZONTAL RIGGING KIT FOR EVF TO SUB	\$1,418.00	20%	1134.4
HRK-2B	BLACK HORIZONTAL RIGGING KIT FOR EVF TO SUB	\$1,313.00	20%	1050.4
HRK-1W	WHITE HORIZONTAL RIGGING KIT FOR EVF	\$1,325.00	20%	1060
HRK-1B	BLACK HORIZONTAL RIGGING KIT FOR EVF	\$1,227.00	20%	981.6
TR-825-E88R5	TR-825 Belt Pack RTS, A5F Headset Jack, E88 BAND	\$3,557.00	20%	2845.6
EVF-1121S-FGB	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, BLACK - full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,154.00	20%	2523.2

BP800NM	BP800NM, NMH battery pack for TR1/ 700/ 800/ 825/ 80N/ RKP-4.	\$171.00	20%	136.8
EVF-UB-WHT	EVF-UB-WHT, U-BRACKET FOR EVF SERIES LOUDSPEAKERS, WHITE	\$456.00	20%	364.8
EVF-UB-BLK	EVF-UB-BLK, U-BRACKET FOR EVF SERIES LOUDSPEAKERS, BLACK	\$422.00	20%	337.6
VRK-2W	WHITE VERTICAL RIGGING KIT FOR EVF TO SUB	\$1,347.00	20%	1077.6
ETX-TCA-S	TRUSS adapter FOR ETX-10P, BLK	\$331.00	20%	264.8
HGA-1	1/2 wave dipole gain antenna	\$149.00	20%	119.2
4015-150	150ft. 25-pair Cable Assembly.	\$542.00	20%	433.6
4015-100	100ft. 25-pair Cable Assembly.	\$391.00	20%	312.8
4015-75	75ft. 25-pair Cable Assembly.	\$347.00	20%	277.6
WM300L A5F	2 Channel wall mount user station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 2 gang box. (A5F)	\$917.00	20%	733.6
SPK300L, DL A5F	2 Channel speaker station w/Dual Listen features channel select, speaker/mic toggle on-off switch, separate dynamic or carbon mic input. NO CALL LIGHT. Includes hand mic. (A5F)	\$1,551.00	20%	1240.8
SPK300L, DL A4F	2 Channel speaker station w/Dual Listen features channel select, speaker/mic toggle on-off switch, separate dynamic or carbon mic input. NO CALL LIGHT. Includes hand mic. (A4F)	\$1,536.00	20%	1228.8
ME-100/2	100ft (30.5m) Super flex 2 channel cable w/XLR-6 M/F connectors.	\$538.00	20%	430.4
XP-US-PG	9-pin male program input on US-2002 & MS2002 into two XLR-3 male plus 1/8in stereo PA output into a XLR-3 male (1/4 rack wide).	\$204.00	20%	163.2
ICW-6	Window mountable full duplex security intercom system w/VOX. May be used in headset or mic/speaker mode. Requires either optional headset or boom mic for proper operation. Uses PH-88IC3/PH-44-IC3 or PH-88IC3-QD/PH-44-IC3-QD headset or MCP-90 1/4in panel m	\$1,037.00	20%	829.6
2TX800KIT	2TX800KIT, Two Transmitter Output Modification kit for BTR-800 - User installed.	\$460.00	20%	368
LM2-BB	Back Dome for LBC3951/11-US, LC4 Range and LHM0606 (10 pcs)	\$155.00	20%	124
LM2-TB	Tile Bridge for LC1 Range, LBC3951/11-US, LC4 Range and LHM0606 (10 pcs)	\$113.00	20%	90.4
LM2-PMR	Plaster Mounting Ring for LBC3951/11-US, LC4 Range and LHM0606 (10 pcs)	\$180.00	20%	144
SR-50-F	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-E	SR50 RECV 72,5 CH E	\$117.00	20%	93.6
SR-50-B	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
LA1-UM40E-1	40 watt metal column loudspeaker	\$606.00	20%	484.8
LA1-UM20E-1	20 watt metal column loudspeaker, 180 - 16000 Hz - Aluminum; Plastic (ABS)	\$350.00	20%	280

SR-50-Q	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-O	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-N	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-M	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-K	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
SR-50-H	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	\$117.00	20%	93.6
HDP-LW	Lightweight Headphones	\$339.00	20%	271.2
PTT-A5M	PTT Hand Mic, Noise Cancelling with A5M connector	\$194.00	20%	155.2
EVF-1181S-FGW	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, FIBERGLASS, WHITE, EXTERNAL CROSSOVER REQUIRED, full-face protected by a powder-coated steel-front-grille backed with acoustic	\$4,149.00	20%	3319.2
EVA-2082S/920-BLK	EVA-2082S 920 - Dualelement 90x20 fullrange linearray module	\$4,128.00	20%	3302.4
EVF-1181S-FGB	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, FIBERGLASS, BLACK, EXTERNAL CROSSOVER REQUIRED, full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,842.00	20%	3073.6
EVF-1151S-FGW	Single 15in, 400 Watt LF System, Passive/bi-Amp, Fiberglass, White - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,921.00	20%	3136.8
EVA-SG2-BLK	BLACK, STANDARD GRID FOR FULL RANGE AND EVA-1151D ONLY	\$851.00	20%	680.8
EVF-1151S-FGB	Single 15in, 400 Watt LF System, Passive/bi-Amp, Fiberglass, Black - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,631.00	20%	2904.8
EVA-GXB-BLK	BLACK, EXTRA SPREADER BAR FOR EVA GRIDS	\$326.00	20%	260.8
EVF-1121S-FGW	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, FIBERGLASS, WHITE - Fully Weatherized Fiberglass Finish with Gland	\$3,154.00	20%	2523.2
SM-C	Carry case for systems with six receivers	\$154.00	20%	123.2
WP-23	Aerobics sport pouch for beltpack transmitters	\$89.40	20%	71.52
ELX200-15P-US	15 2-way powered speaker, US cord - EV-patented Signal Synchronized Transducers (SST) waveguide design provides precise and consistent coverage, minimal distortion, and maximized acoustical loading	\$1,660.00	20%	1328
ELX200-10P-US	10 2-way powered speaker, US cord - ELX200 powered models are ideal for portable and installed applications, with lightweight and durable polypropylene enclosures, three M10 threaded mounting points and the proven ZLX handle design for easy lifting	\$1,400.00	20%	1120

ELX200-12P-US	12 2-way powered speaker, US cord - EV-patented Signal Synchronized Transducers (SST) waveguide design provides precise and consistent coverage, minimal distortion, and maximized acoustical loading	\$1,485.00	20%	1188
P1-C	P1-C, Replacement power supply cable for RKP-4B, BTR-1 power supply, USA.	\$23.40	20%	18.72
ES-1	Single Side Ear Speaker with Flexible Loop	\$18.66	20%	14.928
CCS-12	Cushion covers for SEB-1 and DEB-2 (pkg/12)	\$9.49	20%	7.592
DEB-2	Dual earbud with cord.	\$23.70	20%	18.96
WS-E	Windscreen for RE90TX and all ELM series lapel mics	\$11.95	20%	9.56
DCNM-WTCD	Transport case wireless sys, 10x DCNM-WD	\$2,081.00	20%	1664.8
WP-300	Dynamic Plate Mic, Low Z	\$94.60	20%	75.68
WP-300S	Dynamic Plate Mic, Low Z, w/switch	\$123.00	20%	98.4
ETX-12P-US	ETX-12P 2-WAY POWERED SPEAKER, BLK, US - 2000 W Class-D power amplifier with integrated FIR-Drive DSP	\$2,851.00	20%	2280.8
RSB-2	Referee switch box for beltpack transmitters with a TA4 mic connector for use with WT-1000-REF, BPU2PRO-REF, REV-BP-REF, WTU-2 and REV-WT only.	\$629.00	20%	503.2
PH-21	Headworn, unidirectional Telex condenser mic with TA4 connector	\$237.00	20%	189.6
TC-200V	Vertical tie clip for WLM-200/50	\$14.25	20%	11.4
TC-200H	Horizontal tie clip for WLM-200/50	\$14.25	20%	11.4
WS-PC1	Windscreen for PolarChoice gooseneck mics. Provides additional protection from p pops and wind noise.	\$28.70	20%	22.96
ETX-18SP-US	ETX-18SP POWERED SUBWOOFER, BLK, US - 1800 W Class-D power amplifier with integrated FIR-Drive DSP - 135 dB peak SPL	\$3,598.00	20%	2878.4
PS-L	Wall pack transformer for US/ES/WM/SS user stations NOTE: PS-L WILL NOT POWER STATION EQUIPMENT DOWNLINE.	\$47.70	20%	38.16
450D	Dynamic, Normally open, Low Z, Handheld paging mic	\$171.00	20%	136.8
MP785	Dynamic, 3 Zone, Low Z, Gooseneck paging mic	\$474.00	20%	379.2
SR785LN/O	Dynamic, Normally open, Low Z, Gooseneck paging mic	\$345.00	20%	276
SR785L	Dynamic, Normally closed, Low Z, Gooseneck paging mic	\$348.00	20%	278.4
WS-746	Foam windscreen for WPHS-746 headworn mic	\$19.59	20%	15.672
379-2	Red windscreen pop filter for RE16, RE50, N/D967, 767a, 367s, 267a, RE410 and RE510	\$27.30	20%	21.84
DSPK4-W	IP 4 ch wall mount user station (w/o power supply). F.01U.405.617	\$2,123.00	20%	1698.4
PSU-KP DSPK	PSU KP-Series and DSPK panels (power supply)	\$82.30	20%	65.84
SX300PI_HE	SX300PI_HE - 2-way passive speaker - 50 - 20000 - Black	\$1,449.00	20%	1159.2
RTS 4-GANG BOX	Metal Electrical Wall Box for DSPK4-F	\$86.60	20%	69.28
DSPK4-D	IP 4 ch desktop user station (incl. power pupply). F.01U.405.616	\$2,189.00	20%	1751.2
DSPK4-F 4F	IP 4 ch flush mount user station 4F (w/o power supply). F.01U.405.619	\$1,959.00	20%	1567.2

DSPK4-F 4M	IP 4 ch flush mount user station 4M (w/o power supply). F.01U.405.618	\$1,959.00	20%	1567.2
DSPK4-F 5F	IP 4 ch flush mount user station 5F (w/o power supply). F.01U.405.620	\$1,959.00	20%	1567.2
TCB-1	Heavy duty nylon carry bag for up to (2) EV Tripod Speaker Stands, EV logo, center divider, adjustable shoulder strap, dual heavy guage zippers, black	\$59.20	20%	47.36
TSS-1	All-aluminum tripod speaker stand, reversible shaft with 34.9 mm or 38 mm (1 3/8 in to 1 1/2 in) diameter tubing, hieght adjustable from 1117.6mm to 1778 mm (44 in to 70 in), maximum weight capacity 68kg (150lbs), black	\$74.50	20%	59.6
ALP-700	ALP-700, Bi-directional log periodic antenna covers 470-760 Mhz. Unique side-to-side and front-to-back coverage pattern increases signal gain up to 1.8 dBd. Includes mounting hardware, clamp and 10ft (3 meters) coaxial cable. Painted black with TNC connec	\$1,034.00	20%	827.2
DCNM-LPU-PE	Participant ultimate perpetual	\$345.00	20%	276
TR-800-E88	TR-800 Belt Pack, A4M Headset Jack, E88 BAND	\$2,417.00	20%	1933.6
DCNM-LPUP-P1Y	Participant ultimate professional prepaid	\$125.00	20%	100
DCNM-LPUP-S1Y	Participant ultimate professional subscription	\$115.00	20%	92
DCNM-SERVER3	Windows Server pre-installed and configured Windows Server OS, DICENTIS software and DHCP server (additional licenses sold separately). F.01U.404.927	\$4,820.00	20%	3856
DCNM-LPP-PE	Participant premium perpetual	\$230.00	20%	184
DCNM-LPPP-P1Y	Participant premium professional prepaid	\$89.00	20%	71.2
DCNM-LPPP-S1Y	Participant premium professional subscription	\$81.00	20%	64.8
DCNM-LPSMA-PE	SMA for 1 participant DCNM-LPx-PE 1yr (perpetual only)	\$70.00	20%	56
SX600PI_HE	SX600 - High output 2way loudspeaker - 600Watt - 70 - 16000 - Black	\$5,749.00	20%	4599.2
BTR-800-F3R5	BTR-800 Base Station RTS, A5F Headset Jack, F3 BAND	\$7,548.00	20%	6038.4
BTR-800-F3R	BTR-800 Base Station RTS, A4F Headset Jack, F3 BAND	\$7,548.00	20%	6038.4
BTR-800-H3R5	BTR-800 Base Station RTS, A5F Headset Jack, H3 BAND	\$7,548.00	20%	6038.4
BTR-800-H3R	BTR-800 Base Station RTS, A4F Headset Jack, H3 BAND	\$7,548.00	20%	6038.4
BTR-800-H3	BTR-800 Base Station, A4M Headset Jack, H3 BAND	\$7,548.00	20%	6038.4
BTR-800-C3R5	BTR-800 Base Station RTS, A5F Headset Jack, C3 BAND	\$7,548.00	20%	6038.4
BTR-800-C3R	BTR-800 Base Station RTS, A4F Headset Jack, C3 BAND	\$7,548.00	20%	6038.4
BTR-800-C3	BTR-800 Base Station, A4M Headset Jack, C3 BAND	\$7,548.00	20%	6038.4
BTR-800-F3	BTR-800 Base Station, A4M Headset Jack, F3 BAND	\$7,548.00	20%	6038.4
BTR-800E88R5	BTR-800 Base Station RTS, A5F Headset Jack, E88 BAND	\$7,548.00	20%	6038.4
BTR-800-E88	BTR-800 Base Station, A4M Headset Jack, E88 BAND	\$7,548.00	20%	6038.4
BTR-800-A3	BTR-800 Base Station, A4M Headset Jack, A3 BAND	\$7,548.00	20%	6038.4
BTR-800-B3R5	BTR-800 Base Station RTS, A5F Headset Jack, B3 BAND	\$7,548.00	20%	6038.4
BTR-800-B3R	BTR-800 Base Station RTS, A4F Headset Jack, B3 BAND	\$7,548.00	20%	6038.4

BTR-800-A3R5	BTR-800 Base Station RTS, A5F Headset Jack, A3 BAND	\$7,548.00	20%	6038.4
BTR-800-A3R	BTR-800 Base Station RTS, A4F Headset Jack, A3 BAND	\$7,548.00	20%	6038.4
TR-825-E88	TR-825 Belt Pack, A4M Headset Jack, E88 BAND	\$3,557.00	20%	2845.6
TR-825-E88R	TR-825 Belt Pack RTS, A4F Headset Jack, E88 BAND	\$3,557.00	20%	2845.6
TR-825-E885	TR-825 Belt Pack, A5M Headset Jack, E88 BAND	\$3,557.00	20%	2845.6
TR-800-E88R5	TR-800 Belt Pack RTS, A5F Headset Jack, E88 BAND	\$2,417.00	20%	1933.6
LH-EC2	SUPPLE EAR CUSHION FOR LH SERIES 2PCS	\$29.50	20%	23.6
LH-HC	HYGIENE COVER FOR LH SERIES 10PCS	\$41.40	20%	33.12
LH-EC1	FOAM EAR CUSHION FOR LH SERIES 2PCS	\$8.59	20%	6.872
LH-302-EM-I3.5	DOUBLE SIDE HEADSET, ELECTRET MIC, 3.5	\$249.00	20%	199.2
SM-2-Q	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-P	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-M	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-L	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-K	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-J	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-I	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2

SM-2-H	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
BP2-CLIP	Flat, Fixed Beltclip with screw for RE-2/FMR-500 Bodypacks	\$14.36	20%	11.488
SMP-C	SMP case with custom foam inserts	\$248.00	20%	198.4
SM-WP	Wall plaque to display that Soundmate personal listening equipment is available for use on site	\$14.25	20%	11.4
WPHS-746	Headworn condenser vocal mic with TA4F connector. Waterproofing material covers mic and headband.	\$370.00	20%	296
SMP-2-E	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom	\$1,705.00	20%	1364
SM-2-G	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-F	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-E	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-D	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-C	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2
SM-2-B	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	\$1,214.00	20%	971.2

SMP-400	SoundMate Agile Portable Listening System includes - one PST-170 portable transmitter, HM2 unidirectional headworn microphone, four SR-400 17 channel receivers, four HED-2 dual headphones, 10 AA alkaline batteries, and system briefcase with custom foam in	\$2,464.00	20%	1971.2
SMP-2-O	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom	\$1,705.00	20%	1364
BP-240	BP-240 Battery Pack for TR-240	\$148.00	20%	118.4
BC800NM4	BC800NM4, 4 bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 with US power cord and 4 BP-800NM battery packs.		20%	0
BC800NM	BC800NM, Single bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 with US power cord and one BP-800NM battery pack.	\$448.00	20%	358.4
PS800NM	PS800NM, Power supply for Single bay NMH charger	\$62.60	20%	50.08
CAN-T	CAN-T, BTR-80N Can Bus 120 ohm Termination.	\$46.30	20%	37.04
CTC	CTC, BTR-80N Can Bus Termination Cable.	\$60.80	20%	48.64
BLC	BLC, BTR-80N Base Station Link Cable.	\$13.08	20%	10.464
RE97LTX-BLACK	RE97LTX, Black Mini Theatrical Omni Lapel Microphone - Omnidirectional Polar Pattern to Provide Clean Sound and Uniform Response	\$377.00	20%	301.6
RE97LTX-BEIGE	RE97LTX, Beige Mini Theatrical Omni Lapel Microphone - Omnidirectional Polar Pattern to Provide Clean Sound and Uniform Response	\$343.00	20%	274.4
FPA375-4001	4000 Front Panel Adapter for MCP-90.	\$150.00	20%	120
SPK-2000	Self powered speaker, 5 watt output. 1/2 rack wide by 1 high.	\$891.00	20%	712.8
MCE325 A4F	2 or 4 channel user programmable modular user station w/call signaling, dual action mic switch, individual volume controls. With hardware and software based programming it can be used as 2-wire, 4-wire or both and features simple IFB capability. A4F heads	\$1,458.00	20%	1166.4
MCE-325 A5F	2 or 4 channel user programmable modular user station w/call signaling, dual action mic switch, individual volume controls. With hardware and software based programming it can be used as 2-wire, 4-wire or both and features simple IFB capability. A6F heads	\$1,458.00	20%	1166.4
HS-6000M	HS-6000M, Telephone style PTT handset with metal hanger bracket (white), 200 ohm, 4ft (1.2M) coiled cord, A4M connector.	\$307.00	20%	245.6
MM2	25-watt paging projector, 82degree x 82degree, submergence proof, integral swivel bracket, 16 ohms, gray	\$583.00	20%	466.4
MIS8C	10-watt paging projector, 100degree x 100degree, weather resistant, flush mount, 8 ohms, gray	\$184.00	20%	147.2
TC-97-BLACK	TC-97 Black, Clothing Clip for RE90Tx, ELM series, RE97, RE97-2 and RE97L Microphones	\$21.50	20%	17.2

DDS HANDLING FEE	DROP SHIP HANDLING FEE		20%	0
ME-6/2	6ft (1.83m) Super flex 2 channel cable s/XLR-6 M/F connectors.	\$99.00	20%	79.2
ME-2/2	2ft (.61m) Super flex 2 channel cable w/XLR-6 M/F connectors.	\$77.50	20%	62
R300-E-B	Headworn System in case	\$340.00	20%	272
BPC-300	Beltclip for BP-300 Bodypack	\$13.15	20%	10.52
CRA-B	Antenna for R300 Receiver Band B	\$64.70	20%	51.76
CRA-A	Antenna for R300 Receiver Band A	\$64.70	20%	51.76
RMD-300	Dual Rack Mount Kit for R300 Receiver - The RMD-300 is a hardware package required for the proper mounting of two R300 RX receivers into a standard 19 audio rack (audio rack screws not included)	\$64.90	20%	51.92
RM-300	Single Rack Mount Kit for R300 Receiver - Long bracket contains 2 removable plastic plugs (removal required when using SFMC-300 coax cable kit)	\$45.70	20%	36.56
TR-240,A4M-NA	TR-240 Beltpack, A4M Headset Jack	\$1,088.00	20%	870.4
BTR-240,A4M-NA	BTR-240 Base Station, A4M Headset Jack	\$4,281.00	20%	3424.8
CHG-240, NA	CHG-240 4 Bay Battery Charger for BP-240 Batteries	\$919.00	20%	735.2
LS1-OC100E-1	Hemi-directional Loudspeaker 100W	\$2,609.00	20%	2087.2
PL35	PL35, Tom/snare microphone, Dynamic, Supercardioid, Integrated swivel and clamp - Fine mesh Memraflex grille	\$132.00	20%	105.6
LBC1259/01	Universal loudspeaker floor stand	\$336.00	20%	268.8
LMS-325	5 watt modular amplified loudspeaker can be used to monitor 1 or 2 channels. Volume control, external balance control, 3pin XLR input and separate program input jacks. 1RU by 1/2 rack wide.	\$830.00	20%	664
EVF-2121S-FGW	DUAL 12IN, 800 WATT LF SYSTEM, FIBERGLASS, WHITE, EXTERNAL CROSSOVER REQUIRED	\$3,682.00	20%	2945.6
BC-102	BC-102, Two up battery charger for SR-50, SR-400 and PST-170	\$203.00	20%	162.4
LBC3080/11	Metal fire dome for LHM0606 (white)	\$33.00	20%	26.4
ET-1B	ET-1, Eartip, Clear Colored Tip With Metal Plug	\$16.90	20%	13.52
ELX112-CVR	Padded Cover for ELX112/P - EV Logo	\$138.00	20%	110.4
ZX-ZXA-CVR	Padded Cover for ZX1 / ZXA1	\$103.00	20%	82.4
ZXA1-SUB-CVR	Padded Cover for ZXA1-SUB - EV Logo	\$121.00	20%	96.8
ELX215-CVR	Padded Cover for ELX215/P - EV Logo	\$250.00	20%	200
SFMC-300	Front Mount Antenna Cables for RM-300 - Proper TNC connectors on each cable end to accomplish the task	\$54.80	20%	43.84
RPK-810-B	Rough in package for new construction. For use with the C8.2HC and C10.1 speaker only. Includes junction box and flexible conduit to support pre-wiring of the installation (PACKAGE OF 2)	\$200.00	20%	160

RR-42-B	Rough-in mounting plate for new construction for use with the EVID C4.2 (PACKAGE OF 4)	\$174.00	20%	139.2
SX300E	300-watt 12-inch two-way, 65degree x 65degree, Neutrik Speakon connectors, flying and stand mount, black polypropylene - Durable structural-foam enclosure with integral handles and stand mount	\$1,249.00	20%	999.2
SX300WE	300-watt 12-inch two-way, 65degree x 65degree, Neutrik Speakon connectors, flying and stand mount, white polypropylene	\$1,446.00	20%	1156.8
SX300PIX	300-watt 12-inch two-way, 65degree x 65degree, weather resistant (including full grille), internal 70.7/100-volt, 100-watt transformer, flying and stand mount, black polypropylene	\$2,011.00	20%	1608.8
SX300PI	300-watt 12-inch two-way, 65degree x 65degree, weather resistant (including full grille), Neutrik Speakon connectors, flying and stand mount, black polypropylene	\$1,449.00	20%	1159.2
SX100+WE	200-watt, 12-inch two-way 65degree x 65degree with Neutrik Speakon connectors, flying and stand mount, white polypropylene	\$1,154.00	20%	923.2
SX100+E	200-watt 12-inch two-way, 65degree x 65degree, Neutrik Speakon connectors, flying and stand mount, black polypropylene	\$1,154.00	20%	923.2
ELX115-CVR	Padded Cover for ELX115/P - EV Logo	\$166.00	20%	132.8
LC4-UC12E	Premium ceiling wide angle loudspeaker, 12 watt, EVAC compliant	\$245.00	20%	196
LC4-UC06E	Premium ceiling wide angle loudspeaker, 6 watt, EVAC compliant	\$222.00	20%	177.6
EVU-CDNL4	DUAL NL4 CONNECTOR COVER PLATE FOR EVU SERIES ONLY	\$41.00	20%	32.8
EVU-TK60	70/100 VOLT TRANSFORMER KIT FOR EVU SERIES ONLY	\$81.00	20%	64.8
EVU-2082/95-BLK	EVU-2082/95-BLK - Woofer - 60 - 20000 - Black - Sophisticated 18-dB-octave passive crossover/EQ networks - Asymmetrical enclosure for ideal under-balcony and stage-lip aiming - OmniMount(R)-compatible rear mounting points	\$1,165.00	20%	932
EVU-1082/95-WHT	EVU-1082/95 Ultracompact 2way w/single 8" woofer, white	\$910.00	20%	728
RPK-82-B	Rough in package for new construction. For use with the C8.2 and C8.2LP speaker only. Includes junction box and flexible conduit to support pre wiring of the installation (PACKAGE OF 2)	\$200.00	20%	160
RPK-42-B	Rough in package for new construction. For use with the C4.2 speaker only. Includes junction box and flexible conduit to support pre wiring of the installation (PACKAGE OF 2)	\$200.00	20%	160
RR-810-B	Rough-in mounting plate for new construction for use with the EVID C8.2HC and C10.1 (PACKAGE OF 4)	\$174.00	20%	139.2
RR-82-B	Rough-in mounting plate for new construction for use with the EVID C8.2 and C8.2LP (PACKAGE OF 4)	\$174.00	20%	139.2
ZXA1-SUB-120V	ZXA1-SUB 120V, BLK, AMPLIFIED	\$1,167.00	20%	933.6
FA-BW-RS	FA-BW-RS, FA-BW, 1/2 Wave Flex Antenna, 710-880 MHZ	\$65.60	20%	52.48

LC4-MFD	Metal Fire Dome for LC4 Series Loudspeakers	\$53.90	20%	43.12
LC4-CBB	ABS Back Box for LC4 Series loudspeakers	\$26.40	20%	21.12
ELX215	Dual 15in Two-Way Passive Loudspeaker - Black textured finish Dual 15-inch two-way full-range loudspeaker - 137 dB max SPL	\$1,529.00	20%	1223.2
ELX118	18in Passive Subwoofer - EVS-18K 457mm (18) Woofer provides extended low-frequency output - 96 dB SPL sensitivity; 134 dB max SPL	\$1,290.00	20%	1032
ELX115	15in Two-Way Passive Loudspeaker - Pole-mounts or stacks with Live X Subwoofers - High Frequency Waveguide with 90 x 50-degree Coverage Pattern	\$1,036.00	20%	828.8
ELX112	12in Two- Way Passive Loudspeaker - Pole-mounts or stacks with Live X Subwoofers - High Frequency Waveguide with 90 x 50 Degree Coverage Pattern	\$799.00	20%	639.2
ELX118P-120V	Powered Subwoofer - 9-ply, 15mm Plywood, Internally Braced, with Textured Paint - 18GA Steel with Black Powdercoat - Omnidirectional	\$2,052.00	20%	1641.6
ELX112P-120V	Powered 12" Two-way Speaker System 120V	\$1,572.00	20%	1257.6
EVU-1082/95-BLK	SINGLE 8-IN, TWO-WAY, BLACK	\$843.00	20%	674.4
EVU-2062/95-WHT	EVU-2062/95 Ultracompact 2way w/dual 6.5" woofers, white	\$1,084.00	20%	867.2
EVU-2062/95-BLK	EVU-2062/95 Ultracompact 2way w/dual 6.5" woofers, black	\$1,004.00	20%	803.2
EVU-1062/95-WHT	EVU-1062/95 Ultracompact 2way w/single 6.5" woofer, white	\$738.00	20%	590.4
EVU-1062/95-BLK	EVU-1062/95 Ultracompact 2way w/single 6.5" woofer, black	\$683.00	20%	546.4
HM3	Omni-Directional Headworn Mic	\$124.00	20%	99.2
ULM18	Uni-Directional Lapel Mic	\$95.40	20%	76.32
WS-18	Foam windscreen for ULM-18 Lapel Microphone	\$20.40	20%	16.32
TC-18	Lapel clip for ULM-18 Lapel Microphone	\$17.39	20%	13.912
BPBC-300	Bodypack Battery Cover for BP-300	\$18.34	20%	14.672
HHBC-300	Handheld battery cover for HT-300	\$18.51	20%	14.808
MSA-300	Mic stand adapter for HT-300 Handheld	\$26.20	20%	20.96
WS-H3	Foam windscreen for HM3	\$20.10	20%	16.08
RCC-PL22	Dynamic Microphone for HT-300	\$124.00	20%	99.2
HOL-240	HOL-240, Holster for TR-240	\$66.80	20%	53.44
BTR-240,A4F-NA	BTR-240 Base Station, A4F Headset Jack	\$4,281.00	20%	3424.8
LH1-UC30E	Music Horn Loudspeaker 30W	\$343.00	20%	274.4
EVI-AC	EV INNOVATION ACCESS CARD - This simple plug-in device allows diagnostic access to the transducers and protection circuitry inside the enclosure WITHOUT requiring any disassembly or disconnections beyond simple removal and replacement of the plug-in switch card	\$48.10	20%	38.48

EVF-1122S/94-PIB	90degree X 40degree, EVCOAT, PI-Weatherized, Black - Compact, Trapezoidal-Shaped - Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,381.00	20%	2704.8
EVF-1122S/94-WHT	90degree X 40degree, EVCOAT, White - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$2,740.00	20%	2192
EVF-1122S/94-BLK	90degree X 40degree, EVCOAT, BLACK	\$2,537.00	20%	2029.6
EVF-1122S/66-PIW	60degree X 60degree, EVCoat, PI-Weatherized, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,651.00	20%	2920.8
EVF-1122S/66-PIB	60degree X 60degree, EVCoat, PI-Weatherized, Black - Compact, Trapezoidal-Shaped - Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,381.00	20%	2704.8
EVF-1122S/66-WHT	60degree X 60degree, EVCOAT, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,740.00	20%	2192
EVF-1122S/66-BLK	60degree X 60degree, EVCOAT, Black - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,537.00	20%	2029.6
EVF-1122S/64-PIW	60degree X 40degree, EVCOAT, PI-WEATHERIZED, White - The Electro-Voice EVF-1122S/64 is a high power, 2-way loudspeaker system that can be used in a variety of applications where high quality sound reinforcement is required in a compact, lightweight package	\$3,651.00	20%	2920.8
EVF-1122S/99-PIB	90degree X 90degree, EVCOAT, PI-WEATHERIZED, Black - Compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,381.00	20%	2704.8
EVF-1122S/99-WHT	90degree X 90degree, EVCOAT, White - Compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$2,740.00	20%	2192
EVF-1122S/99-BLK	90degree X 90degree, EVCOAT, Black - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$2,537.00	20%	2029.6
EVF-1122S/96-PIW	90degree X 60degree, EVCOAT, PI-Weatherized, White - compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,651.00	20%	2920.8
EVF-1122S/96-PIB	90degree X 60degree, EVCoat, PI-Weatherized, Black - compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,381.00	20%	2704.8
EVF-1122S/96-BLK	90degree X 60degree, EVCoat, Black - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$2,537.00	20%	2029.6
EVF-1122S/94-PIW	90degree X 40degree, EVCoat, PI-Weatherized, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,651.00	20%	2920.8

QRX-115/75-BLK	15-inch two-way, 75degree x 50degree asymmetrical HF with DH7, 400 watts, passive/biamp, flying, pole mount, black	\$2,433.00	20%	1946.4
QRX-212/75-BLK	Dual 12-inch two-way, 75degree x 50degree asymmetrical HF with DH7, 600 watts, passive/biamp, flying, black	\$2,973.00	20%	2378.4
EVF-1122S/64-PIB	60degree X 40degree, EVCOAT, PI-WEATHERIZED, Black - The Electro-Voice EVF-1122S/64 is a high power, 2-way loudspeaker system that can be used in a variety of applications where high quality sound reinforcement is required in a compact, lightweight package	\$3,381.00	20%	2704.8
EVF-1122S/64-WHT	60degree X 40degree, EVCOAT, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,740.00	20%	2192
EVF-1122S/64-BLK	60degree X 40degree, EVCOAT, Black - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,537.00	20%	2029.6
ZLX-15BT-US	15 2-way powered speaker BT UScord	\$1,168.00	20%	934.4
FRI 2082-BLK	Dual 8-inch, two-way, low profile, passive, 100degree x 100degree full range loudspeaker, 200-watt, 93dB 1w@1m, terminal strip connections, U-mounting bracket included, black	\$1,371.00	20%	1096.8
TX1122	500 watts, 12-inch two-way, passive, 90degree x 50degree horn pattern, all-new SMX2120 woofer, DH3 compression driver, Backbone grille, integrated pole mount, angled input panel, rotatable logo, (6) 3/8in suspension points, black EVCOAT.	\$1,664.00	20%	1331.2
ZX1-SUB	ZX1-Sub, Black, Passive	\$843.00	20%	674.4
ZXA1-90W-120V	ZXA1-90W 120V, WH, AMPLIFIED, 90 X 50 DEG HORN	\$795.00	20%	636
ZX3-60PI-W	600-Watt, weatherized, permanent installation, 12in two-way loudspeaker system, integral stand mount, 60 X 60 horn, White	\$2,114.00	20%	1691.2
ZX3-60PI-B	600-Watt, weatherized, permanent installation, 12in two-way loudspeaker system, integral stand mount, 60 X 60 horn, Black	\$2,114.00	20%	1691.2
QRX-112/75-BLK	12-inch two-way, 75degree x 50degree asymmetrical HF with DH7, 300 watts, passive/biamp, flying, pole mount, black	\$2,366.00	20%	1892.8
TX2152	1000 watts, dual 15-inch two-way, passive, 60degree x 40degree horn pattern, all-new SMX2151 woofers, ND2 compression driver, Backbone grille, angled input panel, rotatable logo, (6) 3/8in suspension points, black EVCOAT.	\$2,688.00	20%	2150.4
TX1152	500 watts, 15-inch two-way, passive, 60degree x 40degree horn pattern, all-new SMX2151 woofer, DH3 compression driver, Backbone grille, integrated pole mount, angled input panel, rotatable logo, (6) 3/8in suspension points, black EVCOAT.	\$1,664.00	20%	1331.2
ZX1I-90W	200 watt 8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. White high impact polymer cabinet.	\$686.00	20%	548.8

ZX1I-90	200 watt 8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet.	\$686.00	20%	548.8
SX600PI	High power dual 12-inch two-way, 65degree x 65degree, weather resistant (including full grille), SJOW Cable input, includes SuperSAM mount, black polypropylene cabinet	\$5,749.00	20%	4599.2
SX600PIX	High power dual 12-inch two-way, 65degree x 65degree, weather resistant (including full grille), internal 70.7/100-volt, 600-watt transformer, includes SuperSAM mount, SJOW Cable input, black polypropylene cabinet	\$6,094.00	20%	4875.2
ZX5-60PI	600-Watt, weatherized, permanent installation, 15in two-way loudspeaker system, integral stand mount, 60 X 60 horn, Black	\$2,233.00	20%	1786.4
ZX5-90PI	600-Watt, weatherized, permanent installation, 15in two-way loudspeaker system, integral stand mount, 90 X 50 horn, Black	\$2,233.00	20%	1786.4
SX300PIX-W	300-Watt, two-way loudspeaker, weather resistant, w/100 Watt transformer, Neutrik Speakon, flying and standmount, White	\$2,011.00	20%	1608.8
SX300PI-W	300-Watt, two-way loudspeaker, weather resistant, Neutrik Speakon, flying and standmount, White - Trapezoidal enclosure of high-impact polypropylene	\$1,666.00	20%	1332.8
ZX3-90PI-W	600-Watt, weatherized, permanent installation, 12in two-way loudspeaker system, integral stand mount, 90 X 50 horn, White	\$2,114.00	20%	1691.2
ZX3-90PI-B	600-Watt, weatherized, permanent installation, 12in two-way loudspeaker system, integral stand mount, 90 X 50 horn, Black	\$2,114.00	20%	1691.2
ZX1I-90TW	200 watt 8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.	\$948.00	20%	758.4
ZX1I-90T	200 watt 8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.	\$948.00	20%	758.4
ZX1I-100TW	8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50, 100 watts. Whit	\$948.00	20%	758.4
ZX1I-100T	8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50, 100 watts. Blac	\$948.00	20%	758.4

ZX1I-100W	200 watt 8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. White high impact polymer cabinet	\$686.00	20%	548.8
ZX1I-100	200 watt 8in two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet.	\$686.00	20%	548.8
EVF-1152D/66-PIB	EVF-1152D 60 X 60 EVCOAT WEATHERIZED	\$4,333.00	20%	3466.4
EVF-1152D/66-WHT	EVF-1152D 60 X 60 EVCOAT WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,793.00	20%	3034.4
RR-PC62-B	F.01U.321.578 RR-PC62 KIT, EVID PC6.2 ROUGH IN PLATE	\$174.00	20%	139.2
EVF-1152D/66-BLK	EVF-1152D 60 X 60 EVCOAT BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,512.00	20%	2809.6
EVF-1152D/64-PIW	EVF-1152D 60 X 40 EVCOAT WEATHERIZED	\$4,680.00	20%	3744
EVF-1152D/64-PIB	EVF-1152D 60 X 40 EVCOAT WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,333.00	20%	3466.4
LBB3414/00	F.01U.508.301 Mounting bracket for LLB 3441, 3412, 4511 and 4512	\$272.00	20%	217.6
EVF-1152D/64-WHT	EVF-1152D 60 X 40 EVCOAT WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,793.00	20%	3034.4
EVF-1152D/43-PIW	EVF-1152D 40 x 30 EVCOAT WEATHERIZED	\$4,680.00	20%	3744
EVF-1152D/96-PIB	EVF-1152D 90 X 60 EVCOAT WEATHERIZED	\$4,333.00	20%	3466.4
EVF-1152D/96-WHT	EVF-1152D 90 X 60 EVCOAT WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,793.00	20%	3034.4
EVF-1152D/96-BLK	EVF-1152D 90 X 60 EVCOAT BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,512.00	20%	2809.6
EVF-1152D/94-PIW	EVF-1152D 90 X 40 EVCOAT WEATHERIZED	\$4,680.00	20%	3744
EVF-1152D/94-PIB	EVF-1152D 90 X 40 EVCOAT WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,333.00	20%	3466.4
EVF-1152D/94-WHT	EVF-1152D 90 X 40 EVCOAT WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,793.00	20%	3034.4
EVF-1152D/94-BLK	EVF-1152D 90 X 40 EVCOAT BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,512.00	20%	2809.6
EVF-1152D/66-PIW	EVF-1152D 60 X 60 EVCOAT WEATHERIZED	\$4,680.00	20%	3744
EVF-1181S-PIB	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT PI-WEATHERIZED, BLACK, EXTERNAL CROSSOVER REQUIRED, Stainless steel grill and stainless steel Fasteners	\$3,249.00	20%	2599.2
EVF-1181S-WHT	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT, WHITE, EXTERNAL CROSSOVER REQUIRED	\$2,576.00	20%	2060.8

EVF-1181S-BLK	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT, BLACK, EXTERNAL CROSSOVER REQUIRED	\$2,385.00	20%	1908
EVF-1151S-PIW	Single 15IN, 400 Watt LF System, Passive/bi-Amp, Evcoat Pi-Weatherized, White - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,318.00	20%	2654.4
EVF-1151S-PIB	Single 15IN, 400 Watt LF System, Passive/bi-Amp, Evcoat Pi-Weatherized, Black - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,072.00	20%	2457.6
EVF-1151S-WHT	Single 15in, 400 Watt LF System, Passive/bi-Amp, Evcoat, White - Low-distortion EVS15SB woofer - Enhanced bass for installations	\$2,403.00	20%	1922.4
EVF-1151S-BLK	Single 15IN, 400 Watt LF System, Passive/bi-Amp, Evcoat, Black - Low-distortion EVS15SB woofer - Enhanced bass for installations	\$2,225.00	20%	1780
EVF-1121S-PIW	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, PI-WEATHERIZED, WHITE - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$2,648.00	20%	2118.4
EVF-1152D/43-PIB	EVF-1152D 40 x 30 EVCOAT WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,333.00	20%	3466.4
EVF-1152D/43-WHT	EVF-1152D 40 x 30 EVCOAT WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,793.00	20%	3034.4
EVF-1152D/43-BLK	EVF-1152D 40 x 30 Evcoat Black - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$3,512.00	20%	2809.6
EVF-2151D-PIW	EVF-2151D-PIW - Speaker - 30 - 3200 - White - Dual 15 Low Frequency front loaded bass element. Very linear frequency response from 41Hz to 330Hz	\$4,191.00	20%	3352.8
EVF-2151D-PIB	EVF-2151D-PIB - Speaker - 30 - 3200 - Black - Dual 15 Low Frequency front loaded bass element. Very linear frequency response from 41Hz to 330Hz	\$3,881.00	20%	3104.8
EVF-2151D-WHT	EVF-2151D-WHT - Speaker - 30 - 3200 - White - Dual 15 Low Frequency front loaded bass element. Very linear frequency response from 41Hz to 330Hz. 18mm / 13 ply birch plywood with internal reinforced steel rigging hardware top and bottom.	\$3,325.00	20%	2660
EVF-2151D-BLK	EVF-2151D-BLK - Speaker - 30 - 3200 - Black - Dual 15 Low Frequency front loaded bass element. Very linear frequency response from 41Hz to 330Hz. 18mm / 13 ply birch plywood with internal reinforced steel rigging hardware top and bottom.	\$3,079.00	20%	2463.2
EVF-1181S-PIW	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT PI-WEATHERIZED, WHITE, EXTERNAL CROSSOVER REQUIRED, Stainless steel grill and stainless steel Fasteners	\$3,509.00	20%	2807.2
EVF-1152S/99-PIB	90degree X 90degree, EVCOAT, PI-WEATHERIZED, BLACK, dynamic protection circuit for independent protection of both ways against thermal overload	\$3,494.00	20%	2795.2
EVF-1152S/99-WHT	90degree X 90degree, EVCOAT, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$2,918.00	20%	2334.4

EVF-1152S/99-BLK	90degree X 90degree, EVCOAT, BLACK, EVF-1152S/43 features a 40 x 30 rotatable waveguide, design for far field long throw raw spread coverage pattern	\$2,702.00	20%	2161.6
EVF-1152S/96-PIW	90degree X 60degree, EVCOAT, PI-WEATHERIZED, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$3,774.00	20%	3019.2
EVF-1152S/96-PIB	90degree X 60degree, EVCOAT, PI-WEATHERIZED, BLACK, Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,494.00	20%	2795.2
EVF-1152S/96-WHT	90degree X 60degree, EVCOAT, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$2,918.00	20%	2334.4
EVF-1152S/96-BLK	90degree X 60degree, EVCOAT, BLACK	\$2,702.00	20%	2161.6
EVF-1152S/94-PIW	90degree X 40degree, EVCOAT, PI-WEATHERIZED, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$3,774.00	20%	3019.2
EVF-1121S-PIB	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, PI-WEATHERIZED, BLACK - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$2,648.00	20%	2118.4
EVF-1121S-WHT	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, WHITE	\$1,878.00	20%	1502.4
EVF-1121S-BLK	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, BLACK	\$1,878.00	20%	1502.4
EVF-2121S-PIW	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT PI-WEATHERIZED, WHITE, EXTERNAL CROSSOVER REQUIRED	\$3,176.00	20%	2540.8
EVF-2121S-PIB	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT PI-WEATHERIZED, BLACK, EXTERNAL CROSSOVER REQUIRED	\$3,176.00	20%	2540.8
EVF-2121S-WHT	EVF-2121S-WHT - Speaker - 41 - 330 - White - Dual EVS12SB 12 (305 mm) LF transducers 100 dB sensitivity, 135 dB maximum SPL System rating: 800 W continuous, 3200 W peak	\$2,408.00	20%	1926.4
EVF-2121S-BLK	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT, BLACK, EXTERNAL CROSSOVER REQUIRED	\$2,408.00	20%	1926.4
EVF-1152S/99-PIW	90degree X 90degree, EVCOAT, PI-WEATHERIZED, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$3,774.00	20%	3019.2
EVF-1152S/64-PIB	60degree X 40degree, EVCOAT, PI-WEATHERIZED, BLACK - Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,494.00	20%	2795.2
EVF-1152S/64-WHT	60degree X 40degree, EVCOAT, WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,918.00	20%	2334.4
MB-100-LB	Mounting eyebolt kit for SX100/SX300	\$109.00	20%	87.2
EVF-1152S/64-BLK	60degree X 40degree, EVCOAT, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,702.00	20%	2161.6
EVF-1152S/43-PIW	45degree X 30degree, EVCOAT, PI-WEATHERIZED, WHITE	\$3,774.00	20%	3019.2
EVF-1152S/43-PIB	45degree X 30degree, EVCOAT, PI-WEATHERIZED, BLACK - Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,494.00	20%	2795.2

EVF-1152S/43-WHT	45degree X 30degree, EVCOAT, WHITE	\$2,918.00	20%	2334.4
EVF-1152S/43-BLK	45degree X 30degree, EVCOAT, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,702.00	20%	2161.6
EVF-1122S/99-PIW	90degree X 90degree, EVCOAT, PI-WEATHERIZED, White - Compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,651.00	20%	2920.8
EVF-1152S/94-PIB	90degree X 40degree, EVCOAT, PI-WEATHERIZED, BLACK, dynamic protection circuit for independent protection of both ways against thermal overload	\$3,494.00	20%	2795.2
EVF-1152S/94-WHT	90degree X 40degree, EVCOAT, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$2,918.00	20%	2334.4
EVF-1152S/94-BLK	90degree X 40degree, EVCOAT, BLACK, The EVF Series provides the tools to maximize the flexibility of system design, no matter what the application and budget	\$2,702.00	20%	2161.6
EVF-1152S/66-PIW	60degree X 60degree, EVCOAT, PI-WEATHERIZED, WHITE, Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,774.00	20%	3019.2
EVF-1152S/66-PIB	60degree X 60degree, EVCOAT, PI-WEATHERIZED, BLACK, The EVF Series provides the tools to maximize the flexibility of system design, no matter what the application and budget	\$3,494.00	20%	2795.2
EVF-1152S/66-WHT	60degree X 60degree, EVCOAT, WHITE, Dynamic protection circuit for independent protection of both ways against thermal overload	\$2,918.00	20%	2334.4
EVF-1152S/66-BLK	60degree X 60degree, EVCOAT, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$2,702.00	20%	2161.6
EVF-1152S/64-PIW	60degree X 40degree, EVCOAT, PI-WEATHERIZED, WHITE	\$3,774.00	20%	3019.2
EVF-1152S/94-FGB	90degree X 40degree, FIBERGLASS, BLACK, Full-face protected by a powder coated steel front grille backed with acoustic foam	\$4,050.00	20%	3240
EVF-1152S/66-FGW	60degree X 60degree, FIBERGLASS, WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,374.00	20%	3499.2
EVF-1152S/66-FGB	60degree X 60degree, FIBERGLASS, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,050.00	20%	3240
EVF-1152S/64-FGW	60degree X 40degree, FIBERGLASS, WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,374.00	20%	3499.2
EVF-1152S/64-FGB	60degree X 40degree, FIBERGLASS, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,050.00	20%	3240
EVF-1152S/43-FGW	45degree X 30degree, FIBERGLASS, WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,374.00	20%	3499.2
EVF-1152S/43-FGB	45degree X 30degree, FIBERGLASS, BLACK - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,050.00	20%	3240
EVF-2151D-FGW	EVF-2151D-FGW - Speaker - 30 - 3200 - White - Dual 15 Low Frequency front loaded bass element. Very linear frequency response from 41Hz to 330Hz. White textured paint	\$4,837.00	20%	3869.6

EVF-1152D/64-FGB	EVF-1152D 60 X 40 FIBERGLASS WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,892.00	20%	3913.6
EVF-1152D/43-FGW	EVF-1152D 40 x 30 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$5,283.00	20%	4226.4
EVF-1152D/43-FGB	EVF-1152D 40 x 30 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,892.00	20%	3913.6
EVF-1152S/99-FGW	90degree X 90degree, FIBERGLASS, WHITE, dynamic protection circuit for independent protection of both ways against thermal overload	\$4,374.00	20%	3499.2
EVF-1152S/99-FGB	90degree X 90degree, FIBERGLASS, BLACK, dynamic protection circuit for independent protection of both ways against thermal overload	\$4,050.00	20%	3240
EVF-1152S/96-FGW	90degree X 60degree, FIBERGLASS, WHITE, Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,374.00	20%	3499.2
EVF-1152S/96-FGB	90degree X 60degree, FIBERGLASS, BLACK, dynamic protection circuit for independent protection of both ways against thermal overload	\$4,050.00	20%	3240
EVF-1152S/94-FGW	90degree X 40degree, FIBERGLASS, WHITE, full-face protected by a powder coated steel front grille backed with acoustic foam	\$4,374.00	20%	3499.2
EVF-1122D/66-FGB	EVF-1122D 60 X 60 FIBERGLASS WEATHERIZED	\$4,650.00	20%	3720
EVF-1122D/64-FGW	EVF-1122D 60degree X 40degree, FIBERGLASS, BLACK	\$5,022.00	20%	4017.6
EVF-1122D/64-FGB	EVF-1122D 60degree X 40degree, FIBERGLASS, BLACK	\$4,650.00	20%	3720
EVF-1122S/99-FGW	90degree X 90degree, FIBERGLASS, White - Compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$4,260.00	20%	3408
EVF-1122S/99-FGB	90degree X 90degree, FIBERGLASS, Black - Compact, trapezoidal-shaped - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$3,944.00	20%	3155.2
EVF-1122S/96-FGW	90degree X 60degree, FIBERGLASS, White - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$4,260.00	20%	3408
EVF-1122S/96-FGB	90degree X 60degree, FIBERGLASS, Black - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$3,944.00	20%	3155.2
EVF-1122S/94-FGW	90degree X 40degree, FIBERGLASS, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,260.00	20%	3408
EVF-2151D-FGB	Speaker - 30 - 3200 - Black - Dual 15 Low Frequency front loaded bass element. Very linear frequency response from 41Hz to 330Hz. Black textured paint	\$4,479.00	20%	3583.2
EVF-1122D/99-FGW	EVF-1122D 90 X 90 FIBERGLASS Weatherized - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$5,022.00	20%	4017.6

EVF-1122D/99-FGB	EVF-1122D 90 X 90 FIBERGLASS Weatherized - Partially-weatherized PI and fully-weatherized FG versions available with gland nut and stainless-steel grille	\$4,650.00	20%	3720
EVF-1122D/96-FGW	EVF-1122D 90 X 60 FIBERGLASS WEATHERIZED	\$5,022.00	20%	4017.6
EVF-1122D/96-FGB	EVF-1122D 90 X 60 FIBERGLASS WEATHERIZED	\$4,650.00	20%	3720
EVF-1122D/94-FBW	EVF-1122D 90 X 40 FIBERGLASS WEATHERIZED	\$5,022.00	20%	4017.6
EVF-1122D/94-FGB	EVF-1122D 90 X 40 FIBERGLASS WEATHERIZED	\$4,650.00	20%	3720
EVF-1122D/66-FGW	EVF-1122D 60 X 60 FIBERGLASS WEATHERIZED	\$5,022.00	20%	4017.6
EVF-1122D/99-PIB	EVF-1122D 90 X 90 EVCOAT Weatherized - Compact, trapezoidal-shaped - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,091.00	20%	3272.8
CCSD-EXU	CCS 1000 D Extension Unit, powers up to 85 additional discussion devices, depending on cable lengths and configuration	\$1,658.00	20%	1326.4
EVF-1122D/99-WHT	EVF-1122D 90 X 90 EVCOAT WHITE	\$3,506.00	20%	2804.8
EVF-1122D/99-BLK	EVF-1122D 90 X 90 EVCOAT Black - The DVX3121A 12 in woofer was developed using FEA optimization for motor, suspension, and electrical design to ensure very low distortion, high efficiency, and maximum intelligibility at high SPL	\$3,246.00	20%	2596.8
EVF-1122D/96-PIW	EVF-1122D 90 X 60 EVCOAT Weatherized - Compact, trapezoidal-shaped - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,418.00	20%	3534.4
EVF-1122D/96-PIB	EVF-1122D 90 X 60 EVCOAT Weatherized - Compact, trapezoidal-shaped - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,091.00	20%	3272.8
EVF-1122D/96-WHT	EVF-1122D 90 X 60 EVCOAT WHITE	\$3,506.00	20%	2804.8
EVF-1122D/96-BLK	EVF-1122D 90 X 60 EVCOAT BLACK	\$3,246.00	20%	2596.8
EVF-1122D/94-PIW	EVF-1122D 90 X 40 EVCOAT WEATHERIZED	\$4,418.00	20%	3534.4
EVF-1122S/94-FGB	90degree X 40degree, FIBERGLASS, Black - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,944.00	20%	3155.2
EVF-1122S/66-FGW	60degree X 60degree, FIBERGLASS, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,260.00	20%	3408
EVF-1122S/66-FGB	60degree X 60degree, FIBERGLASS, Black - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,944.00	20%	3155.2
EVF-1122S/64-FGW	60degree X 40degree, FIBERGLASS, White - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,260.00	20%	3408
EVF-1122S/64-FGB	60degree X 40degree, FIBERGLASS, Black - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,944.00	20%	3155.2

FRI 2082-WHT	Dual 8-inch, two-way, low profile, passive, 100degree x 100degree full range loudspeaker, 200-watt, 93dB 1w@1m, terminal strip connections, U-mounting bracket included, white	\$1,371.00	20%	1096.8
EVF-1122D/126PIW	EVF-1122D 120 X 60 EVCOAT WEATHERIZED - Full-face protected by a powder-coated steel-front-grille backed with acoustic foam	\$4,418.00	20%	3534.4
EVF-1122D/99-PIW	EVF-1122D 90 X 90 EVCOAT Weatherized - Compact, trapezoidal-shaped - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,418.00	20%	3534.4
EVF-1122D/64-PIB	EVF-1122D 60degree X 40degree, EVCOAT, PI-WEATHERIZED, BLACK	\$4,091.00	20%	3272.8
EVF-1122D/64-WHT	EVF-1122D 60degree X 40degree, EVCOAT, PI-WEATHERIZED, WHITE - Trapezoidal 13-ply plywood enclosure in three finishes: EVCoat, PI, and fiberglass (FG)	\$3,506.00	20%	2804.8
EVF-1122D/64-BLK	EVF-1122D 60degree X 40degree, EVCOAT, BLACK - Rotatable Constant-directivity waveguide - 97 dB sensitivity, 131 dB maximum SPL	\$3,246.00	20%	2596.8
EVF-1152D/99-PIW	EVF-1152D 90 X 90 EVCOAT WEATHERIZED	\$4,680.00	20%	3744
EVF-1152D/99-PIB	EVF-1152D 90 X 90 EVCOAT WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,333.00	20%	3466.4
EVF-1152D/99-WHT	EVF-1152D 90 X 90 EVCOAT WHITE - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$3,793.00	20%	3034.4
EVF-1152D/99-BLK	EVF-1152D 90 X 90 EVCOAT BLACK - Dynamic protection circuit for independent protection of both ways against thermal overload	\$3,512.00	20%	2809.6
EVF-1152D/96-PIW	EVF-1152D 90 X 60 EVCOAT WEATHERIZED	\$4,680.00	20%	3744
EVF-1122D/94-PIB	EVF-1122D 90 X 40 EVCOAT WEATHERIZED	\$4,091.00	20%	3272.8
EVF-1122D/94-WHT	EVF-1122D 90 X 40 EVCOAT WHITE	\$3,506.00	20%	2804.8
LBB4116/02	Extension cable assembly, 2 m	\$80.30	20%	64.24
EVF-1122D/94-BLK	EVF-1122D 90 X 40 EVCOAT BLACK	\$3,246.00	20%	2596.8
LBB4116/20	Extension cable assembly, 20 m	\$220.00	20%	176
EVF-1122D/66-PIW	EVF-1122D 60 X 60 EVCOAT WEATHERIZED	\$4,418.00	20%	3534.4
LBB4117/00	DCN cable-locking clamps (25 pieces)	\$508.00	20%	406.4
EVF-1122D/66-PIB	EVF-1122D 60 X 60 EVCOAT WEATHERIZED	\$4,091.00	20%	3272.8
EVF-1122D/66-WHT	EVF-1122D 60 X 60 EVCOAT WHITE - Trapezoidal 13-ply plywood enclosure in three finishes: EVCoat, PI, and fiberglass (FG)	\$3,506.00	20%	2804.8
EVF-1122D/66-BLK	EVF-1122D 60 X 60 EVCOAT BLACK	\$3,246.00	20%	2596.8
EVF-1122D/64-PIW	EVF-1122D 60degree X 40degree, EVCOAT, PI-WEATHERIZED, WHITE	\$4,418.00	20%	3534.4
BOP-1000	19in blank mounting frame - REQUIRED FOR MOUNTING MODEL #TW-7W, #XP-US-PG, and #XP-4PGM.	\$79.80	20%	63.84

DSI 2008	Digital System to System Interface adapter - 2 channels of RTS TW to 4 wire conversion or 1 channel of RTS TW to 2 wire conversion (replaces SSA-424 & SSA-424A).	\$2,207.00	20%	1765.6
RMK-D BLACK	Dual rack mount kit mounts 1/2 rack components in center of 19in rack. Includes all mounting hardware. For use with PS2001L, PS4001L, SPS2001, US2002, ES4000A, SPK2000.	\$250.00	20%	200
RMK-S GREY	Single rack mount kit for CIA-1000 only - includes all hardware. Grey color.	\$177.00	20%	141.6
RMK-S BLACK	Single rack mount kit mounts 1/2 rack components in center of 19in rack. Includes all mounting hardware. For use with PS2001L, PS4001L, SPS2001, US2002, ES4000A, SPK2000.	\$250.00	20%	200
MCS-325	5 watt passive modular loudspeaker without volume control. 1RU by 1/2 rack wide.	\$305.00	20%	244
TW-5W	1X5 two channel 3pin XLR type passive splitter.	\$285.00	20%	228
MCP-90-18	Gooseneck mic with electret mic element, 18 inch length (45.7cm).	\$326.00	20%	260.8
MCP-90-12	Gooseneck mic with electret mic element, 12 inch length (30.5cm).	\$300.00	20%	240
MCP-90-0	Flushmount gooseneck mic with electret mic element.	\$256.00	20%	204.8
ME-50	50ft (15.2m) High flex cable with XLR-3 M/F connectors.	\$124.00	20%	99.2
ME-25	25ft (7.6m) High flex cable with XLR-3 M/F connectors.	\$80.60	20%	64.48
WP-2	Wall plate, channel 1/2 selector switch, 3pin male XLR.	\$141.00	20%	112.8
WP-1-WALL PLATE	Wall plate, 3pin male XLR.	\$69.90	20%	55.92
TW-7W	One female XLR-3 into seven male XLR-3 out (1/2 rack wide).	\$231.00	20%	184.8
RM-D	Dual rack mount for 1/2 rack wireless components - RE-2, FMR-500, ST-300, and TT-16.	\$103.00	20%	82.4
RM-S	Single rack mount for 1/2 rack wireless components - RE-2, FMR-500, ST-300, and TT-16. - Powder coated steel construction	\$82.30	20%	65.84
EBK-1	Eyebolt kit of three 3/8-16 forged shoulder bolts	\$71.00	20%	56.8
379-1	Black windscreen pop filter for RE16, RE50, N/D967, 767a, 367s, 267a, RE410 and RE510	\$30.00	20%	24
RE920TX	Premium cardioid instrument mic with a custom shock mounting clip and TA4 connector	\$331.00	20%	264.8
PH-88-IC3	PH-88, Single-Sided Lightweight Headset, 9ft (27M) Cord with 1/8in Split Feed - for use with Model #IC-W3 only	\$319.00	20%	255.2
QRX-218S-BLK W/RIG	1200-watt dual 18-inch subwoofer with EVX-180B drivers, flying, black. NOTE: SPECIAL ORDER - please call for manufacturing leadtime	\$4,191.00	20%	3352.8
BPA-4	1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 636-726 MHz, Green.	\$55.70	20%	44.56
BPA-3	1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 556-636 MHz, Yellow.	\$55.70	20%	44.56

CXU-75	75ft 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	\$426.00	20%	340.8
CXU-50	50ft 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	\$330.00	20%	264
CXU-25	25ft 50 ohm low loss coaxial cable, TNC M connector.	\$128.00	20%	102.4
ALP-450	Telex Branded Directional log periodic antenna covers 450-900 MHz. Unique forward coverage pattern increases signal gain up to 5 dB. Supplied with mounting hardware for wall or mic stand, and 10ft of low loss coaxial cable. Measures 9-1/2inL x 11in H, pai	\$491.00	20%	392.8
AB-2	Universal bracket for 1/2 wave antenna w/10ft coax cable.	\$108.00	20%	86.4
LBC1226/01	Adjustable boom	\$84.20	20%	67.36
LBC1221/01	Microphone floor stand	\$151.00	20%	120.8
LBC1215/01	Quick-release microphone clamp	\$42.10	20%	33.68
LBC1208/40	10M.2-C MIC CABL XLR/XLR	\$107.00	20%	85.6
LBC2900/20	Handheld Dynamic microphone (with XLR male plug)	\$91.70	20%	73.36
LHM0606/10	Ceiling loudspeaker, 9/6 watt, 100V, metal grille, round, clamp mount (lot size minimum order of 480 pieces, priced as each)	\$34.40	20%	27.52
LBB3443/00	Lightweight stereo headphones (packaged 10 pieces, priced as each)	\$39.80	20%	31.84
LBB3442/00	Single earphone (packaged 15 pieces, priced as each)	\$38.60	20%	30.88
LBB3443/50	Foam earpads for LBB 3443/00 (50 pairs)	\$151.00	20%	120.8
EVF-1152D/99-FGB	EVF-1152D 90 X 90 FIBERGLASS WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,892.00	20%	3913.6
EVF-1152D/96-FGW	EVF-1152D 90 X 60 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$5,283.00	20%	4226.4
EVF-1152D/96-FGB	EVF-1152D 90 X 60 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,892.00	20%	3913.6
EVF-1152D/94-FGW	EVF-1152D 90 X 40 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$5,283.00	20%	4226.4
EVF-1152D/94-FGB	EVF-1152D 90 X 40 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$4,892.00	20%	3913.6
EVF-1152D/66-FGW	EVF-1152D 60 X 60 FIBERGLASS WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$5,283.00	20%	4226.4
EVF-1152D/66-FGB	EVF-1152D 60 X 60 FIBERGLASS WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$4,892.00	20%	3913.6
EVF-1152D/64-FGW	EVF-1152D 60 X 40 FIBERGLASS WEATHERIZED - Partially-weatherized PI and fully weatherized FG versions available with gland nut and stainless-steel grille	\$5,283.00	20%	4226.4

LBC2900/15	Handheld Dynamic microphone (with stereo jack plug)	\$91.70	20%	73.36
LBB9099/10	Handheld Dynamic microphone (with lockable 5-pin DIN connector)	\$240.00	20%	192
EVH1152D94BLB	high-power, two- way horn-loaded coaxial loudspeaker system	\$4,948.00	20%	3958.4
LBB9080/00	Handheld Dynamic microphone (Push-To-Talk)	\$84.20	20%	67.36
EVH1152D99BLB	igh-power, two- way horn-loaded coaxial loudspeaker system	\$4,948.00	20%	3958.4
XCS312-BLK-LB	Triple 12 in Cardioid Bass Element	\$5,998.00	20%	4798.4
LBC1256/00	EVAC Connection Adapter (100PCS)	\$574.00	20%	459.2
TCA-ZX1	Truss Clamp Adapter for ZX1 loudspeaker	\$107.00	20%	85.6
EVF-1152D/99-FGW	EVF-1152D 90 X 90 FIBERGLASS WEATHERIZED - Dynamic protection circuit for independent protection of both ways against thermal overload	\$5,283.00	20%	4226.4
DRC-1	DRC-1, Drum rim clamp for PL35 Tom/snare microphone	\$37.00	20%	29.6
LBB9600/20	Handheld condenser microphone (with 3-pin, male and female XLR connectors)	\$276.00	20%	220.8
LBB1949/00	Gooseneck condenser microphone	\$270.00	20%	216
AB-ZE	Universal array bracket mounting system for up to four ZX1i or EVID 3.2, 4.2 or 6.2 speaker systems in any combination. Enables either pole or threaded rod mounting. Includes one piece bracket, mounting hardware and safety plate.	\$237.00	20%	189.6
ZX5-60W	600-Watt, 15in two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, White	\$1,773.00	20%	1418.4
ZX3-60W	600-Watt, 12in two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, White	\$1,525.00	20%	1220
ZX3-60B	600-Watt, 12in two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, Black	\$1,525.00	20%	1220
ZX3-90W	600-Watt, 12in two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	\$1,525.00	20%	1220
ZX3-90B	600-Watt, 12in two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	\$1,525.00	20%	1220
ZX1-90W	200 watt 8in two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguide. Includes integrated pole mount, carrying slot and rubber feet. White high impact polymer cabinet.	\$629.00	20%	503.2
ZX1-90	200 watt 8in two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguide. Includes integrated pole mount, carrying slot and rubber feet. Black high impact polymer cabinet.	\$629.00	20%	503.2
SB122	400-watt 12-inch high excursion subwoofer, low-pass filter, Neutrik Speakon connectors, flying and stand mount, black polypropylene	\$1,209.00	20%	967.2

FRI 28LPM-BLK	Dual 8-inch, two-way, low profile, passive, 100degree x 100degree full range loudspeaker, 200-watt, 93dB 1w@1m, with non-skid rubber feet, Speakon connectors, black (no bracket)	\$1,371.00	20%	1096.8
QRX-218S-BLK	1200 watt dual 18-inch subwoofer with EVX-180B drivers, comes with rear-mounted pocket wheels and 30-inch pole, black	\$3,717.00	20%	2973.6
QRX-118S-BLK	600 watt 18-inch subwoofer with EVX-180B driver, rectangular box, non-slip feet bottom and side, pole mount on top, black	\$2,298.00	20%	1838.4
TX1152FM	500 watts, 15-inch two-way dedicated vertical floor monitor, passive, 90degree x 50degree horn pattern, all-new SMX2151 woofer, DH3 compression driver, patent pending SST (Signal Synchronized Transducers), Backbone grille, angled input panel, rotatable lo	\$1,585.00	20%	1268
TX1122FM	500 watts, 12-inch two-way dedicated vertical floor monitor, passive, 90degree x 50degree horn pattern, all-new SMX2121 woofer, DH3 compression driver, patent pending SST (Signal Synchronized Transducers), Backbone grille, angled input panel, rotatable lo	\$1,576.00	20%	1260.8
TX2181	1000 watts, dual 18-inch subwoofer, EVS-18S woofers, Backbone grille, angled input panel, rotatable logo, black EVCOAT.	\$2,638.00	20%	2110.4
TX1181	500 watts, 18-inch subwoofer, EVS-18S woofer, Backbone grille, integrated top pole mount, angled input panel, rotatable logo, black EVCOAT.	\$1,664.00	20%	1331.2
DSI 2008-CALL	Digital System to System Interface adapter - 2 channels of RTS TW to 4 wire conversion or 1 channel of RTS TW to 2 wire conversion (replaces SSA-424 & SSA-424A) - WITH CALL LIGHT	\$2,474.00	20%	1979.2
SSA324-#U	System to system interface 2 channel 2 wire to 4 wire conversion or 1 channel 2 wire to 2 wire w/signal option board. 1RU high and 1/2 rack wide.	\$1,492.00	20%	1193.6
SSA324	System to system interface 2 channel 2 wire to 4 wire conversion or 1 channel 2 wire to 2 wire. 1RU high and 1/2 rack wide.	\$1,087.00	20%	869.6
MH-920	Shock mounted mic clip with gooseneck for RE920Tx, also compatible with RE92L and RE92Tx microphones.	\$86.10	20%	68.88
ME-6	6ft (1.83M) High flex cable with XLR-3 M/F connectors.	\$50.40	20%	40.32
CA-13-33	Break out cable - one XLR3F to three XLR3M.	\$125.00	20%	100
ME-100	100ft (30.5m) High flex cable with XLR-3 M/F connectors.	\$164.00	20%	131.2
MCP-90-8	Gooseneck mic with electret mic element, 8 inch length (20.3cm).	\$293.00	20%	234.4
ZX5-60B	600-Watt, 15in two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, Black	\$1,642.00	20%	1313.6
ZX5-90W	600-Watt, 15in two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	\$1,773.00	20%	1418.4
ZX5-90B	600-Watt, 15in two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	\$1,642.00	20%	1313.6
FA-GW-RS	FA-GW, 1/2 Wave Flex Antenna, 610-710 MHZ	\$65.60	20%	52.48
FA-RW-RS	FA-RW-RS, FA-RW, 1/2 Wave Flex Antenna, 470-550 MHZ	\$65.60	20%	52.48

FA-YW-RS	FA-YW-RS, FA-YW, 1/2 Wave Flex Antenna, 525-610 MHZ	\$65.60	20%	52.48
PAS-2NA	Replacement 120V/15VDC switching power supply for RE-2, FMR-500, ST-300, AAT-2, TC-2X, BTR-200/300, and TT-16.	\$32.80	20%	26.24
ME-2	2ft (.61m) High flex cable with XLR-3 M/F connectors.	\$41.70	20%	33.36
DCN-SW-E	Conference Software Main Module, E-code	\$3,500.00	20%	2800
DCN-SWMP-C-E	Conference Software Multi PC, E-code	\$3,221.00	20%	2576.8
DCN-SWMM-E	Conference Software Microphone Management, E-code	\$1,256.00	20%	1004.8
DCN-SWDB-E	Conference Software Delegate Database, E-code	\$2,659.00	20%	2127.2
HR-2 A4M	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A4M Connector	\$439.00	20%	351.2
ELX118-CVR	Padded Cover for ELX118/P - EV Logo	\$194.00	20%	155.2
MB300W	Horizontal array kit for side-by-side arraying of two Sb121, Sb121a, Sb122PI, Sx100+ or Sx300 (use a second Mb300 to array three systems; the Mb300 requires one Mb200 U-bracket kit per speaker system), white	\$164.00	20%	131.2
ZLX-12-CVR	ZLX PADDED COVER FOR ZLX-12/P - EV LOGO	\$128.00	20%	102.4
TW-A	TELESCOPING ANTENNA, TT-16 / AAT-1	\$74.40	20%	59.52
WS-97-BEIGE	Windscreen Kit RE97 Beige	\$25.70	20%	20.56
WS-97-BLACK	Windscreen Kit RE97 Black	\$25.70	20%	20.56
CPS8.5 120V	CPS8.5 8-Channel Power Amplifier, 8 x 500W into 2, or 4 Ohms, or 70V/100V Direct Drive, 2U, ready for RCM-810 IRIS-Net Remote Control Module, In/Outputs Phoenix Type, 120V	\$5,526.00	20%	4420.8
CPS4.5 120V	CPS4.5 4-Channel Power Amplifier, 4 x 500W into 2, or 4 Ohms, or 70V/100V Direct Drive, 2U, ready for RCM-810 IRIS-Net Remote Control Module, In/Outputs Phoenix Type, 120V	\$3,846.00	20%	3076.8
CPS4.10 120V	CPS4.10 4-Channel Power Amplifier, 4 x 1000W into 2, or 4 Ohms, or 70V/100V Direct Drive, 2U, ready for RCM-810 IRIS-Net Remote Control Module, In/Outputs Phoenix Type, 120V	\$4,851.00	20%	3880.8
TT-16	16 channel synthesized wireless IFB transmitter with 3pin XLR input, 1/4IN unbalanced line level signal output jack. Audiocom/Radiocom/RTS TW compatible. SAP Number F.01U.117.808	\$1,301.00	20%	1040.8
LRC-1100-B	Column speaker, 37.4in (1m) tall. 12x 2.5in drivers with proprietary PaSS dispersion control, and 3x 2.5in passive radiators.	\$1,267.00	20%	1013.6
LRC-1100-W	Column speaker, 37.4in (1m) tall. 12x 2.5in driversWH with proprietary PaSS dispersion control, and 3x 2.5in passive radiators.	\$1,343.00	20%	1074.4
LRC-2100-B	Column speaker, 37.4in (1m) tall. 12x 2.5in mid-high drivers with proprietary PaSS dispersion control, and 2x 6.5in band-pass woofers.	\$1,780.00	20%	1424
LRC-2100-W	Column speaker, 37.4in (1m) tall. 12x 2.5in mid-high drivers with proprietary PaSS dispersion control, and 2x 6.5in band-pass woofers.	\$1,887.00	20%	1509.6
EVERSE8-W	Everse 8. 8inch 2-way speaker battery white US&EU	\$1,487.00	20%	1189.6

U30:1M-US	30W single channel mixer amplifier. 4 inputs - 2 mic/line, 2 aux, plus EMG override input (70/100V or line). US power cord.	\$362.00	20%	289.6
U60:1M-US	60W single channel mixer amplifier. 4 inputs - 2 mic/line, 2 aux, plus EMG override input (70/100V or line). US power cord.	\$461.00	20%	368.8
EVERSE8-TRAY-W	Tray for EVERSE 8, 12V DC cable white	\$120.00	20%	96
U120:1M-US	120W single channel mixer amplifier. 4 inputs - 2 mic/line, 2 aux, plus EMG override input (70/100V or line). US power cord.	\$560.00	20%	448
EVERSE8-US	Everse 8. 8inch 2-way speaker battery black US	\$1,487.00	20%	1189.6
LRC-1060-B	Column speaker, 22.8in (0.6m) tall. 6x 2.5in drivers with proprietary PaSS dispersion control, and 2x 2.5in passive radiators.	\$700.00	20%	560
EVERSE8-TOTE	Padded tote bag for EVERSE 8	\$174.00	20%	139.2
LRC-1060-W	Column speaker, 22.8in (0.6m) tall. 6x 2.5in drivers with proprietary PaSS dispersion control, and 2x 2.5in passive radiators.	\$742.00	20%	593.6
EVERSE8-TRAY-B	Tray for EVERSE 8, 12V DC cable black	\$120.00	20%	96
EVERSE8-BAT-B	Battery pack assembly, EVERSE8, black		20%	0
EVERSE8-BAT-W	Battery pack assembly, EVERSE8, white	\$225.00	20%	180
X12I-128-FGB	BOSCH 2x18" Install sub black fiberglass. Sold only wit Dynacord IPX 2-:4. Will not be sold with other amplifiers	\$9,536.00	20%	7628.8
LBB4116/05	System extension cable, 5m	\$132.00	20%	105.6
INT-TX16	Transmitter - For 16 languagesresistant cover for EVERSE 12; Excellent audio quality; Advanced digital technology; Infra-red for freedom of movement for delegates; Simultaneous interpretation; User-friendly channel selection	\$13,228.00	20%	10582.4
EVOLVE50-SB-US	EVOLVE 50 - Column Speaker - 1000Watt - Black	\$2,128.00	20%	1702.4
EVOLVE50-TB	Column speaker array, pole, black	\$1,368.00	20%	1094.4
EVOLVE50-SW	Column speaker sub, white, global w BT	\$2,128.00	20%	1702.4
EVOLVE50-TW	Column speaker array, pole, white	\$1,368.00	20%	1094.4
EVOLVE50-CASE	Column Speaker Carrying case, wheels	\$428.00	20%	342.4
EVOLVE50-PL-SB	COLUMN SPEAKER POLE, SHORT, BLACK	\$194.00	20%	155.2
EVOLVE50-SUBCVR	SUBWOOFER COVER	\$157.00	20%	125.6
EVF-12/95-W	Full-range, two-way, front load 12IN point source loudspeaker with 90x50 pattern, white, indoor. All EVF G2 loudspeakers require electronics capable of Hybrid-FIR settings such as Dynacord IX Series.	\$2,750.00	20%	2200
C-9	C-9, Ear Cushion, leather style, For HR series	\$43.60	20%	34.88
EVID-P6.2B	6.5in Coaxial pendant speaker with horn loaded Ti coated tweeter - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. Black	\$432.00	20%	345.6
EVID-P6.2W	6.5in Coaxial pendant speaker with horn loaded Ti coated tweeter - for 70v/100v or 8-ohm operation.Taps at 30, 15, 7.5, 3.75, and 1.88 watts. White	\$458.00	20%	366.4

HR-2 A5M	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A5M Connector	\$439.00	20%	351.2
CCSD-TC2	CCS 1000 D Transport case for storing and transporting one Control Unit, six Discussion Devices (CCSDDS or CCSDDL) cables and/or other accessories.	\$629.00	20%	503.2
DCNM-CB05-I	DICENTIS System Network Cable 5m	\$112.00	20%	89.6
DCNM-CB25-I	DICENTIS System Network Cable 25m	\$349.00	20%	279.2
DCNM-DE	DICENTIS Discussion Device with 4.3in touch screen (sold without microphone)	\$1,215.00	20%	972
DCNM-D	DICENTIS Discussion Device, (sold without microphone)	\$720.00	20%	576
ZLX-12-G2	Electro-Voice ZLX-12-G2 12in 2-Way 1000W Passive Loudspeaker (Black)F. 01U.385.531	\$808.00	20%	646.4
EVC-1152-64B	15 speaker, 60x45 indoor, black. Note ships without rigging hardware	\$1,580.00	20%	1264
MXE5-64	DSP Matrix Mix Engine, 76 x 72 performance audio matrix and system controller with intuitive zone mixing, Dante network and AES70 control. 12 analog inputs, 8 analog outputs, 64 x 64 Dante. F.01U.424.586	\$4,046.00	20%	3236.8
LH3-UC25XL	Horn loudspeaker, Ex-proof, long flare	\$1,017.00	20%	813.6
ZLX-12P-G2-US	ZLX-12P-G2 - 12 2-way powered speaker - 48 - 20000 - Black - ZLX-G2 is the next generation of the bestselling pro-audio loudspeaker series from Electro-Voice; Increased maximum SPL output and extended frequency response	\$988.00	20%	790.4
DCN-FPT	Flush Positioning Tools (2 sets)	\$28.20	20%	22.56
IX15:4-US	4-channel networked DSP amplifier with 1.5 kW powerTANK for Hi-Z and Lo-Z operation, 8 x 8 Dante with OCA/AES70 remote control, 4 mic/line inputs usable as Dante break-in, 96 kHz fully featured DSP matrix mixer and TaskEngine for system logic, automation, scheduling and integration, ghostPOWER via PoE to maintain DSP, Dante network and mic/line inputs, High efficiency ecoRAIL technology for lower operating costs, 1RU, US power cord.	\$3,045.00	20%	2436
IX60:8-US	8-channel networked DSP amplifier with 6 kW powerTANK for Hi-Z and Lo-Z operation, 8 x 8 Dante with OCA/AES70 remote control, 8 mic/line inputs usable as Dante break-in, 96 kHz fully featured DSP matrix mixer and TaskEngine for system logic, automation, scheduling and integration, ghostPOWER via PoE to maintain DSP, Dante network and mic/line inputs, High efficiency ecoRAIL technology for lower operating costs, 1RU, US power cord.	\$6,300.00	20%	5040

IX60:4-US	4-channel networked DSP amplifier with 6 kW powerTANK for Hi-Z and Lo-Z operation, 8 x 8 Dante with OCA/AES70 remote control, 4 mic/line inputs usable as Dante break-in, 96 kHz fully featured DSP matrix mixer and TaskEngine for system logic, automation, scheduling and integration, ghostPOWER via PoE to maintain DSP, Dante network and mic/line inputs, High efficiency ecoRAIL technology for lower operating costs, 1RU, US power cord.	\$5,355.00	20%	4284
IX30:8-US	8-channel networked DSP amplifier with 3 kW powerTANK for Hi-Z and Lo-Z operation, 8 x 8 Dante with OCA/AES70 remote control, 8 mic/line inputs usable as Dante break-in, 96 kHz fully featured DSP matrix mixer and TaskEngine for system logic, automation, scheduling and integration, ghostPOWER via PoE to maintain DSP, Dante network and mic/line inputs, High efficiency ecoRAIL technology for lower operating costs, 1RU, US power cord.	\$5,198.00	20%	4158.4
DCN-FMICB	Pluggable Long Microphone	\$90.30	20%	72.24
IX30:4-US	4-channel networked DSP amplifier with 3 kW powerTANK for Hi-Z and Lo-Z operation, 8 x 8 Dante with OCA/AES70 remote control, 4 mic/line inputs usable as Dante break-in, 96 kHz fully featured DSP matrix mixer and TaskEngine for system logic, automation, scheduling and integration, ghostPOWER via PoE to maintain DSP, Dante network and mic/line inputs, High efficiency ecoRAIL technology for lower operating costs, 1RU, US power cord.	\$3,570.00	20%	2856